

## 10. СПРАВКА

### за установените цитирания в научни издания

#### на доц. д-р Петя Иванова

Представен е хронологичен списък на всички установени цитирания в научни публикации, сборници и книги, като не са включени цитирания в дисертации. Цитатите, които са в списания индексирани в *Web of Science* или *Scopus*, са отбелечани с **IF**, **SJR** (в болд). Установени са общо **373** цитата на **45** публикации, без тези в дисертации. От тях **273** са в списания с **IF** и/или **SJR** и **35** са в книги или глави от книги, сборници от конференции. Останалите **65** цитата са в научни издания неиндексирани в *Web of Science* или *Scopus*.

**Dobrovolov, I., Ivanova, P. 1999. Biochemical genetic comparison of the *Atherina boyeri* and *Atherina mochon pontica* (Pisces, Atherinidae). *Folia zoologica*, V. 48, 1, ISSN:0139-7893, 55-60.**

1. Ciftci, Y. 2017. Genetic Studies In The Black Sea. In: Black Sea Marine Environment: The Turkish Shelf Book Series Turkish Marine Research Foundation Publication, Volume 46, 519-542, Edited by: Sezgin, M., Bat, L., Urkmez, D., Arici, E., Ozturk, B., Published 2017 Indexed 2017-01-01.
2. Васильева, Е.Д. 2017. Диагностические признаки и таксономия средиземноморских атерин из группы *Atherina boyeri* (Atherinidae), *Вопросы ихтиологии*, 57(6): 627-639, (**IF**, **SJR**).

**Ivanova, P., Dobrovolov I. S. 2002. Morphological and biochemical-genetic comparison of *Cobitis albicoloris* Chichkoff, 1932 populations (Pisces, Cobitidae) from Bulgaria. *Acta zoologica bulgarica*, 54: 35-45.**

3. Kottelat, M., Freyhof, J. 2009. Notes on the taxonomy and nomenclature of some European freshwater fishes, *Ichthyological Exploration of Freshwaters*, 20 (1): 75-90, [link](#), (**SJR**).

**Dobrovolov, I., Ivanova, P., Apostolu, A., Manolov, Zh. 2003. Systematic of the Atherinidae species in the Black Sea and Mediterranean basins based on biochemical-genetic data. In: *Proceedings of the 6th International Conference on the Mediterranean Coastal Environment*, MEDCOAST, 721-728.**

4. Yankova, M. 2016. Alien invasive fish species in Bulgarian waters: An Overview. *International Journal of Fisheries and Aquatic Studies*, 4(2): 282-290.
5. Васильева, Е.Д. 2017. Диагностические признаки и таксономия средиземноморских атерин из группы *Atherina boyeri* (Atherinidae), *Вопросы ихтиологии*, т. 57 (6):627-639, (**IF**, **SJR**).

Ivanova, P., Erk'akan, F., Özeren, S.C., Dobrovolov, I. 2003. Biochemical-genetic Comparison of *Cobitis simplicispina* from Turkey, and *C. taenia*, *C. albicoloris* and *C. elongata* from Bulgarian Freshwaters, *Folia biologia (Krakow)*, 51(SUPPL.), pp. 79–84.

6. Stefanov, T. 2019. Ichthyofauna of the Bulgarian stretch of the Danube River and lower courses of its tributaries (Book Chapter), In Book: Biodiversity of the Bulgarian-Romanian Section of the Lower Danube Publisher: Nova Science Publishers, Inc., pp. 241-281.

Живков, М., Проданов, К., Тричкова, Т., Райкова - Петрова, Г., Иванова, П. 2005. Рибите в България – проученост, опазване и устойчиво използване В. Петрова, А. (ред.), Съвременно състояние на биоразнообразието в България проблеми и перспективи, 247-282. Българска биоплатформа, София. Съвременно състояние на биоразнообразието в България проблеми и перспективи.

7. Tserkova, F., D., Boyadzhieva-Doychinova, D., Gevezova, M., Petrova-Klisarova, D., Denev, I., 2013. Molecular taxonomic study of horse mackerel (*Trachurus mediterraneus*) using ITS1 variability. *Bulg. Journal of Agricultural Science*, 19 (Supplement 1), 55-61, <https://www.agrojournal.org/19/01-11s.pdf>, (IF, SJR).
8. Sivkov, Y., Trichkova, T. 2015. Vulnerable species. Fish. Black Sea turbot (*Psetta maxima* Linneaus, 1758), B: The Red book of Bulgaria, v.2, pp.221.
9. Yankova, M. 2016. Alien invasive fish species in Bulgarian waters: An Overview. *International Journal of Fisheries and Aquatic Studies*, 4(2): 282-290.
10. Aydin, M. 2017. Some biological parameters of painted comber (*Serranus scriba* L., 1758) in the Black Sea., *Turkish Journal of Maritime and Marine Sciences* Volume: 3 Issue: 1: 34-41, <https://dergipark.org.tr/tr/download/article-file/565806>.

Dobrovolov, I., Ivanova, P., Tsekov, A. 2005. Genetic-biochemical identification of some sturgeons and their hybrids (Pisces, Acipenseridae). *Internationale Vereinigung für theoretische und angewandte Limnologie: Verhandlungen*, 29(2), pp.917-921.

11. Rehbein, H., Lopata, A.L. 2011. Presence of parvalbumin in different tissues of three sturgeon species (*Acipenser baeri*, *A. gueldenstaedtii*, *A. ruthenus*). *Journal of Applied Ichthyology*, 27 (2): 219-225, <https://doi.org/10.1111/j.1439-0426.2010.01654.x>, (IF, SJR).
12. Kuzmin, E.V., Kuzmina, O. Yu. 2014. Polymorphism myogenic locus of some representatives of the sturgeon family (Acipenseridae), *Genetica*. v. 50(9): 1089. (IF, SJR).

- Bat, L., Ivanova, P., Dobrovolov, I., Shulman, G.E., Nikolsky, V.N., Yuneva, T.V., Shchepkina, A.M., Kideys, A.E. 2007. The population structure of the Black Sea anchovy. *Aquaculture & Fisheries*, 2, 51-56, ISSN 1306-0570.**
13. Zuev, G.V., 2014. Intraspecific differentiation and distribution of the European anchovy *Engraulis encrasicolus* (L) (Engraulidae: Pisces) in Black and Azov Seas. *Marine ecological journal*, 13(3):19-31.
- Dobrovolov, I., Ivanova, P.P., Jonkov, J.I. 2005. Genetic divergence of *Micromesistius poutassou* Risso and *M. australis* Norman (Pisces, *Micromesistius*) in the Atlantic ocean. *Journal of Coastal Research, Special Issue*, v. 42, 348.**
14. Halvorsen, K.A.T., Mork, J., Árnason, E., Smith, P.J. 2012. Mitochondrial dna differentiation between the antitropical blue whiting species *Micromesistius poutassou* and *Micromesistius australis*, *Journal of Fish Biology*, 81(1): 253-269, <https://doi.org/10.1111/j.1095-8649.2012.03334.x>, (IF, SJR).
- Ivanova, P. P., Dobrovolov, I. 2006. Population–genetic structure on European anchovy (*Engraulis encrasicolus*, Linnaeus, 1758) (Osteichthyes: Engraulide) from Mediterranean Basin and Atlantic Ocean. *Acta Adriatica*, 47, 1, 13-22, ISSN:0001-5113.**
15. Shulman, G.E., Nikolsky, V.N., Yuneva, T. Y., Shchepkina, A. M., Bat, L., Kideys, A. 2008. Significance of physiological and biochemical approaches for Black Sea fishery investigations. *International Journal of natural and enginnering sciences*, 2(1):107-112. (IF, SJR).
16. Morello, E.B., Arneri, E. 2009. Anchovy and sardine in the adriatic sea-an ecological review. *Oceanography and Marine Biology: an annual review*. 47: 209-256, <https://doi.org/10.1201/9781420094220> , (IF, SJR).
17. Erdoğan, Z., Turan. C., Koç, H. 2009. Morphologic and allozyme analyses of European anchovy (*Engraulis encrasicolus* L.1758) in the Black, Marmara and Aegean Seas. *Acta Adriatica*, 50(1):77-90, <https://hrcak.srce.hr/40345>, (IF, SJR).
18. Zarraonaindia, I., Iriondo, M., Albaina, A., Pardo, M. A., Manzano, C., Grant, W S., Irigoien, X., Estonba, A. 2012. Multiple SNP markers reveal fine-scale population and deep phylogeographic structure in European anchovy (*Engraulis encrasicolus* L.). *PLoS ONE*, 7(7): e42201. DOI:10.1371/journal.pone.0042201, <https://journals.plos.org/plosone/article?id=10.1371/journal.pone.0042201>, (IF, SJR).
19. Zuev, G.V., Bondarev, V.A., Murzin, Yu. L., Samotoi, Yu.V. 2014. Long-term dynamics of fishing and size and age structure of the Black Sea anchovy catches (*Engraulis encrasicolus ponticus*) in Ukraine. *Marine ecological journal*, v. 13. № 1. c. 27-34.
20. Zuev, G.V., 2014. Intraspecific differentiation and distribution of the European anchovy *Engraulis encrasicolus* (L) (Engraulidae: Pisces) in Black and Azov Seas. *Marine ecological journal*, 13 (3): 19-31.

21. Yuneva, T. V., Zabelinsky, S. A., Nikolsky, B. N., Shchepkina, A. M., Bat, L., Kaya, Ya., Seyhan, K., Shulman, G. E. 2014. Identification of the Azov and Black Sea anchovy in the Black Sea off the coast of Ukraine and Turkey during fishing period 2006-2012 years based on the content of docosahexaenoic fatty acid in phospholipids. *Marine Ecological Journal*, 2, v.13, 82-89.
22. Kasapidis, P. 2014. Phylogeography and population genetics (Book Chapter), *Biology and Ecology of Sardines and Anchovies*, pp. 43-75.
23. Guttitta A., Patti, B., Maggio, T., Quinci, E.M., Pappalardo, A.M., Ferrito, V.Pinto,V.,Torri, M., Falco,F., Nicosia, A., Musco,M., Armeri, G.M.,Placenti, F., Tranchida,G., Mifsud, R., Bonnano, A., Mazzola, S. 2015. Larval population structure of *Engraulis encrasicolus* in the Strait of Sicily as revealed by morphometric and genetic analysis, *Fisheries Oceanography* 03/2015; 24(2):135-149, <https://doi.org/10.1111/fog.12098>, (**IF, SJR**).
24. Zengin, M., Polat, N., Saygin, S. 2015. Investigation of some morphometric and otolith features of *Engraulis encrasicolus* L., 1758 fished in Blacksea and Marmara Sea. *Biological Diversity and Conservation*, 8/1, 62-68, (**IF, SJR**).
25. Pappalardo, A.M., Federico, C., Sabella, G., Saccone, S., Ferrito, V. 2015. A COI nonsynonymous mutation as diagnostic tool for intraspecific discrimination in the european anchovy *Engraulis encrasicolus* (Linnaeus). *PLoS ONE* 10(11): e0143297. doi:10.1371/journal.pone.01432978, (**IF, SJR**).
26. Damalas, D., Vassilopoulou, V., Pantazi, M. 2015. Fishery indicators for policy use in the mediterranean and black sea (Book Chapter), *Progressive Engineering Practices in Marine Resource Management*, pp. 183-208.
27. Chashchin, A., Shlyakhov, V.A., Dubovik, V.E., Negoda, S. 2015, Stock assessment of anchovy (*Engraulis encrasicolus* L.) in northern Black Sea and Sea of Azov (Book Chapter), *Progressive Engineering Practices in Marine Resource Management*, pp. 209-243, IGI Global, DOI: 10.4018/978-1-4666-8333-4.ch006.
28. Chahdi Ouazzani, K., Benazzou, T., Charouki, N., Bonhomme, F., Chlaida, M. 2017. Genetic differentiation of European anchovy (*Engraulis encrasicolus*) along the Moroccan coast reveals a phylogeographic break around the 25th parallel North, *Marine Biology Research* 13(3), pp. 342-350, <https://doi.org/10.1080/17451000.2016.1257811>, (**IF, SJR**).
29. Gücü, A.C., Genç, Y., Dağtekin, M., Sakınan, S., Ak, O., Ok, M. and Aydin, İ., 2017. On Black Sea anchovy and its fishery. *Reviews in Fisheries Science & Aquaculture*, 25(3), pp.230-244, DOI: 10.1080/23308249.2016.1276152, (**IF, SJR**).
30. Uyan, A., Turan, C. 2017. Genetic and morphological analyses of tub gurnard *Chelidonichthys lucerna* populations in Turkish marine waters, *Biochemical Systematics*

and *Ecology*, 73:35-40,  
<https://www.sciencedirect.com/science/article/pii/S0305197817300832>, (IF, SJR).

31. Vodiasova, E.A., Abramson, N.I. 2017. Genetic variability of anchovy in the Azov-Black Sea basin, *Russian Journal of Genetics*, 53(6), pp. 680-687, <https://doi.org/10.1134/S1022795417060138>, (IF, SJR).
32. Zuev, G.V., Klimova, T.N. 2017. Long-term dynamic of reproductive performance of European anchovy *Engraulis encrasicolus* Linnaeus, 1758 and its connection with temperature, *Marine Biological Journal*, 2(2): 3-19, DOI: 10.21072/mbj.2017.02.2.01.
33. Düzgüneş, Z.D, Eroğlu, O., Firidin, Ş., Çakmak, E. 2018. Genetic Diversity for Anchovy Populations (*Engraulis encrasicolus* L.) in the Azov, Marmara and Black Sea. *Genetics of Aquatic Organisms*, 2: 53-60, [https://www.genaqua.org/uploads/pdf\\_23.pdfp](https://www.genaqua.org/uploads/pdf_23.pdfp), (IF)
34. Montes, I., Iriondo, M., Manzano, C., Estonba, A. 2018. Development of gene-associated single nucleotide polymorphisms for Japanese anchovy *Engraulis japonicus* through cross-species amplification, *Fisheries Science*, 84(1), pp. 1-7, <https://doi.org/10.1007/s12562-017-1134-9>, (IF, SJR).
35. Khemiri, S., Gaamour, A., Ben Abdallah, L., Fezzani, S. 2018. The use of otolith shape to determine stock structure of *Engraulis encrasicolus* along the Tunisian coast, *Hydrobiologia*, 821(1), pp. 73-82, <https://doi.org/10.1007/s10750-017-3305-1>, (IF, SJR).
36. Patti, B., Zarrad, R., Jarboui, O., Cuttitta, A., Basilone, G., Aronica, S., Placenti, F., Tranchida, G., Armeri, G.M., Buffa, G. and Ferreri, R., 2018. Anchovy (*Engraulis encrasicolus*) early life stages in the Central Mediterranean Sea: connectivity issues emerging among adjacent sub-areas across the Strait of Sicily. *Hydrobiologia*, 821, pp.25-40, <https://doi.org/10.1007/s10750-017-3253-9>, (IF, SJR).
37. Kara, M.H., Quignard, J.-P. 2019. Fishes in lagoons and estuaries in the mediterranean 3A: Migratory fish (Book), *Ecological sciences series*, pp. 300, ISBN: 978-1-786-30246-5
38. Zuyev, G.V. 2019. Current population structure of European anchovy *Engraulis encrasicolus* L. (Engraulidae: Pisces) in the Sea of Azov - Black Sea basin and history of its formation , *Marine Biological Journal*, 4(1), pp. 45-62.
39. Çetin, C., Furman, A., Kalkan, E. and Bilgin, R. 2022. Mitonuclear genetic patterns of divergence in the marbled crab, *Pachygrapsus marmoratus* (Fabricius, 1787) along the Turkish seas. *PLoS ONE*, 17(4), p.e0266506, <https://journals.plos.org/plosone/article?id=10.1371/journal.pone.0266506>, (IF, SJR).
40. Zuyev, G., Skuratovskaya, E. 2023. Population Structure of European Anchovy *Engraulis encrasicolus* (L.)(Engraulidae: Pisces) in the Azov-Black Sea Basin. *Thalassas: An International Journal of Marine Sciences*, pp.1-10. <https://doi.org/10.1007/s41208-023-00529-6>, (IF, SJR).

**Janko, K., Flajshahans, M., Choleva, L., Bohlen, J., Shlechtova, V., Rabova, M., Lajbner, Z., Shlechta, V., Ivanova. P., Dobrovolov, I., Culling, M., Persat, H., Kotusz, J., Rab, P.** 2007. Diversity of European spined loaches (genus *Cobitis* L.): an update of the geographic distribution of the *Cobitis taenia* hybrid complex with a description of new molecular tools for species determination. *Journal of Fish Biology*, 71, 387-408, ISSN:1095-8649.

41. Lamatsch, D. K., Stoeck, M. 2009. Sperm-Dependent Parthenogenesis and Hybridogenesis in Teleost Fishes In: Lost sex: The Evolutionary Biology of Parthenogenesis, 399-432, Book Editor(s): Schon, I., Martens, K., VanDijk, P., DOI: 10.1007/978-90-481-2770-2\_19.
42. Inácio A., Matos I., Machado M.P., Coelho M.M. 2010. An easier method to identify the individual genomic composition of allopolyploid complexes. *Journal of Fish Biology*, 76 (8): 1995-2001, <https://doi.org/10.1111/j.1095-8649.2010.02637.x> (**SJR**).
43. Saitoh K., Chen W.-J., Mayden R.L. 2010. Extensive hybridization and tetraploidy in spined loach fish. *Molecular Phylogenetics and Evolution*, 56 (3): 1001-1010. <https://doi.org/10.1016/j.ympev.2010.04.021>, (**IF, SJR**).
44. Mezhzherin, S.V., Pavlenko, L.I. 2010. Genetic diversity, origin, and geographic distribution tendencies of biotypes of polyploid spined loaches (Cypriniformes, Cobitidae, Cobitis) in Ukraine. *Cytology and Genetics*. 44 (5): 317-327, <https://doi.org/10.3103/S0095452710050105>, (**IF, JR**).
45. Vasil'eva, E.D., Vasil'ev, V.P. 2010. Genetic and environmental variations in quantitative characters in fishes: A comparative analysis of monoclonal triploid and bisexual tetraploid spined loaches (Cobitis, Cobitidae) *Journal of Ichthyology*. 50 (10): 960-968, (**IF, SJR**).
46. Stöck, M., Ustinova, J., Lamatsch, Dunja K., Schartl, M., Perrin, N., Moritz C. 2010. A vertebrate reproductive system involving three ploidy levels: Hybrid origin of triploids in a contact zone of diploid and tetraploid palearctic green toads (*Bufo viridis* subgroup). *Evolution*, 64(4): 944 - 959. DOI:10.1111/j.1558-5646.2009.00876.x, (**IF**).
47. Morgan, K., Walton C., Linton Y.-M., Somboon P., Saikia P., Dev V., Socheat D. 2010. Inter-specific gene flow dynamics during the Pleistocene-dated speciation of forest-dependent mosquitoes in Southeast Asia, *Molecular Ecology*, 19 (11): 2269-2285, <https://doi.org/10.1111/j.1365-294X.2010.04635.x>, (**IF, SJR**).
48. Kirtiklis, L., Boroň, A., Ptasznik, P., Lusková, V., Lusk, S. 2011. Molecular differentiation of three loach species (Pisces, Cobitidae) based on the nuclear 5S rRNA marker. *Folia Biologica*. 59, (3-4): 141-145, [https://doi.org/10.3409/fb59\\_3-4.141-145](https://doi.org/10.3409/fb59_3-4.141-145), (**IF, SJR**).

49. Sbilordo, S., Yves, O., Ribi, M. G. 2012. Chromosome inheritance and reproductive barriers in backcrosses between two hybridizing Viviparus snail species. *Journal of molluscan studies* 78(4):357-36, <https://doi.org/10.1093/mollus/eyt023>, (**IF, SJR**).
50. Mendel, J., Marešová, E., Papousek, I., Halacka, K., Vetešník, L., Sanda R. 2012. Molecular Biodiversity Inventory of the Ichthyofauna of the Czech Republic, Chapter In book: Analysis of Genetic Variation in Animals 287-314.
51. Kwan, Ye-Seul, Ko, Myeong-Hun, Won Yong-Jin 2014. Genomic replacement of native Cobitis lutheri with introduced C. tetralineata through a hybrid swarm following the artificial connection of river system. *Ecology and Evolution* 4(8):1451-1465, <https://doi.org/10.1002/ece3.1027>, (**IF, SJR**).
52. Kirtiklis, L., Grabowska, A.I., Bazyłyna, E., Orzechowska, A., Skórczyńska, M., Boroń, A. 2014. Gene mapping of 28S rDNA sites in allotriploid cobitis females (PISCES: Cobitidae) from a diploid-polyploid population. *Biologia*, 69 (4): 536-540, <https://doi.org/10.2478/s11756-014-0339-y>, (**IF, SJR**).
53. Nunn, A. D., Tewson L. H., Bolland J. D., Harvey J. P., Cowx I. G. 2014. Temporal and spatial variations in the abundance and population structure of the spined loach (*Cobitis taenia*), a scarce fish species: implications for condition assessment and conservation, *Aquatic Conservation Marine and Freshwater Ecosystems*, 24:818-830; DOI: 10.1002/aqc.2451, (**IF, SJR**).
54. Juchno, D., Jabłonska , O., Boron, A., Kujawa, R., Leska A., Grabowska, A., Nynca, A., Swigonska, S., Krol, M., Spoz, A., Laskowska N., Lao, M. 2014. Ploidy-dependent survival of progeny arising from crosses between natural allotriploid Cobitis females and diploid *C. taenia* males (Pisces, Cobitidae) *Genetica*, DOI 10.1007/s10709-014-9779-0, Springer Int. Publ., (**IF, SJR**).
55. Леонов, С.В. 2016. Первая находка крымской щиповки (*Cobitis taurica*) в бассейне реки качи и некоторые замечания о морфологии и охране вида, *Экосистемы*, 7 (37): 45-52.
56. Fedorčák, J., Koščo, J., Halačka, K., Manko, P. 2017. Growth differences in different biotypes of the hybrid complex of *Cobitis elongatoides* × *Cobitis tanaitica* (Actinopterygii: Cypriniformes: Cobitidae) in the Okna River (Danube River basin), Slovakia. *Acta Ichthyol. Piscat.* 47 (2): 125–132, (**IF, SJR**).
57. Fedorčák, J., Pekárikb, L., Halačkac, K., Šmigad L., Mankoa P., Hajdúe Ju. Vetešníkc L., Koščoa J. 2017. Microhabitat preferences of triploid Cobitis fish and diploid progenitors in two streams in Slovakia (Danube River Basin), *Limnologica*, <https://doi.org/10.1016/j.limno.2017.10.005>, (**IF, SJR**).
58. Rahbari, R., Tannahill, K., Tobin, C., Robotham, P. and Nicholl, I.D. 2017. The identification of a novel, high frequency variant in the cytochrome b gene in an Isolated

- population of a rare fish, spined loach *Cobitis taenia* in England: A Population Worth Protecting? *Open Journal of Ecology*, 7, 193-198, [10.4236/oje.2017.73014](https://doi.org/10.4236/oje.2017.73014), (IF, SJR).
59. Morii, K., Nakano, M. and Takakura, K.I., 2018. Does simultaneous and sympatric reproduction between two native spined loaches lead to reproductive interference and local extinction? *Environmental Biology of Fishes*, 101, pp.1407-1416., <https://doi.org/10.1007/s10641-018-0787-2>, (IF, SJR).
60. Morii, K., Takakura K-I. 2018. Age class structure of spawning populations of two endangered endemic striped spined loaches in Lake Biwa river system. *Japanese Journal of Environmental Entomology and Zoology*, 29(4), pp.135-142, [https://www.jstage.jst.go.jp/article/jjeez/29/4/29\\_135/\\_pdf/-char/en](https://www.jstage.jst.go.jp/article/jjeez/29/4/29_135/_pdf/-char/en), (SJR)
61. Perdices, A, Ozeren, C.S., Erkakan, F., Freyhof, J. 2018. Diversity of spined loaches from Asia Minor in a phylogenetic context (Teleostei:Cobitidae). *PLoS ONE* 13(10):e0205678. <https://doi.org/10.1371/journal.pone.0205678>, 1-16, (IF, SJR).
62. Freyhof, J., Bayçelebi, E., Geiger, M. 2018. Review Of The Genus Cobitis In The Middle East, With The Description Of Eight New Species (Teleostei: Cobitidae), **Monograph**, Magnolia Press, 75pp.
63. Laskowski, K.L., Doran, C., Bierbach, D., Krause, J. and Wolf, M. 2019. Naturally clonal vertebrates are an untapped resource in ecology and evolution research. *Nature ecology & evolution*, 3(2), pp.161-169, <https://doi.org/10.1038/s41559-018-0775-0>, (IF, SJR).
64. Corral-Lou, A., Perea, S., Perdices, A., Doadrio, I. 2022. Quaternary geomorphological and climatic changes associated with the diversification of Iberian freshwater fishes: The case of the genus Cobitis (Cypriniformes, Cobitidae), *Ecology and Evolution*, <https://doi.org/10.1002/ece3.8635>, (IF, SJR).
65. Sanadgol, M., Patimar, R., Raeisi, H., Mohammad Gholzadeh, M. 2022. Reproductive biology of the endemic spined loach Cobitis faridpaki in a tributary of the Gorganroud River, Golestan province, northern Iran. *Journal of Applied Ichthyology*, DOI: 10.1111/jai.14345 , (IF, SJR).
66. Thacker, Ch.E., Geiger, D. L., Unmack, P.J. 2022. Species delineation and systematics of a hemiclonal hybrid complex in Australian freshwaters (Gobiiformes: Gobioidei: Eleotridae: Hypsoleotris ). *Royal Society Open Science* 9(7) DOI: 10.1098/rsos.220201, <https://royalsocietypublishing.org/doi/epdf/10.1098/rsos.220201>, (IF, SJR).
67. Vasilev, V., Vasileva, E., 2022. Triploid forms' karyotypes of spined loaches from the genus Cobitis (Actinopterygii: Cypriniformes: Cobitidae) of the upper Dnieper and Western Dvina rivers: Analysis of the triploids' origin. *Acta Ichthyologica et Piscatoria*, 52(1), pp.67-75, DOI 10.3897/aiep.52.81191, (IF, SJR).
68. Roch, S., Bartolin, P., Vonlanthen, P., Baer, J., Grundmüller, S., Epp, L. S., Brinker, A. 2023. Endangered spined loach Cobitis species in Southwest Germany: A complex

network of native, hybrid and newly emerged populations, *Fisheries management and Ecology*, <https://doi.org/10.1111/fme.12618>, (IF, SJR).

**Tsekov, A., Ivanova, P., Angelov, M., Atanasova, S., Bloesch, J. 2008. Natural sturgeon hybrids along the Bulgarian Black Sea coast and in the Danube River. *Acta zoologica bulgarica*, 60, 3, 311-316, ISSN:0324-0770.**

69. Ciftci, Y. Genetic studies in the Black Sea 2017. By: Edited by: Sezgin, M, Bat, L, Urkmez, D., Arici, E., Ozturk, B. Black Sea marine environment: The Turkish shelf Book Series Turkish Marine Research Foundation Publication, Volume 46, 519-542, Indexed 2017-01-01, Article; Book Chapter.
70. Batjakas, I.E., Kampouris, T.E., Kyriakou, C., Economidis, P.S. 2019. Occurrence of an acipenser sp.(actinopterygii, acipenseriformes, acipenseridae) specimen from lemnos island, northeast aegean sea, Greece. How many sturgeon species are actually known?. *International Journal of Fisheries and Aquatic Studies*, 7(2): 208-212., (IF, SJR).
71. Stefanov, T. 2019. Ichthyofauna of the Bulgarian stretch of the Danube River and lower courses of its tributaries (Book Chapter), In Book: Biodiversity of the Bulgarian-Romanian Section of the Lower Danube Publisher: Nova Science Publishers, Inc., pp. 241-281.
72. Nikolova, L., Bonev, S. 2020. Growth of Siberian sturgeon (*Acipenser baerii*), Russian sturgeon (*Acipenser gueldenstaedtii*) and hybrid (F1 *A. baerii* x *A. gueldenstaedtii*) reared in cages, Scientific Papers. Series D. Animal Science. Vol..LXIII, No. 2, 2020ISSN 2285-5750; ISSN CD-ROM 2285-5769; ISSN Online 2393-2260; ISSN-L 2285-5750.
73. Vasil'ev, V. P., Racheck, E. I., Amvrossov, D. Yu., Barmintseva, A. E. Vasil'eva, E. D. 2021. Fertility of females of sturgeon hybrids obtained from species with different levels of ploidy (*Acipenser ruthenus* and *A. dauricus*) and their cloning. *Journal of Applied Ichthyology*, 37(2), 186-197, (IF, SJR).
74. Mihov, S. D., Margaritova, B.K., Koev, V.N. 2022. Downstream migration of young-of-the-year sturgeons (Acipenseridae) in the Lower Danube River, Bulgaria. *Biodiversity*, 1-9., <https://www.tandfonline.com/doi/full/10.1080/14888386.2022.209462>, (IF, SJR).
75. Racheck, E.I., Amvrossov, D. Yu., Vasil'eva, E. D., Vasil'ev, V. P. 2022. Reproductive Characteristics of Reciprocal Hybrids of Sturgeon Species with Different Ploidy Levels: Sterlet *Acipenser ruthenus* and Kaluga *A. dauricus* (Acipenseridae), *Journal of Ichthyology*, 1-12, DOI: 10.1134/S003294522206025X, (IF, SJR).
76. Fatira, E., Havelka, M., Saito, T., Landeira, J., Rodina, M., Gela, D., Psenicka, M. 2023. Intracytoplasmic sperm injection in sturgeon species: A promising reproductive technology of selected genitors. *Frontiers in Veterinary Science*, Sec. Animal Reproduction – Theriogenology Volume 9 - 2022 <https://doi.org/10.3389/fvets.2022.1054345>, (IF, SJR).

**Francisco, S.M., Congiu, L., Stefanni, S., Castilho, R., Brito, A., Ivanova, P. P., Levy, A., Cabral, H., Kilias, G., Doadrio, F., Almada, V. 2008. Phylogenetic relationships of the North-eastern Atlantic and Mediterranean forms of *Atherina* (Pisces, Atherinidae). *Molecular Phylogenetics and Evolution*, 48, 2, 782-788, ISSN: 1055-7903.**

77. Kraitsek, S., Klossa-Kilia, E., Papasotiropoulos, V., Alahiotis, S.N., Kilias, G. 2008. Genetic divergence among marine and lagoon *Atherina boyeri* populations in Greece using mtDNA analysis. *Biochemical genetics*, 46, pp.781-798, DOI: 10.1007/s10528-008-9193-3, (IF, SJR).
78. Milana, V., Sola, L. Congiu, Rossi A. R. 2008. Mitochondrial DNA in *Atherina* (Teleostei, Atheriniformes): differential distribution of an intergenic spacer in lagoon and marine forms of *Atherina boyeri*. *Journal of Fish Biology*, 73, 1216-1227 doi:10.1111/j.1095-8649.2008.01994.x, available online at <http://www.blackwell-synergy.com>, (IF, SJR).
79. Trabelsi, M., Bourigat, N., Aurelle, D., Quignard, J-P., Barthelemy, R., Faure, E. 2009. Some Marine Tunisian *Atherina boyeri* Populations (Teleoste) have Morphological and Molecular Characteristics of Lagoon Fishes. *The Open Marine Biology Journal*; 3:59-69.DOI:10.2174/1874450800903010059.
80. Milana, V., Sola L., Rossi A., Barbisan F., Congiu, L. 2009. Isolation, characterization and cross-species testing of microsatellites obtained from a sand smelt (*Atherina boyeri*) genomic library. *Molecular Ecology Resources*. 9(3):889-92. DOI:10.1111/j.1755-0998.2008.02366.x., (IF, SJR).
81. Maci, S., Basset A. 2010. Spatio-temporal patterns of abundance, size structure and body condition of *Atherina boyeri* (Pisces: Atherinidae) in a small non-tidal Mediterranean lagoon. *Estuarine Coastal and Shelf Science*, 87 (1): 125-134; DOI:10.1016/j.ecss.2010.01.002., (IF, SJR).
82. Antonucci, F., Boglione, C., Cerasari, V., Caccia, E., Costa C. 2011. External shape analyses in *Atherina boyeri* (Risso, 1810) from different environments. *Italian Journal of Zoology*, 79 (1): 60-68, DOI:10.1080/11250003.2011.595431, (IF).
83. Heras, S., Roldan, M. I. 2011. Phylogenetic inference in *Odontesthes* and *Atherina* (Teleostei: Atheriniformes) with insights into ecological adaptation. *Comptes rendus biologies*, 334 (4): 273-281 DOI: 10.1016/j.crvi.2011.03.004, (IF, SJR).
84. Kraitsek, S., Klossa-Kilia, E., Kilias G. 2012. Nuclear and mitochondrial phylogenetic analysis of big-scale sand smelt *Atherina boyeri* complex in Greece. *Journal of Fish Biology*, 81(5):1559-77, <https://doi.org/10.1111/j.1095-8649.2012.03404.x>, (IF, SJR).
85. Pujolar, J.M., Zane, L., Congiu, L. 2012. Phylogenetic relationships and demographic histories of the Atherinidae in the Eastern Atlantic and Mediterranean Sea re-examined

- by Bayesian interference. *Molecular Phylogenetics and Evolution*, 63 (3): 857-865, <https://doi.org/10.1016/j.ympev.2012.02.027>, (IF, SJR).
86. Milana, V. Franchini, P., Sola, L., Angiullia, E., Rossi, A. R. 2012. Genetic structure in lagoons: The effects of habitat discontinuity and low dispersal ability on populations of *Atherina boyeri*. *Marine Biology*, 159: 399-411, <https://doi.org/10.1007/s00227-011-1817-1>, (IF, SJR).
87. Ramos, J. A., Pedro, P., Matos, A., Paiva, V. H. 2013. Relation between climatic factors, diet and reproductive parameters of little terns over a decade. *Acta oecologica*, v. 53: 56-62 doi: 10.1016/j.actao.2013.09.001. (IF, SJR).
88. Doulka, E., Kehayias, G., Chalkia, E. Leonardos, I. D. 2013. Feeding strategies of *atherina boyeri* (Risso 1810) in a freshwater ecosystem. *Journal of Applied Ichthyology*. v. 29 (1): 200-207, doi: 10.1111/jai.12012, (IF, SJR).
89. Bouriga, N., Mili S., Ennour R., Quignard J-P., Trabelsi M., Faure E. 2014. Reproductive parameters and seasonal variation in fatty acid composition of *Atherina boyeri* s. str. and *A. lagunae* populations from open sea, lagoon and island coasts of Tunisia, *Cahiers de Biologie Marine*, 55 :1-12, (IF, SJR).
90. Boscari, E., Barmintseva, A., Pujolar, J.M., Doukakis, P., Mugue, N. S., Congiu, L. 2014. Species and hybrid identification of sturgeon caviar: a new molecular approach to detect illegal trade, *Molecular Ecology Resources*, 14:489-498, <https://doi.org/10.1111/1755-0998.12203>, (IF, SJR).
91. Lorenzoni, M., Giannetto, D., Carosi, A., Dolciami, R., Ghetti, L., Pompei, L. 2015. Age, growth and body condition of big-scale sand smelt *Atherina boyeri* Risso, 1810 inhabiting a freshwater environment Lake Trasimeno (Italy). *Knowledge and Management of Aquatic Ecosystems*, 09 (416). <https://doi.org/10.1051/kmae/2015005>, (IF, SJR).
92. Boudinar, A. S., Chaoui, L., Mahe, K., Kara, A. 2015. Habitat discrimination of big-scale sand smelt *Atherina boyeri* Risso, 1810 (Atheriniformes: Atherinidae) in eastern Algeria using somatic morphology and otolith shape. *Italian Journal of Zoology*, 82(3): 446-453, DOI: 10.1080/11250003.2015.1051139, (IF, SJR).
93. Boudinar, A.S., Chaoui, L., Quignard, J.P., Aurelle, D., Kara, M.H. 2016. Otolith shape analysis and mitochondrial DNA markers distinguish three sand smelt species in the *Atherina boyeri* species complex in western Mediterranean, *Estuarine, Coastal and Shelf Science* 182: 202-210, <https://doi.org/10.1016/j.ecss.2016.09.019>, (IF, SJR).
94. Boudinar, A. S., Chaoui, L. Hichem Kara, 2016. Age, growth and reproduction of the sand smelt *Atherina boyeri* Risso, 1810 in Mellah Lagoon (Eastern Algeria), *Journal of Applied Ichthyology*, 32(2), DOI: 10.1111/jai.12992, (IF, SJR).

95. Васильева, Е.Д. 2017. Диагностические признаки и таксономия средиземноморских атерин из группы *Atherina boyeri* (Atherinidae), *Вопросы ихтиологии*, т. 57 (6):627-639. (**IF, SJR**).
96. Kara, M.H. Quignard, J.-P. 2018. Atherinidae Risso, 1827, Book Authors: Kara, MH; Quignard, JP. Fishes in lagoons and estuaries in the Mediterranean 2: *Sedentary fish*, Book Chapter.
97. Kara, M. H., Quignard, J. P. 2018. Fishes in lagoons and estuaries in the Mediterranean I: *Diversity, Bioecology and Exploitation*, Book Chapter, John Wiley & Sons.
98. Leone, Ch., De Lucap F., Ciccotti E., Martini A., Boglione, C. 2021. Monitoring Skeletal Anomalies in Big-Scale Sand Smelt, *Atherina boyeri*, as a Potential Complementary Tool for Early Detection of Effects of Anthropic Pressure in Coastal Lagoons. *Water*, 13(2):159, <https://doi.org/10.3390/w13020159>, (**IF, SJR**).
99. Quigley, D.T.G, McNaughton, C., de Carlos, A., David Barros-Garcia, D. 2021. Sand Smelt (*Atherina presbyter* Cuvier, 1829) captured on rod and line at Cushendall, Co Antrim, NE Ireland, and a review of Irish records, *Irish Naturalists Journal* 37(2):188-194.

**Kotlik, P, Markova, S., Choleva, L., Bogutskaya, N., Ekmekci, F., Ivanova, P. P. 2008. Divergence with gene flow between ponto-caspian refugia in an anadromous cyprinid rutilus frisii revealed by multiple gene phylogeography. *Molecular ecology*, 17, 4, 1076-1088.**

100. Crispo, E. 2008. Modifying effects of phenotypic plasticity on interactions among natural selection, adaptation and gene flow. *Journal of Evolutionary Biology*, v. 21, Issue: 6, 1460-1469, DOI: 10.1111/j.1420-9101.2008.01592.x, (**IF, SJR**).
101. Ketmaier, V., Bianco, P. G., Durand, J.-D. 2008. Molecular systematics, phylogeny and biogeography of roaches (Rutilus, Teleostei, Cyprinidae). *Molecular Phylogenetics and Evolution*, 49 (1): 362-367, DOI: 10.1016/j.ympev.2008.07.012, (**IF, SJR**).
102. Häneling, B., Dümpelmann, C., Bogutskaya, N.G., Brandl, R., Brändle, M. 2009. Shallow phylogeographic structuring of *Vimba vimba* across Europe suggests two distinct refugia during the last glaciation. *Journal of Fish Biology*. 75(9):2269-86, DOI: 10.1111/j.1095-8649.2009.02415.x, (**IF, SJR**).
103. Muster, C., Uhlmann, S., Berendonk, T.U., Maddison, W.P., Vogler, A.P. 2009. Arctic-alpine distributions - metapopulations on a continental scale? *American Naturalist*. 173(3): 313-326. doi: 10.1086/596534, (**IF, SJR**).
104. Virgilio, M., Fauvelot, C., Costantini, F., Abbiati, M., Backeljau, T. 2009. Phylogeography of the common ragworm *Hediste diversicolor* (Polychaeta: Nereididae) reveals cryptic diversity and multiple colonization events across its distribution. *Molecular Ecology*, 18 (9): 1980-1994, <https://doi.org/10.1111/j.1365-294X.2009.04170.x>, (**IF, SJR**).

105. Carstens, B.C., Stoute, H.N., Reid, N.M., 2009. An information-theoretical approach to phylogeography. *Molecular Ecology*, 18(20), pp.4270-4282., <https://doi.org/10.1111/j.1365-294X.2009.04327.x>, (IF, SJR).
106. Larmuseau, M.H.D., Volckaert, F.A.M., Freyhof, J., Van Houdt, J.K.J. 2009. Matrilinear phylogeography and demographical patterns of *Rutilus rutilus*: implications for taxonomy and conservation. *Journal of Fish Biology*, 75. № 2: 332-353, (IF, SJR).
107. Naseka, A. M., Bogutskaya, N. G. 2009. Fishes of the Caspian Sea: zoogeography and updated check-list, *Zoosystematica Rossica*, volume: 18, Issue: 2 Pages: 295-317.
108. Neilson, M. E., Stepień, C. A. 2009. Escape from the Ponto-Caspian: Evolution and biogeography of an endemic goby species flock (Benthophilinae: Gobiidae: Teleostei). *Molecular Phylogenetics and Evolution*, 52 (1): 84-102 DOI: 10.1016/j.ympev.2008.12.023 , (IF, SJR).
109. Morgan, K., Linton, Y.-M., Somboon, P., Saikia, P., Dev, V., Socheat, D., Walton, C. 2010. Inter-specific gene flow dynamics during the Pleistocene-dated speciation of forest-dependent mosquitoes in Southeast Asia. *Molecular Ecology*, 19 (11): 2269-2285, (IF, SJR).
110. Crispo, E., Chapman, L.J. 2010. Temporal variation in population genetic structure of a riverine African cichlid fish. *Journal of Heredity*, 101 (1): 97-106p <https://doi.org/10.1093/jhered/esp078>, (IF, SJR).
111. Naseka, A.M. 2010. Zoogeographical freshwater regions of the Caucasus as part of the West Asian region in transition. *Proceedings of the Zoological Institute, RAS*, 314 (4): 469-492.
112. Niemiller, M. L., Nosil P., Fitzpatrick, B. M. 2010. Recent divergence-with-geneflow in Tennessee cave salamanders (Plethodontidae: *Gyrinophilus*) inferred from gene genealogies, *Molecular Ecology*, 19 (7): 1513–1514, <https://doi.org/10.1111/j.1365-294x.2008.03750.x>, (IF, SJR).
113. Neilson, M.E., Stepień, C.A. 2011. Historic speciation and recent colonization of Eurasian monkey gobies (*Neogobius fluviatilis* and *N. pallasii*) revealed by DNA sequences, microsatellites, and morphology. *Diversity and Distributions*, 17 (4): 688-702, <https://doi.org/10.1111/j.1472-4642.2011.00762.x>, (IF, SJR).
114. Bilgin, R. 2011. Back to the suture: The distribution of intraspecific genetic diversity in and around Anatolia. *International Journal of Molecular Sciences*, 12 (6): 4080-4103, <https://doi.org/10.3390/ijms12064080>, (IF, SJR).
115. Lee, Y.-H., Lin, C.-P. 2012. Pleistocene speciation with and without gene flow in *Euphaea damselflies* of subtropical and tropical East Asian islands. *Molecular Ecology*, 21 (15): 3739-3756, <https://doi.org/10.1111/j.1365-294X.2012.05654.x>. (IF, SJR).

116. Nahavandi, N., Ketmaier, V., Tiedemann, R. 2012. Intron structure of the elongation factor 1-alpha gene in the ponto-caspian amphipod *Pontogammarus maeoticus* (Sowinsky, 1894) and its phylogeographic utility. *Journal of Crustacean Biology*, 32 (3): 425-433, <https://doi.org/10.1163/193724012X626584>, (IF, SJR).
117. Ghobad-Nejhad, M., Hallenberg, N. 2012 Multiple evidence for recognition of *Phlebia tuberculata*, a more widespread segregate of *Phlebia livida* (Polyporales, Basidiomycota) *Mycological Progress*, 11 (1): 27-35, <https://doi.org/10.1007/s11557-010-0722-1>, (IF, SJR).
118. Ghobad-Nejhad, M., Hallenberg, N., Hyvönen, J., Yurchenko, E. 2012. The Caucasian corticioid fungi: Level of endemism, similarity, and possible contribution to European fungal diversity. *Fungal Diversity*, v. 52: 35-48, <https://doi.org/10.1007/s13225-011-0122-0>, (IF, SJR).
119. Nosil, P. 2012. Ecological Speciation (Book) Oxford Series in Ecology and Evolution, pp.300, ISBN: 9780199587117.
120. Kohout, J., Sediva, A., Apostolou, A., Stefanov, T., Marić, S., Gaffaroglu, M., Šlechta, V. 2013. Genetic diversity and phylogenetic origin of brown trout *Salmo trutta* populations in eastern Balkans. *Biologia*, 68 (6): 1229-1237, <https://doi.org/10.2478/s11756-013-0271-6>, (IF, SJR).
121. Brusentsov, I.I., Katokhin, A.V., Brusentsova, I.V., Shekhovtsov, S.V., Borovinkov, S.N., Goncharenko, G.G., Lider, L.A., Romashov, B.V., Rusinek, O.T., Shibitov, S. K., Suleymanov, M.M., Yevtushenko, A.V., Mordvinov, V.A. 2013. Low genetic diversity in wide-spread Eurasian liver fluke *Opisthorchis felineus* suggests special demographic history of this trematode species. *PLOS ONE*, 8 (4): 1-12, (IF, SJR).
122. Nahavandi, N., Ketmaier, V., Plath, M., Tiedemann, R. 2013. Diversification of Ponto-Caspian aquatic fauna: Morphology and molecules retrieve congruent evolutionary relationships in *Pontogammarus maeoticus* (Amphipoda: Pontogammaridae). *Molecular Phylogenetics and Evolution* 69 (3), 1063-1076. <https://doi.org/10.1016/j.ympev.2013.05.021> (IF, SJR).
123. Cortés, A.J., Monserrate, F.A., Ramírez-Villegas, J., Madriñán, S., Blair, M.W. 2013. Drought Tolerance in Wild Plant Populations: The Case of Common Beans (*Phaseolus vulgaris* L.) *PLoS ONE*, 8 (5): e62898 doi: 10.1371/journal.pone.0062898, (IF, SJR).
124. Tominaga, A., Matsui, M., Yoshikawa, N., Nishikawa, K., Hayashi, T., Misawa, Y., Tanabe, S. and Ota, H., 2013. Phylogeny and historical demography of *Cynops pyrrhogaster* (Amphibia: Urodela): Taxonomic relationships and distributional changes associated with climatic oscillations. *Molecular phylogenetics and evolution*, 66 (3), 654-667 doi: 10.1016/j.ympev.2012.10.015. (IF, SJR).
125. Mao, X., He, G., Hua, P., Jones, G., Zhang, S., Rossiter, S.J. 2013. Historical introgression and the persistence of ghost alleles in the intermediate horseshoe bat

- (*Rhinolophus affinis*). *Molecular Ecology*, 22 (4): 1035-1050, <https://doi.org/10.1111/mec.12154>, (IF, SJR).
126. Tsoumani, M., Georgiadis, A., Giantsis, I.A., Leonardos, I., Apostolidis, A.P. 2014. Phylogenetic relationships among Southern Balkan *Rutilus* species inferred from cytochrome b sequence analysis: Micro-geographic resolution and taxonomic implications. *Biochemical Systematics and Ecology*, v 54: 172 – 178, <https://doi.org/10.1016/j.bse.2014.02.006>, (IF, SJR).
127. Kirtiklis, L. Grabowska, A.I., Bazylyna, E., Orzechowska, A., Skorczynska, M., Boron, A., 2014. Gene mapping of 28S rDNA sites in allotriploid *Cobitis* females (Pisces: Cobitidae) from a diploid-polyploid population. *Biologia*, 69(4): 536-540, <https://doi.org/10.2478/s11756-014-0339-y>, (IF, SJR).
128. Nunn, A.D., Tewson, L.H., Bolland, J.D., Harvey, J.P., Cowx, I.G. 2014. Temporal and spatial variations in the abundance and population structure of the spined loach (*Cobitis taenia*), a scarce fish species: implications for condition assessment and conservation. *Aquatic Conservation: Marine and Freshwater Ecosystems*, 24: 818-830, <https://doi.org/10.1002/aqc.2451>, (IF, SJR).
129. Giantisis, I., Kechagia, S. Apostolidis, A.P. 2015. Evaluating the genetic status of the IUCN vulnerable endemic Macedonian shad (*Alosa macedonica*, Vinciguerra, 1921) from Lake Volvi. *Journal of Applied Ichthyology*, 31(1): 184-187, <https://doi.org/10.1111/jai.12494>, (IF, SJR).
130. Audzijonyte, A., Baltrūnaitė, L., Väinölä R., Arbačiauskas K. 2015. Migration and isolation during the turbulent Ponto-Caspian Pleistocene create high diversity in the crustacean *Paramysis lacustris*. *Molecular Ecology*, 24 (17): 4537–4555, <https://doi.org/10.1111/mec.13333>, (IF, SJR).
131. Gerasimov, Y. V. 2015. Fishes of the Rybinsk reservoir: population dynamics and ecology. Filigran, Yaroslavl.
132. Ko, M.H., Yoon, S.W., Kim, C.H., Park, J, Y. 2015. First record of the new unisexual triploid form, one genome of *Cobitis hankugensis* and two genomes of *Cobitis longicorpa* from a wild population (Cobitidae, Teleostei), South Korea. *Journal of Applied Ichthyology*, 31: 204-207, <https://doi.org/10.1111/jai.12647>, (IF, SJR).
133. Juchno D., Arai, K., Boron A., Kujawa, R. 2016. Meiotic chromosome configurations in oocytes of *Cobitis taenia* and its polyploid hybrids. *Ichthyological Research*, DOI: 10.1007/s10228-016-0556-1, (IF, SJR).
134. Copilaş-Ciocianu, D., Fišer, C., Borza, P., Balázs, G., Angyal, D., Petrusek, A., 2017. Low intraspecific genetic divergence and weak niche differentiation despite wide ranges and extensive sympatry in two epigean *Niphargus* species (Crustacea: Amphipoda). *Zoological Journal of the Linnean Society*, 181(3), pp.485-499, <https://doi.org/10.1093/zoolinnean/zlw031>, (IF, SJR).

135. Ermakov, O.A., Levina, M.A., Titov, S.V., Levin, B.A., 2017. mtDNA-based identification of two widespread roach species (*Rutilus*, Cyprinidae) characterized by sympatric zone. *Inland water biology*, 10, pp.112-114, (IF, SJR).
136. Haubrock, P.J., Kvifte, G.M., Langguth, H. and Wagner, R., 2017. Glacial and postglacial species divergence and dispersal of European tricke midges (Diptera: Thaumaleidae). *Arthropod Systematics & Phylogeny*, 75(3), pp.523-534. (IF, SJR).
137. Živaljević, I., Popović, D., Snoj, A., Marić, S., 2017. Ancient DNA analysis of cyprinid remains from the Mesolithic-Neolithic Danube Gorges reveals an extirpated fish species *Rutilus frisii* (Nordmann, 1840). *Journal of Archaeological Science*, 79, pp.1-9, <https://doi.org/10.1016/j.jas.2017.01.002>, (IF, SJR).
138. Sanz, N. 2017. Phylogeographic history of brown trout: A review (Book Chapter), Brown Trout: Life History, *Ecology and Management*, pp. 17-63
139. Levin, B.A., Simonov, E.P., Ermakov, O.A., Levina, M.A., Interesova, E.A., Kovalchuk, O.M., Malinina, Y., Mamilov, N.S., Mustafayev, N.J., Pilin, D.V. and Pozdeev, I.V., 2017. Phylogeny and phylogeography of the roaches, genus *Rutilus* (Cyprinidae), at the Eastern part of its range as inferred from mtDNA analysis. *Hydrobiologia*, 788, pp.33-46, <https://doi.org/10.1007/s10750-016-2984-3>, (IF, SJR).
140. Esmaeili, H.R., Mehraban, H., Abbasi, K., Keivany, Y. and Brian, W.C., 2017. Review and updated checklist of freshwater fishes of Iran: Taxonomy, distribution and conservation status. *Iranian Journal of Ichthyology*, 4, pp.1-114, <https://doi.org/10.22034/iji.v4iSuppl.%201.220>, (IF, SJR).
141. Esmaeili, H. R., Sayyadzadeh G., Eagderi, S., Abbasi, K. 2018. Checklist of freshwater fishes of Iran, *FishTaxa* 3(3): 1-95, E-ISSN: 2458-942X.
142. Özuluğ, M., Geiger, M. F. & Freyhof, J. 2018. *Alburnus goekhani*, a new species of bleak from the Anatolian Black Sea basin (Teleostei: Leuciscidae), *Zootaxa* 4425 (1): 029–040 <http://www.mapress.com/j.zt>. (IF, SJR).
143. Turan, D., Kaya, C., Geiger, M., Freyhof, J. 2018. *Barbus anatolicus*, a new barbel from the Kızılırmak and Yeşilırmak River drainages in northern Anatolia (Teleostei: Cyprinidae), 539-557, *Zootaxa* 4461 (4): 539–557, <https://doi.org/10.11646/zootaxa.4461.4.5>, (IF, SJR).
144. Zellmer, A.J. 2018. Microgeographic morphological variation across larval wood frog populations associated with environment despite gene flow, *Ecology and Evolution*, 8(5), pp. 2504-2517, (IF, SJR).
145. Meulenbroek, P., Drexler, S., Nagel, C., Geistler, M., Waibacher, H. 2018. The importance of a constructed near-nature-like Danube fish by-pass as a lifecycle fish habitat for spawning, nurseries, growing and feeding: a long-term view with remarks

- on management, *Marine and Freshwater Research*, 69(12), pp. 1857-1869, <https://doi.org/10.1071/MF18121>, (IF, SJR).
146. Khaefi, R., Esmaeili, H.R., Ansari, M.H., Ebrahimi, M. 2018. Genetic diversification and population structure of *Barbus cyri* De Filippi, 1865 (Teleostei: Cyprinidae) in northern Iran inferred from the mitochondrial D-loop gene sequence, *Environmental Biology of Fishes*, 101(1), pp. 181-192, <https://doi.org/10.1007/s10641-017-0690-2>, (IF, SJR).
147. Ozpicak, M., Polat, N. 2019. Determination of genetic structure in *Barbus tauricus* Kessler, 1877 populations inhabiting a few streams along the Black Sea Region (Turkey) inferred from mtDNA Cytochrome b gene sequence analysis. *Ege Journal of Fisheries and Aquatic Sciences*, 36(1):1-11.
148. Levin, B.A., Gandlin, A.A., Simonov, E.S., Levina, M.A., Barmintseva, A.E., Japoshvili, B., Mugue, N.S., Mumladze, L., Mustafayev, N.J., Pashkov, A.N. and Roubenyan, H.R. 2019. Phylogeny, phylogeography and hybridization of Caucasian barbels of the genus *Barbus* (Actinopterygii, Cyprinidae). *Molecular Phylogenetics and Evolution*, 135, pp.31-44, <https://doi.org/10.1016/j.ympev.2019.02.025>, (IF, SJR).
149. Sands, A.F., Neubauer, T.A., Nasibi, S., Harandi, M.F., Anistratenko, V.V., Wilke, T., Albrecht, C. 2019. Old lake versus young taxa: a comparative phylogeographic perspective on the evolution of Caspian Sea gastropods (Neritidae: Theodoxus). Royal Society open science, 6 (10), p.190965, <https://doi.org/10.1098/rsos.190965>, (IF, SJR).
150. Bektas, Y., Aksu, I., Gokhan, A., Gokha, K., Davut, T. 2020. Low Genetic Diversity in Turkish Populations of Wels Catfish *Silurus glanis* L., 1758 (Siluridae, Pisces) Revealed by Mitochondrial Control Region Sequences, *Turkish Journal of Fisheries and Aquatic Sciences* 20(10):767-776, [10.4194/1303-2712-v20\\_10\\_06](https://doi.org/10.4194/1303-2712-v20_10_06) (IF, SJR).
151. Costa, G.C., Schlupp, I. 2020. Placing the hybrid origin of the asexual Amazon molly (*Poecilia formosa*) based on historical climate data. *Biological Journal of the Linnean Society*, 129(4):835-843q 2020, DOI: 10.1093/biolinнейн/bla010, (IF, SJR).
152. Kuljanishvili, T., Epitashvili, G., Freyhof, J., Japoshvili, B., Kalous, L., Levin, B., Mustafayev, N., Ibrahimov, S., Mumladze, L. 2020. Checklist of the freshwater fishes of Armenia, Azerbaijan and Georgia, *Journal of Applied Ichthyology*, DOI: 10.1111/jai.14038., (IF, SJR).
153. Mezhzherin, S.V., Pavlenko, L.I., Tsypa, A.O., Saliy, T.V., Ghazali, M.A., 2020. Morphometric variation of hybridizing species and gynogenetic biotypes of spined loaches (Cobitidae: Cobitis) in river systems of Ukraine. *Zoodiversity*, 54 (4): 285-298, DOI: 10.15407/zoo2020.04.285.
154. Zarei, F., Esmaeili, H. R., Abbasi, K, Golnaz Sayyadzadeh, G., Coad, B.W. 2020. Genealogical concordance, comparative species delimitation, and the specific status of

- the Caspian pipefish *Syngnathus caspius* (Teleostei: Syngnathidae), *Marine Ecology* 41(6):e12624., <https://doi.org/10.1111/maec.12624>, (IF, SJR).
155. Antognazza, C.M., Vanetti, I., De Santis, V., Bellani, A., Di Francesco, M., Puzzi, C.M., Casoni, A.G., Zaccara, S. 2021. Genetic Investigation of Four Beluga Sturgeon (*Huso huso*, L.) Broodstocks for its Reintroduction in the Po River Basin. *Environments*, 8 (4), p. 25, <https://doi.org/10.3390/environments8040025>, , (IF, SJR).
156. Artaev, O.N., Ermakov, O.A., Vekhov, D.A., Konovalov, A.F., Levina, M.A., Pozdeev, I.V., Ruchin, A.B., Alyushin, I.V., Iljin, V.Y. and Levin, B.A. 2021. Genetic screening of distribution pattern of roaches *Rutilus rutilus* and *R. lacustris* (Cyprinidae) in broad range of secondary contact (Volga Basin). *Inland Water Biology*, 14(2), pp.205-214. ISSN 1995-0829, <https://doi.org/10.1134/S1995082921020024>, (IF, SJR).
157. Marin I. N., Palatov, D. 2021. Cryptic refugee on the northern slope of the Greater Caucasian Ridge: discovery of Niphargus (Crustacea: Amphipoda: Niphargidae) in the North Ossetia-Alania, North Caucasus, separated from its relatives in the late Miocene, 2021, *Zoologischer Anzeiger*, 292(1): 163-183, DOI: 10.1016/j.jcz.2021.03.002. (IF, SJR).
158. Segherloo, I.H., Ghojoghi, F. Fariborz, Tabatabaei, S. N., Normandeau, E., Hernandez, C., Hallerman, E., Boyle, B. Bernatchez L. 2021. Population genomics of the southern Caspian Sea Vobla *Rutilus lacustris*, *Hydrobiologia* 848(1), DOI:10.1007/s10750-020-04442-4, (IF, SJR).
159. Boscari, E., Marino, I.A., Caruso, C., Gessner, J., Lari, M., Mugue, N., Barmintseva, A., Suciu, R., Onara, D., Zane, L. and Congiu, L., 2021. Defining criteria for the reintroduction of locally extinct populations based on contemporary and ancient genetic diversity: The case of the Adriatic Beluga sturgeon (*Huso huso*). *Diversity and Distributions*, 27(5), pp.816-827, <https://doi.org/10.1111/ddi.13230>, (IF, SJR).
160. Zarei, F., Esmaeili, H.R., Schliewen, U.K., Abbasi, K., Sayyadzadeh, G.2021. Mitochondrial phylogeny, diversity, and ichthyogeography of gobies (Teleostei: Gobiidae) from the oldest and deepest Caspian sub-basin and tracing source and spread pattern of an introduced Rhinogobius species at the tricontinental crossroad, *Hydrobiologia*, 848(6), pp. 1267-1293, <https://doi.org/10.1007/s10750-021-04521-0> , (IF, SJR).
161. Esmaeili, H.R., Abbasi, K.2021.Checklist of Fishes of the Caspian Sea Basin: Land of Wetlands, *Coastal Research Library* 36, pp. 319-349.
162. Hashemzadeh Segherloo, I., Ghojoghi, F., Tabatabaei, S.N., Normandeau, E., Hernandez, C., Hallerman, E., Boyle, B., Bernatchez, L. 2021. Population genomics of the southern Caspian Sea Vobla *Rutilus lacustris*. *Hydrobiologia*, 848, pp.345-361, <https://doi.org/10.1007/s10750-020-04442-4>, (IF, SJR).

163. Boldyрева, В. С., Векхов, Д. А. и Е. В. Випхлоа. 2022. Specific Features of the vyrezub *Rutilus frisii* Biologyof the Tsimlyansk Reservoir and the Diversity of Its Life Strategies in the Don Basin. *Journal of Ichthyology*, Vol. 62, No. 1, pp. 118–129, <https://doi.org/10.1134/S0032945222010015>, (IF, SJR).
164. Kalaycı, G. 2022. Pliocene-Pleistocene dispersal bring along low inter species diversity between Vimba species based on multilocus analysis. *Zoosystematics and Evolution* 98(1):65-75, DOI: 10.3897/zse.98.76937. (IF, SJR).
165. Mezhzherin, S. V., Kryvokhyzha, D., Tsyba, A. A., Rostovskaya, O. V. 2022. Spined loache settlements structure (Cobitidae) of the Eastern Ukraine River Systems and Alternative Character of Diploid and Polyploids Populations. *Zoodiversity*, 56, no. 4, <https://doi.org/10.15407/zoo2022.04.331>, (IF, SJR).
166. Mezhzherin, S.V., Tsyba, A.A., Kryvokhyzha, D. 2022. Cryptic expansion of hybrid polyploid spined loaches Cobitis in the rivers of Eastern Europe, *Hydrobiologia*, DOI: 10.1007/s10750-022-04813-z., (IF, SJR).
167. Zarei, F., Esmaeili, H. R., Sadeghi, R., Schliewen, U. K., Kovačić, M., Abbasi, K., Gholamhosseini, A. 2022. An integrative insight into the diversity, distribution, and biogeography of the freshwater endemic clade of the Ponticola syrman group (Teleostei: Gobiidae) in the Caucasus biodiversity hotspot. *Ecology and Evolution*, 12, 2022, e9300. <https://doi.org/10.1002/ece3.9300>. (IF, SJR).
168. Boldyrev, V.S. 2022. Life Strategies of Vyrezub *Rutilus frisii* (Cyprinidae) in the Black Sea Basin, *Journal of Ichthyology* , 62(3), pp. 446-456 . (IF, SJR).
169. Boldyrev, V.S., Vekhov, D.A., Vipkhlo, E.V. 2022. Specific Features of the Vyrezub *Rutilus frisii* Biology of the Tsimlyansk Reservoir and the Diversity of Its Life Strategies in the Don Basin, *Journal of Ichthyology*, 62(1), pp. 117-128, (IF, SJR).
170. Tajbakhsh, F., Rajabi-Maham, H., Abdoli, A., Stepien, C.A., Kiabi, B.H. 2022. DNA sequence support for reclassification of the endemic Southern Caspian Sea deepwater goby as *Neogobius bathybius* (Formerly Ponticola; Perciformes: Gobiidae) and recent population expansion of a continuous population, *Ichthyology and Herpetology* 110(1), pp. 13-21, (IF, SJR).
171. Kalaycı, G. 2022. Pliocene-Pleistocene dispersal bring along low inter species diversity between Vimba species based on multilocus analysis, *Zoosystematics and Evolution* 98(1), pp. 65-75, (IF, SJR).
172. Bakhshalizadeh, S., Nasibulina, B.M., Kurochkina, T.F., Muhaysin A., A., Sodagar, M., Zykov, L.A. 2022. Spatial variability in strontium to calcium in the Caspian Sea: Recognition of starry sturgeon stocks from the pectoral fin spine chemistry. *Caspian Journal of Environmental Sciences*, 20(1), pp.101-106, [10.22124/cjes.2022.5396](https://doi.org/10.22124/cjes.2022.5396), (IF, SJR).

173. Pourshabanan, A., Yazdani Moghaddam, F., Aliabadian, M., Ghassemzadeh, F., Rossi, G., Mousavi-Sabet, H., Vasil'eva, E. 2023. Molecular phylogeny and taxonomy of roaches (*Rutilus*, *Leuciscidae*) in the southern part of the Caspian Sea. *Caspian Journal of Environmental Sciences*, 21(1), pp.1-12, (IF, SJR).
- Idakieva, K., Chakarska, I., Ivanova, P., Tchobanov, A., Dobrovolov, I., Doumanova, L. 2009. Purification of hemocyanin from marine gastropod *Rapana thomasiana* using ammonium sulphate precipitation method. *Biotechnology & Biotechnological EQ*, 23, 3, 1364-1367, ISSN:1310-2818.**
174. Kambale, N.A., Potdar, V.V. 2010. Hematological analysis of Molluscan species *Bellamya bengalensis* and *Lamiellidens marginalis*. *Biological Forum — An International Journal*, 2(1): 70-72 (SJR).
175. Naresh, K. N., Krupanidhi, S., Rajan, S. S. 2013. Purification, spectroscopic characterization and o-diphenoloxidase activity of hemocyanin from a freshwater gastropod: *Pila globosa*. *Protein journal*, v. 32 (5): 327-336 doi: 10.1007/s10930-013-9490-5, (IF, SJR).
176. Durairaj, K.R., Saravanan, K., Ravichandran, S. 2020. Purification, characterization and biological functions of metalloprotein isolated from haemolymph of mud crab *Scylla serrata* (Forskal, 1775), *International journal of biological macromolecules*, Volume 164, Page 3901-3908, DOI 10.1016/j.ijbiomac.2020.08.228, (IF, SJR).
- Apostolou A., Ivanova, P., Velkov, B., Vassilev, M., Dobrovolov, I., Dobrev, D. 2010. *Pomatoschistus marmoratus* (RISSO 1810), is it really a “new” species for the Bulgarian Ichthyofauna? *Acta Zoologica Bulgarica*, 63, 3, 289-294, ISSN:0324-0770.**
177. Knebelsberger, T., Thiel, R. 2014. Identification of Gobies (Teleostei: Perciformes: Gobiidae) from the North and Baltic Seas combining morphological analysis and DNA barcoding, *Zoological Journal of the Linnean Society*, 2014, 172, 831–845, <https://doi.org/10.1111/zoj.12189>, (IF, SJR).
178. Yankova, M. 2016. Alien invasive fish species in Bulgarian waters: An Overview. *International Journal of Fisheries and Aquatic Studies*, 4(2): 282-290.
179. Kara, M.H., Quignard, J.P. 2019. Gobiidae Regan, 1911. Fishes in lagoons and estuaries in the Mediterranean 2: Sedentary Fish, 153-274; Book Chapter
180. Shalovenkov, N. 2019. Alien species invasion: Case study of the Black Sea. In Coasts and Estuaries (pp. 547-568). Elsevier, <https://doi.org/10.1016/B978-0-12-814003-1.00031-9>, (IF, SJR).
181. Gümüş, A., Van, A., Zengin, M., Süere, S. 2021. Evidence on otolith structure and some ecological features of three small foraging species along the southern Black Sea coast *Acta Aquatica Turcica*, DOI: 10.22392/actaquatr.799615.

182. Kovacic, M., Renoult, J.P., Louisy, P. 2022. Identification of Mediterranean marine gobies (Actinopterygii: Gobiidae) of the continental shelf from photographs of in situ individuals, *Zootaxa*, Volume5144, Issue1, Page1-103, DOI10.11646/zootaxa.5144.1.1, (IF, SJR).
- Vassilev, M., Apostolou, A., Velkov, B., Ivanova, P., Panayotova, M., Dobrev, D., Pehlivanov, L. 2010. Status of Gobiid ichthyofauna (Gobiidae) in Bulgaria: Taxonomical, conservative, ecological and social aspects. *Natura Montenegrina*, Podgorica, 10, 2, 115-124.**
183. Stancheva, M., Merdzhanova, A., Petrova, E., Petrova, D. 2013. Heavy metals and proximate composition of Black Sea sprat (*Sprattus spratus*) and goby (*Neogobius melanostomus*) *Bulgarian Journal of Agriculture Sciences*, 19 (Supplement 1), 35-41, (SJR).
184. Novitskyi, R.O., Manilo, L.G., Peskov, V.M., Gasso, V.Ya. 2022. Spreading and ecomorphological changes of the ratan goby *Ponticola ratan* (Nordmann, 1840) (Gobiiformes: gobiidae) in the Dnieper River reservoirs, Ukraine, *Gidrobiologičeskij Žurnal*, 58(6), 73-90.
- Atanassov, I., Ivanova, P., Panayotova, M., Tsekov, A., Rusanov, K. 2011. Mitochondrial control region DNA variation in turbot populations from the Bulgarian and Romanian Black Sea coasts. *Biotechnology & Biotechnological Equipment*, 25, 4, 2627-2633, ISSN:1310-2818.**
185. Zengin M., 2014. Last three decades of the turbot fisheries in the Turkish Black Sea coast. In: Turkish fisheries in the Black Sea, Ed. E. Duzgunes, B. Ozturk, M. Zengin, TUDAV, publ.40, Intanbul, Turkey.
186. Ciftci, Y, 2017. Genetic Studies In The Black Sea. In: Black Sea Marine Environment: The Turkish Shelf Book Series Turkish Marine Research Foundation Publication, Volume 46, 519-542, Edited by: Sezgin, M., Bat, L., Urkmez, D., Arici, E., Ozturk, B., Published 2017 Indexed 2017-01-01.
187. do Prado, F. D., Vera, M., Hermida, M., Bouza, C., Pardo, B. G., Vilas ,R., Blanco, A., Fernández, C., Maroso, F., Maes, G.E., Turan, C., Volckaert, F., Taggart, J.B., Carr, A., Ogden, R., Nielsen, E.E., The Aquatrace Consortium, Martínez, P., 2018. Parallel evolution and adaptation to environmental factors in a marine flatfish: Implications for fisheries and aquaculture management of the turbot (*Scophthalmus maximus*). *Evolutionary Applications*, 2018;00:1–20, <https://doi.org/10.1111/eva.12628>, (IF, SJR).
188. Firidin, S., Ozturk, R.C., Alemdag, M., Eroglu, O., Terzi, Y., Kutlu, I., Duzgunes, Z.D, Cakmak, E., Aydin, I. 2020. Population genetic structure of turbot (*Scophthalmus maximus* L., 1758) in the Black Sea. *Journal of Fish Biology*. <https://doi.org/10.1111/jfb.14487>, (IF, SJR).
189. Karan, S., Turan, C. 2020. Evaluation of Molecular and Phenotypic Markers for Phylogeographic Analysis of the Black-Sea Turbot *Scophthalmus maeoticus* (Pallas,

1814) (Actinopterygii: Scophthalmidae). *Acta Zoologica Bulgarica*, 72(1), 137-147, <http://www.acta-zoologica-bulgarica.eu/002289>, (IF, SJR).

**Yankova, M., Raykov, V., Ivanova, P., Mgelandze, M., Diasamidze, R., Radu, Gh., Nicolaev, S., Agapov, St., Grinchenko, M., Ozturk, B., Oral, M., Bat, L., Shlyakhov, Vl., Boltachev, Al., Karpova, E.** 2011. Black Sea Fishes List. Black Sea Commission Publication.

190. Divovich, E., Jovanović, B., Zylich, K., Harper, S., Zeller D., Pauly D. 2015. Caviar and politics: A reconstruction of Russia's marine fisheries in the Black Sea and Sea of Azov from 1950 to 2010. Fisheries Centre The University of British Columbia Working Paper Series Working, 84, 24p.
191. Shek, P.V. 2015. Fish fauna of reservoirs National Park Tuzlovskie limani and its use. Biopesursi ekologiya vodoym. УДК 597.2.5 (477) (035) ISSN 2075-1508. *Applied fish sciences*, Украина, №2/2015, 5-9.
192. Vdodovich, I. V., Khanaychenko, A. N., Giragosov. V. E. 2017. Feeding of 0-Group Mugilidae Juveniles in the Coastal and Open Waters of the Black Sea near Sevastopol and the Alien Copepod *Oithona davisae* as Their Diet Component. Journal of Siberian Federal University, *Biology*, 10(1): 106-113, УДК 597.556.333.7:591.13 (262.5).
193. Van, A., Gümüş, A., Özpiçak, M., Süer, S. 2021. Age estimation and the best growth model selection of the tentacled blenny *Parablennius tentacularis* (Brünnich, 1768) in the southeastern Black Sea. *Ege Journal of Fisheries and Aquatic Sciences*, 38(2), 229-236. DOI: 10.12714/egefjas.38.2.13.

**Dobrovolov, I.S., Ivanova, P., Georgiev, Zh., Panayotova, M. D. 2012. Allozyme variation and genetic identification of shad species (Pisces: Clupeidae, Genus Alosa) along the Bulgarian Black Sea coast. *Acta zoologica bulgarica*, 64, 2, 175-183, ISSN:0324-0770.**

194. Sabatino S., Alexandrino, P. 2012. Genetic diversity and population structure of the Eurasian shads *Alosa alosa* and *A. fallax*. CIBIO, University of Porto, Portugal, 1-18 p.
195. Symonová, R., Flajšhans, M., Semer, A., Havelka, M., Gela, D., Kořínková, T., Rodina, M., Rábová, M., Ráb, P. 2013. Molecular cytogenetics in artificial hybrid and highly polyploid sturgeons: an evolutionary story narrated by repetitive sequences. *Cytogenetic and genome research*, v.141(2-3): 153-162, doi: 10.1159/000354882, (IF, SJR).
196. Tewari, G., Singh, I. J., Danish, M., & Barat, A. K. 2013. Genetic diversity analysis of *Labeo gonius* (Hamilton, 1822) in three different reservoirs of Uttarakhand by using allozyme marker. *African Journal of Biotechnology*, 12(19), 2532-2539, eISSN: 1684-5315, (IF, SJR).
197. Mezhzherin, S. V., Vernygora, O. V., 2013. Evidences of multicomponent structure of the migratory stock and morphological distinctions of shads from the Genus *Alosa*

- (Clupeiformes, Alosinae) of the Sea of Azov. *Vestnik Zoologii*, vol.: 47, 1, 60 -66 pp, DOI: 10.2478/vzoo-2013-0005. (IF, SJR).
198. Shakur, A.A.K., Haque, M.M., Rahman A.M., Asaduzzaman, M. 2015. Morpho-genetic Analysis of three river populations of Bhagna, *Labeo ariza* (Hamilton 1807) in Bangladesh. *Journal of Aquaculture & Marine Biology* 2(3): 00029. DOI: 10.15406/jamb.2015.02.00029.
199. Ciftci, Y, 2017. Genetic Studies In The Black Sea. In: Black Sea Marine Environment: The Turkish Shelf Book Series Turkish Marine Research Foundation Publication, Volume 46, 519-542, Edited by: Sezgin, M., Bat, L., Urkmez, D., Arici, E., Ozturk, B., Published 2017 Indexed 2017-01-01.
200. Weiss, S., Apostolou, A., Đug, S., Marčić, Z., Mušović, M., Oikonomou, A., Shumka, S., Škrijelj, R., Simonović, P., Vesnić, A., Zabric. D. 2018. Endangered Fish Species in Balkan Rivers: their distributions and threats from hydropower development. *Riverwatch & EuroNatur*, 162 pp.
201. Boyadzhieva-Doychinova, D, Tserkova, F, Denev, I, 2020. Molecular Taxonomy Study of the Genus *Alosa* H. F. Linck, 1790 (Actinopterygii: Clupeidae) along Bulgarian Black Sea Coast Based on Cytochrome b Sequences. *Acta Zoologica Bulgarica*, Supplement 15, Page 21-25. (IF, SJR).
- Panayotova, M., Raykov, V., Ivanova, P., Dobrovolov, I.S. 2012. Landings, distribution, size structure and genetics of Pontic shad (*Alosa immaculata* BENNETT, 1835) in the Bulgarian Black Sea area. *Journal of Environmental Protection and Ecology*, 13, 3A, 1856-1864, ISSN:1311-5065.**
202. Zervoudaki, S., Orek, H.A., Krasakopoulou, E., Assimakopoulou, G., Fach-Salihoglu, B.E., Papathanassiou, E. 2014. Food web structure in the Aegean Sea and the Turkish straits system and understanding the role of the ocean acidification as important driver of change in biological systems. *Journal of Environmental Protection and Ecology*, vol.15 (4), 1641-1649. (IF, SJR).
203. Ibănescu, D.C., Popescu, A., Nica, A. 2016. Estimation of growth and mortality parameters of the Pontic shad (*Alosa immaculata* BENNETT, 1835) in Romanian section of the Danube River. *Lucrări Științifice-Seria Zootehnice*, 2016, pp. 285 – 289.
- Raykov, V., Panayotova, M., Ivanova, P., Dobrovolov, I., Maximov, V. 2012. First record and allozyme data of European mudminnow *Umbra krameri* Walbaum, 1792 (Pisces: Umbridae) in the Black Sea. *Comptes Rendus de l'Academie Bulgare des Sciences*, 65, (1), 49-52, ISSN:1310–1331.**
204. Hajdú, J., Várkonyi, L., Ševc, J., Muller, T. 2015. Corrective notice to the European mudminnow (*Umbra krameri* Walbaum, 1792) record from the Black Sea. *Biologia* 70/10: 1429—1431, Short Communication, <https://doi.org/10.1515/biolog-2015-0157>, (IF, SJR).

205. Yankova, M. 2016. Alien invasive fish species in Bulgarian waters: An Overview. *International Journal of Fisheries and Aquatic Studies*, 4(2): 282-290.
206. Marić, S., Stanković, D., Wanzenböck, J., Šanda R., Erős T., Takács P., Specziár A., Sekulić N., Bănăduc D., Ćaleta M., Trombitsky I., Galambos L., Sipos S., Snoj A. 2017. Phylogeography and population genetics of the European mudminnow (*Umbra krameri*) with a time-calibrated phylogeny for the family Umbridae. *Hydrobiologia* (2017) 792 (1): 151-168., (IF, SJR).
207. Spiridonov, V. A., Zalota, A. K. 2017. Understanding and forecasting dispersal of non-indigenous marine decapods (Crustacea: Decapoda) in East European and North Asian waters. *Journal of the Marine Biological Association of the United Kingdom*, 97(3), 591-611. (IF, SJR).
- Dobrovolov, I. S., Ivanova, P. P., Georgiev, Zh. M., Panayotova, M. D., Raykov, V. S., Nikolov, V.S. 2012. Allozyme variation and genetic identification of shad species (Pisces: Clupeidae, Genus *Alosa*) along the Bulgarian Black Sea coast. *Acta zoologica bulgarica*, 64 (2):175-183.**
208. Ciftci, Y. 2017. Genetic studies in the Black Se. Edited by: Sezgin, M, Bat, L, Urkmez, D., Arici, E., Ozturk, B. Black Sea marine environment: The Turkish shelf Book Series Turkish Marine Research Foundation Publication, Volume 46, 519-542, Indexed 2017-01-01, Book Chapter Genetic Studies in the Black Sea.
209. Boyadzhieva-Doychinova, D., Tserkova, F., Denev, I., 2020. Molecular taxonomy study of the Genus *Alosa* HF Linck, 1790 (Actinopterygii: Clupeidae) along Bulgarian Black Sea Coast Based on Cytochrome b Sequences. *Acta zoologica bulgarica*, pp.21-25, (IF, SJR).
- Yankova, M., Pavlov D., Ivanova P., Karpova E., Boltachev A., Bat L., Oral M., Mgelandze M. 2013. Annotated check list of the non-native fish species (Pisces) of the Black Sea. *Journal of Black Sea/Mediterranean Environment*, 19 (2): 247-255, ISSN: 1304-9550.**
210. Apostolou, A. 2014. First occurance of *Serranus hepatus* in the Bulgarian Black Sea coast. *J.Black Sea/Mediterranean Environment*, vol.20, N2:142-146.
211. Hajdu, J., Várkonyi, L., Ševc, J., Muller, T. 2015. Corrective notice to the European mudminnow (*Umbra krameri* Walbaum, 1792) record from the Black Sea, *Biologia* 70/10: 1429—1431, Section Zoology, (IF, SJR).
212. Öztürk, R. Ç., Özbüyük E. 2016. First record of the ocean sunfish, *Mola mola* (Linnaeus 1758), from the Black Sea, *J. Black Sea/Mediterranean Environment* Vol. 22, No. 2: 190-193.
213. Topaloğlu, B., & Öztürk, B. 2017. First record of *Marsupenaeus japonicus* (Bate, 1888)(Crustacea: Decapoda: Penaeidae) from the western coast of the Turkish Black Sea. *Journal of the Black Sea/Mediterranean Environment*, 23(3), 229-34.

214. Erdem, Y., Samsun, O., Özdemir, S. 2017. Impact of climate changes on fish fauna of Black Sea. ICOCEE - Cappadocia 2017. Abstract Book.
215. Guskov, G.E., Zhivoglyadov, A.A., Chepurnaya, T.A., Shimanskaya, E.I. 2017. The first occurrence of the atlantic steenbrass *Lithognathus mormyrus* caught by fishing nets off the Caucasus coast in the Russian Federation. Современные проблемы науки и образования, 5, 341, УДК: 597.2/5.
216. Aydin, M. Bodur, B. 2018. First record of the red - mouthed goby, *Gobius cruentatus* (Gobiidae) from the middle Black Sea coast. *Turkish Journal of Maritime and Marine Science*, 4 (1), 63-67.
217. Özcan, G, Tarkan, A.S, Özcan, T (Eds.). 2018. Proceeding Book, International Marine & Freshwater Sciences Symposium, 18-21 October 2018, Kemer-Antalya / Turkey, 402 pp.
218. Mumladze, L., Japoshvili, B., Anderson, E. P. 2019. Faunal biodiversity research in the Republic of Georgia: a short review of trends, gaps, and needs in the Caucasus biodiversity hotspot, *Biologia*, DOI 10.2478/s11756-019-00398-6, ISSN 0006-30883, (**IF, SJR**).
219. Shalovenkov, N. 2019. Chapter 31 - Alien Species Invasion: Case Study of the Black Sea, *Coasts and Estuaries*, 2019, Pages 547-568, <https://doi.org/10.1016/B978-0-12-814003-1.00031-9>,(**IF, SJR**).
220. Vadachkoria, P., Tregubov, A., Makharadze, G. 2020. Distribution and quantitative characteristics of four invasive alien species offthe Black Sea Coast of Georgia, *Acta Zoologica Bulgarica*, 72(4): 539-544, (**IF, SJR**).
221. Balykin, P.A., Kutsyn, D. N., Startsev, A. V. 2021. Fishing under climate change: dynamics of composition and structure of catches in the Russian Black Sea in the XXI century, *Marin Biological Journal* v.6 (3):3-14 <https://doi.org/10.21072/mbj.2021.06.3.01>. (**SJR**).
222. Karadurmuş, U., Ustaoğlu, D., Aydin, M., 2021. A new maximum length of the *Spicara flexuosa* Rafinesque, 1810 in the coastal waters of the Turkey. *Turkish Journal of Maritime and Marine Sciences*, 7(1): 75-83.
223. Manilo, L. 2021. Alien fishes in the Black Sea waters of Crimea (Ukraine), GEO&BIO, 2021, vol. 20, pp 79–101, doi: <http://doi.org/10.15407/gb2010>.
224. Yiğit, N., Özeren, S.C., Yiğit, F. S., Çolak, E. N. Güçlü, D. 2021. Alien vertebrates and vertebrate pests in Turkey with an overview of rodent management, *Journal of Scientific Report*, Volume, Issue 046, 59 – 80.

225. Varshavidze, M., Mgledze, M., Gvarishvili, T., Mikashavidze, E., Mikeladze, R., & Vadachkoria, P. 2022. The Invasive alien species in the Black Sea coast of Georgia. *Transylvanian Review of Systematical and Ecological Research*, 24(2), 83-92.
- Ivanova, P. P., Dobrovolov, I.S., Bat, L., Kideys, A. E., Nikolsky, V.N., Yuneva, T.V., Shchepkina, F.M., Shulman, G.E. 2013. Application of esterase polymorphism to specify population genetic structure of *Engraulis encrasicolus* (Pisces: Engraulidae) in the Black and Azov Seas. *Marine Ecological Journal*, 12, 4, 45-52.**
226. Zuev, G.V., Bondarev, V.A., Murzin, Yu. L., Samotoi, Yu.V. 2014. Long term and annual variability of intraspecific and biological structure of the anchovy *Engraulis encrasicolus* (L.) (Pisces: Engraulidae), wintering along east Crimea coast, *Marine ecological journal*, v. 13, № 2. C. 31-40.
227. Zuev, G.V., 2014. Intraspecific differentiation and distribution of the European anchovy *Engraulis encrasicolus* (L) (Engraulidae: Pisces) in Black and Azov Seas. *Marine ecological journal*, v. 13. № 3. C. 19-31.
228. Zuyev, G.V. 2016. Intraspecific differentiation and distribution of european anchovy engraulis encrasicolus in the black sea and sea of Azov (review), В сборнике: Морские биологические исследования: достижения и перспективы. Сборник материалов Всероссийской научно-практической конференции с международным участием, приуроченной к 145-летию Севастопольской биологической станции: в 3 томах. с. 174-177.
229. Данильченко, Я.И., Сазонова, И.А. 2016. Морфофизиологические показатели азовской и черноморской хамсы в период зимнего промысла 2015-2016 гг, *Журнал научных публикаций аспирантов и докторантов*, № 5 (119). С. 193-194.
230. Gücü, A.C., Genç, Y., Dağtekin, M., Sakinan, S., Ak, O., Ok, M. and Aydin, İ., 2017. On Black Sea anchovy and its fishery. *Reviews in Fisheries Science & Aquaculture*, 25(3), pp.230-244, DOI: 10.1080/23308249.2016.1276152, (**IF, SJR**).
231. Водясова, Е.А., Солдатов, А.А. 2017. Идентификация подвидов европейского анchoуса *Engraulis encrasicolus* (Engraulidae) в зимовых скоплениях на основе морфологических параметров отолита. *Вопросы ихтиологии*, Т. 57. № 4. С. 408-414. (**IF, SJR**).
232. Düzgüneş, Z.D., Eroğlu, O., Firidin, Ş., Çakmak, E. 2018. Genetic Diversity for Anchovy Populations (*Engraulis encrasicolus* L.) in the Azov, Marmara and Black Sea. *Genetics of Aquatic Organisms* 2: 53-60, [https://www.genaqua.org/uploads/pdf\\_23.pdf](https://www.genaqua.org/uploads/pdf_23.pdf) , (**IF**)
233. Khan, U., Bal, H., Battal, Z.S. and Seyhan, K. 2022. Using otolith and body shape to discriminate between stocks of European anchovy (Engraulidae: *Engraulis encrasicolus*) from the Aegean, Marmara and Black Seas. *Journal of Fish Biology*, 101(6), pp.1452-1465. (**IF, SJR**).

- Ivanova, P., Dobrovolov, I., Apostolou, A., Vasilev, M., Velkov, B., Dobre, D. 2013. Protein biomarkers for identification of some Gobiid species (Actinopterygii: Gobiidae) along the Bulgarian Black Sea Coast. *Acta zoologica bulgarica* 65(4): 429-438.
234. Ciftci, Y, 2017. Genetic Studies in the Black Sea. In: Black Sea Marine Environment: The Turkish Shelf Book Series Turkish Marine Research Foundation Publication, Volume 46, 519-542, Edited by: Sezgin, M., Bat, L., Urkmez, D., Arici, E., Ozturk, B., Published 2017 Indexed 2017-01-01.
- Yankova, M., Pavlov, D., Ivanova, P., Karpova, E., Boltachev, A., Ozturk, B., Bat, L., Oral, M., Mgelandze, M. 2014. Marine fishes in the Black Sea: recent conservation status. Mediterranean Marine Science, 15, 2, ISSN: 1791-6763.**
235. Bănăduc, D., Rey, S., Trichkova, T., Lenhardt, M., Bănăduc, D.I. 2016. The Lower Danube River–Danube Delta–North West Black Sea: A pivotal area of major interest for the past, present and future of its fish fauna. *Science of the Total Environment* 545-546, 137-151, (IF, SJR).
236. Kuzminova, N.S., Chesnokova, I.I, 2016. Dynamic of diversity of mass groups of ichthyofauna in the Sevastopol bays with different ecological conditions. *Экосистемы*, 7 (37), 26-35, 628.19:597.2/5:591.9(262.5).
237. Kasapoglu, N., Cankiriligid, E. C., Firidin, S., Cakmak, E. 2016. A preliminary study on some biological characters of East Atlantic peacock wrasse, *Syphodus tinca*, in the Black Sea, Turkey. *J. Black Sea/Mediterranean Environment* , vol. 22, No. 3: 289-294.
238. Özgür, E., Çardak, M., Kebapçioğlu, T. 2016. Spatio-temporal patterns of abundance, biomass and length-weight relationships of *Gymnura altavela* (Linnaeus, 1758) (Pisces: Gymnuridae) in the Gulf of Antalya, Turkey (Levantine Sea). *J. Black Sea/Mediterranean Environment* , vol. 22, No. 1: 16-34.
239. Sezgin, M.(editor) "Karadeniz ve Balıkçılık Çalıştayı" - 13/14 Ekim 2016, Sinop, ISBN :978-605-88024- 3-8, 54pp.
240. Тамойкин, И., 2016. Методологические аспекты применения подводных наблюдений в ихтиологических исследованиях у черноморских берегов Крыма. *Евразийский союз ученых*, 2-3 (23) , 133-136, ISSN: 2411-6467 .
241. Kvach, Yu., Kutsokon,Yu., 2017. The non-indigenous fishes in the fauna of Ukraine: a potentia ad actum. *BioInvasions Records*, Volume 6, Issue 3: 269–279. (IF, SJR).
242. Mehmet, A. 2017. Some biological parameters of painted comber (*Serranus scriba* L., 1758) in the Black Sea *Turkish Journal of Maritime and Marine Sciences* Volume: 3 Issue: 1, 34-41.

243. Öğreden, T., Yağlıoğlu, D. 2017. Catch Composition of Bottom Trawl Fisheries in Düzce Coast, southwestern Black Sea. *Natural and Engineering Sciences*, 2 (3): 158-167, ISSN: 2458-8989.
244. Hulak, B., Kvach, Yu. 2017. Finding of *Pseudobacciger harengulae* (Digenea, Faustulidae) in the mediterranean horse mackerel, *Trachurus mediterraneus* (Actinopterygii, Carangidae), from the gulf of Odessa, Black Sea, *Ukraine Vestnik Zoologii*, 52(1): 47–52, 2018, DOI 10.2478/vzoo-2018-0006. (**IF, SJR**).
245. Erdem, Y. 2017. Fishes of the Black Sea, In: Black Sea marine environment: the turkish shelf, Edited by: Sezgin, M., Bat, L., Urkmez, D., Arici, E., Ozturk, B., Book Series Turkish Marine Research Foundation Publication, Volume 46, Page236-247.
246. Mavruk, S., Ak Orek, Y. 2017. A synthesis of ichthyoplankton studies in Turkish part of the Black Sea, In: Black Sea marine environment: The Turkish shelf, Edited by: Sezgin, M; Bat, L; Urkmez, D; Arici, E; Ozturk, B., Book Series Turkish Marine Research Foundation Publication, Volume 46, Page567-587, Book Chapter.
247. Eryaşar, A. R. 2018. A novel grid-net design to eliminate bycatch in beam trawl fishing for the veined rapa whelk in the south-eastern Black Sea, *Medit. Mar. Sci.*, 19/3, 2018, 494-503, <http://www.medit-mar-sc.netp> DOI: <http://dx.doi.org/10.12681/mms.15351>. (**IF, SJR**).
248. Khutornoi, S., Kvach, Y. 2019. First record of the Montague's blenny (*Coryphoblennius galerita* (L., 1758) (Actinopterygii: Blenniidae) in the mesohaline waters of the North-Western Black Sea, Ukraine. *BioInvasions Records* 8(4):917–923, DOI: 10.3391/bir.2019.8.4.20. (**IF, SJR**).
249. Mumladze, L., Japoshvili, B., Anderson, E. P. 2019. Faunal biodiversity research in the Republic of Georgia: a short review of trends, gaps, and needs in the Caucasus biodiversity, *Biologia* 75(1), DOI 10.2478/s11756-019-00398-6, ISSN 0006-30883. (**IF, SJR**).
250. Özdemir, S. , Özsandıkçı, U, , Buyukdeveci, F. 2019. A New Maximum Length with Length–Weight Relationship of Tub Gurnard (*Chelidonichthys lucerna* Linnaeus, 1758) from Central Black Sea Coasts of Turkey. *Marine Science and Technology Bulletin*, 8 (2): 85-91 . DOI: 10.33714/masteb.641702. (**IF, SJR**).
251. Shalovenkov, N. 2019. Chapter 31 - Alien Species Invasion: Case Study of the Black Sea, *Coasts and Estuaries*, 2019, Pages 547-568, <https://doi.org/10.1016/B978-0-12-814003-1.00031-9>. (**IF, SJR**).
252. Boyadzhieva-Doychinova, D., Tserkova, F., Denev, I. 2020. Molecular Taxonomy Study of the Genus *Alosa* H. F. Linck, 1790 (Actinopterygii: Clupeidae) along Bulgarian Black Sea Coast Based on Cytochrome b Sequences. *Acta Zool. Bulg.*, Supplement 15, 2020: 21-25. (**IF, SJR**).

253. Balık, İ. 2020. Karadeniz'in Güney-doğu Kıyılarında Yapılan Galsama Ağları ile Avcılıkta Av Kompzisyonu ve Iskarta Oranı Üzerine Mevsim ve Derinliğin. *Acta Aquatica* DOI: 10.22392/actaquatr.595457.
254. Melnikova, E., Kuzminova, N. 2020. Growth of horse mackerel populations in the western parts of the Black, Marmara, and Aegean seas – *Fish. Aquat. Life* 27: 11-17.DOI: <https://doi.org/10.2478/aopf-2020-0002>.
255. Serena, F., Abella, A.J., Bargnesi, F., Barone, M., Colloca, F., Ferretti, F., Fiorentino, F., Jenrette, J., Moro, S. 2020. Species diversity, taxonomy and distribution of Chondrichthyes in the Mediterranean and Black Sea. *European Zoological Journal*, Volume 87, Issue 1, 2020, Pages 497-536. (**IF, SJR**).
256. Ulman, A., Zengin, M., Demirel, N., Paultyn D. 2020. The Lost Fish of Turkey: A Recent History of Disappeared Species and Commercial Fishery Extinctions for the Turkish Marmara and Black Seas. *Front. Mar. Sci.* 7:650. doi: 10.3389/fmars.2020.00650. (**IF, SJR**).
257. Vadachkoria, P., Tregubov, A., Makharadze, G. 2020. Distribution and quantitative characteristics of four invasive alien species offthe Black Sea Coast of Georgia, *Acta Zoologica Bulgarica*, 72 (4): 539-544, [http://www.acta-zoologica-bulgarica.eu/00SIO\\_1\\_08](http://www.acta-zoologica-bulgarica.eu/00SIO_1_08). (**IF, SJR**).
258. Almpandou, V., Doxa, A., Mazaris, A.D. 2021. Combining a cumulative risk index and species distribution data to identify priority areas for marine biodiversity conservation in the Black Sea, *Ocean and Coastal Management* 213, 105877. (**IF, SJR**).
259. Aydin, M. 2021. The first data on the population parameters and morphometry of *Mesogobius batrachocephalus* (Pallas 1814) (Family: Gobiidae) in the southern Black Sea. *Aquatic Research*, 4(2 ), 116-128. <https://doi.org/10.3153/AR21009>.
260. Benjamin, J. G., Taniguchi, N. 2021. Measuring the historical conservation status of dragonet fishes in 1251 Tosa Bay, Southwestern Japan: ecological and genetic approach. *The Palawan Scientist*, 13(2): 37-52, DOI: 10.13140/RG.2.2.16580.96641.
261. Green, L., Apostolou, A., Faust, E., Palmqvist, K., Behrens, J.W., Havenhand, J.N., Leder, E.H., Kvarnemo, C. 2021. Ancestral Spermotypes reveal multiple invasionsof a non-native fish in northern Europe. *Cells*, 10, 1743. <https://doi.org/10.3390/cells10071743>. (**IF, SJR**).
262. Stefanov, T. 2021. Small red scorpionfish *Scorpaena notata* Rafinesque, 1810 (Actinopterygii: Scorpaenidae) – an unknown species for the Bulgarian Black Sea coast, *Historia Naturalis Bulgarica*, 42, pp. 55-58. (**SJR**).
263. Anagnostou, C., Kostianoy, A., Mariolakos, I., Panayotidis, P., Soilemezidou, M., Tsaltas, G. 2022. The Aegean Sea: A “Water Way” Connecting the Diverse Marine Ecosystems of the Black Sea and the Eastern Mediterranean Sea. In: The Handbook of

Environmental Chemistry. Springer, Berlin, Heidelberg.  
[https://doi.org/10.1007/698\\_2022\\_902](https://doi.org/10.1007/698_2022_902).

264. Eryaşar, A.R. 2022. Grid-net design that successfully reduces discarded catch and damage to benthic species in the veined rapa whelk beam trawl fishery, 2022, *Marine Biology Research* DOI: 10.1080/17451000.2022.2123523. (**IF, SJR**).
265. Korniychuk, J., Polyakova, T., Pronkina, N. 2022. New data on pipefishes' and seahorse's endohelminths off Crimean coasts of the Black Sea, *Helminthologia*, 59(1), pp. 74-82. (**IF, SJR**).
266. Manilo, L. Serhii Snigirov, S., Tkachenko, P., Zamorov, V. 2022. The Atlantic–Mediterranean fish assemblage and alien fishes in the north-western part of the Black Sea within the waters of Ukraine (review for the last 50 years), GEO&BIO, vol. 22, pp 150–165 <https://doi.org/10.15407/gb2212>.
- Turan, C., Gurlek, M., Erguden, D., Yaglioglu, D., Uyan, A., Reyhanie, A., Ozbalciar, B., Ozturk, B., Erdogan, Z., Ivanova, P. P., Soldo, A. 2015. Population genetic analysis of Atlantic bonito *Sarda sarda* (BLOCH, 1793) using sequence analysis of mt DNA D-loop region. *Fresenius Environmental Bulletin*, 24, 10, 3148-3154, ISSN: 1018-4619.**
267. Daskalov, G.M., Demirel, N., Ulman, A, Georgieva, Y., Zengin, M. 2020. Stock dynamics and predator–prey effects of Atlantic bonito and bluefish as top predators in the Black Sea, *ICES Journal of Marine Science* (2020), doi:10.1093/icesjms/fsaa182. (**IF, SJR**).
268. Şalcioğlu, A., Gubili, Ch., Krey, G., Sönmez, A.Y., Bilgin, R. 2020. Phylogeography and population dynamics of the eastern Mediterranean whiting (*Merlangius merlangus*) from the Black Sea, the Turkish Straits System, and the North Aegean Sea, *Fisheries Research* 229(4):105614. (**IF, SJR**).
269. Şalcioğlu, A., Gubili, C., Krey, G., Sakinan, S., Bilgin, R. 2021. Molecular characterization and phylogeography of Mediterranean picarels (*Spicara flexuosa*, *S. maena* and *S. smaris*) along the coasts of Turkey and the Eastern Mediterranean. *Regional Studies in Marine Science*, 45, 101836., <https://doi.org/10.1016/j.rsma.2021.101836>. (**IF, SJR**).
270. Tan, Y., Qin, J. 2021. Identification method of farmland weeds in complex background based on improved faster R-Cnn, *Fresenius Environmental Bulletin*, 30(2 A), pp. 1890-1901. (**IF, SJR**).
271. Cetin, C., Furman, A., Bilgin, R. 2022. Mitonuclear genetic patterns of divergence in the marbled crab, *Pachygrapsus marmoratus* (Fabricius, 1787) along the Turkish seas, *PLOS ONE*, 17(4), Article Number 0266506, DOI 10.1371/journal.pone.0266506, (**IF, SJR**).
272. Antonacci, R., Linguiti, G., Paradiso, F., Scalzone, C., Fanizza, C., Ciani, E., Cipriano, G., Ciccarese, S.M. and Carlucci, R. 2023. Mitochondrial DNA diversity and genetic

structure of striped dolphin *Stenella coeruleoalba* in the Northern Ionian Sea. *Frontiers in Marine Science, Marine Megafauna* 10, p.111, <https://doi.org/10.3389/fmars.2023.1088598>. (IF, SJR).

**Nikolov, V., Ivanova, P., Dzhembekova, N., Panayotova, M., Raykov, V., Dobrovolov, I. 2015. Application of allozyme markers for screening of turbot populations along Western Black Sea coast. *ZooNotes*, 79, 1-15, ISSN:1313-9916.**

273. do Prado, F.D., Vera, M., Hermida, M., Bouza, C., Pardo, B.G., Vilas, R., Blanco, A., Fernández, C., Maroso, F., Maes, G.E., Turan, C., Volckaert, F.A.M., Taggart, J.B., Carr, A., Ogden, R., Nielsen, E.E., Aquatrace Consortium, Martínez, P. 2018. Parallel evolution and adaptation to environmental factors in a marine flatfish: Implications for fisheries and aquaculture management of the turbot (*Scophthalmus maximus*). *Evolutionary Applications* 11(8): 1322-1341, doi: [10.1111/eva.12628](https://doi.org/10.1111/eva.12628), (IF, SJR).

274. Aydin, I. 2021. The Effect of Ploidy on Growth and Feeding Pattern of Diploid and Triploid Turbot *Scophthalmus maximus* Under Communal Rearing Condition, *Turkish Journal of Fisheries and Aquatic Sciences* 21(06):275-281. (IF, SJR).

**Turan, C., Ivanova, P., Soldo, A. 2016. Population structuring and migration pathway of Atlantic bonito *Sarda sarda*. *Natural and Engineering Sciences*, 1 (3): 56-65, (e-ISSN:2458-8989)**

275. Genç, Y., Başçınar, N. S., Dağtekin, M. 2019. Feeding habits during migration of the Atlantic bonito *Sarda sarda* (Bloch, 1793) to the Black Sea. *Marine Biology Research*, DOI:10.1080/17451000.2019.1596287, (IF, SJR).

276. Şalcioğlu, A., Gubili, Ch., Krey, G., Sönmez, A.Y., Bilgin, R. 2020. Phylogeography and population dynamics of the Eastern Mediterranean whiting (*Merlangius merlangus*) from the Black Sea, the Turkish Straits System, and the North Aegean Sea, *Fisheries Research*, 229:105614 DOI: 10.1016/j.fishres.2020.105614, (IF, SJR).

277. Seyhan-Ozturk, D., Engin, S. 2021. Genetic diversity of marbled gobypopulations in the Anatolian coasts of thenorth-eastern Mediterranean. *Journal of the Marine Biological Association of the United Kingdom*, 1–11. <https://doi.org/10.1017/S0025315421000199>. (IF, SJR).

278. Çetin, C., Furman, A., Kalkan, E., Bilgin, R. 2022. Mitonuclear genetic patterns of divergence in the marbled crab, *Pachygrapsus marmoratus* (Fabricius, 1787) along the Turkish seas, *PLOS ONE*, (IF, SJR).

279. Kasapoğlu, N., Duygu, Z., Düzgünes, İlhan, S. 2022. Morphometric, meristic and genetic characteristics of Atlantic bonito (*Sarda sarda*) in the Black Sea, *Journal of Fisheries* Volume 10 Issue 2, Article 102206, DOI: <https://doi.org/10.17017/j.fish.391>. (IF, SJR).

**Apostolou, A., Ivanova, P., Velkov, B., Vasilev, M. 2016. Ecological plasticity of *Apollonia melanostomus* (Pisces, Gobiidae) from its main habitat types in Bulgaria. *Ecologica Balcanica*, 8, 2, Plovdiv University Publishing House, 43-52, ISSN:1313-9940.**

280. Karadurmuş, U., Aydin, M. 2021. Ordu İli Kıyılarında (Doğu Karadeniz) Yayılış Gösteren *Neogobius melanostomus* (Pallas, 1814) Türünün Bazı Morfometrik Karakterlerinin İncelenmesi, DOI: 10.46384/jmsf.840460.

**Dzhembekova, N., Atanasov, I., Ivanova, P., Moncheva, S. 2017. New potentially toxic Pseudo-nitzschia species (Bacillariophyceae) identified by molecular approach in the Black Sea (Varna Bay). 17th International Multidisciplinary Scientific GeoConference SGEM 2017, Conference Proceedings, 17, ISBN:978-619-7408-04-1, ISSN:1314-2704.**

281. Bates, S.S., Hubbard, K.A., Lundholm, N., Montresor, M., Leaw, C.P. 2018. Pseudo-nitzschia, Nitzschia, and domoic acid: New research since 2011. *Harmful Algae*, 79:3-43. doi: 10.1016/j.hal.2018.06.001. (**IF, SJR**).

282. Peteva, Z., Krock, B., Georgieva, S., Stancheva, M. 2018. Occurrence and Variability of Marine Biotoxins in Mussel (*Mytilus galloprovincialis*) and in Plankton Samples from Bulgarian Coast in Spring 2017. *International Journal of Agriculture & Environmental Science* 5(4): 1-11.

**Dzhembekova, N., Urusizaki, S., Moncheva, S., Ivanova, P., Nagai, S. 2017. Applicability of massively parallel sequencing on monitoring harmful algae at Varna Bay in the Black Sea. *Harmful Algae*, 68, 40-51, <http://dx.doi.org/10.1016/j.hal.2017.07.004>.**

283. Guida, M.Y., Laghchioua, F.E. and Hanniou, A. 2018. Pyrolysis of brown algae (*Bifurcaria bifurcata*) in a stainless steel tubular reactor: From a review to a case study. *Progress in Agricultural Engineering Sciences*, 14(1), pp.31-60. DOI:10.1556/446.14.2018.1.2, (**IF, SJR**).

284. Moreno-Pino, M., Krock, B., De la Iglesia, R., Echenique-Subiabre, I., Pizarro, G., Vásquez, M. and Trefault, N. 2018. Next Generation Sequencing and mass spectrometry reveal high taxonomic diversity and complex phytoplankton-phycotoxins patterns in Southeastern Pacific fjords. *Toxicon*, 151, pp.5-14. <https://doi.org/10.1016/j.toxicon.2018.06.078>. (**IF, SJR**).

285. Chow, S., Inaba, N., Nagai, S., Kurogi, H., Nakamura, Y., Yanagimoto, T., Tanaka, H., Hasegawa, D., Asakura, T., Kikuchi, J. and Tomoda, T. 2019. Molecular diet analysis of *Anguilliformes leptocephalus* larvae collected in the western North Pacific. *PLoS One*, 14(11), p.e0225610, (**IF, SJR**).

286. Du, P., Jiang, Z.B., Wang, Y.M., Qian, P., Hu, H.J., Liao, Y.B., Zhou, K.L., Zeng, J.N., Chen, Q.Z., Shou, L., Zhang, D.M. 2019. Spatial heterogeneity of the planktonic

- protistan community in a semi-closed eutrophic bay, China. *Journal of Plankton Research*, 41(3), pp.223-239, <https://doi.org/10.1093/plankt/fbz012>, (IF, SJR).
287. Metegnier, G., Paulino, S., Ramond, P., Siano, R., Sourisseau, M., Destombe, C., Le Gac, M. 2020. Species specific gene expression dynamics during harmful algal blooms. *Scientific reports*, 10(1), pp.1-14, <https://doi.org/10.1038/s41598-020-63326-8>, (IF, SJR).
288. Peteva, Z., Krock, B., Max, T., Stancheva, M., Georgieva, S. 2020. Detection of marine biotoxin in plankton net samples from the Bulgarian coast of Black Sea, *Bulgarian Chemical Communications*, 52 (B), pp. 22-27, doi: 10.34049/bcc.52.B.0014, (SJR).
289. Yang, H., Hu, Z., Shang, L., Deng, Y., Tang, Y.Z. 2020. A strain of the toxic dinoflagellate *Karlodinium veneficum* isolated from the East China Sea is an omnivorous phagotroph (2020) *Harmful Algae*, 93, art. no. 101775. (IF, SJR).
290. Zingone, A., Escalera, L., Aligizaki, K., Fernández-Tejedor, M., Ismael, A., Montresor, M., Mozetič, P., Taš, S., Totti, C. 2021. Toxic marine microalgae and noxious blooms in the Mediterranean Sea: A contribution to the Global HAB Status Report. *Harmful Algae*, 102, p.101843. <https://doi.org/10.1016/j.hal.2020.101843>, (IF, SJR).
291. Chai, X., Li, X., Hii, K.S., Zhang, Q., Deng, Q., Wan, L., Zheng, L., Lim, P.T., Tan, S.N., Mohd-Din, M., Song, C. 2021. Blooms of diatom and dinoflagellate associated with nutrient imbalance driven by cycling of nitrogen and phosphorus in anaerobic sediments in Johor Strait (Malaysia). *Marine environmental research*, 169, p.105398. <https://doi.org/10.1016/j.marenvres.2021.105398>, (IF, SJR).
292. Cui, Z., Xu, Q., Gibson, K., Liu, S., Chen, N. 2021. Metabarcoding analysis of harmful algal bloom species in the Changjiang Estuary, China. *Science of the Total Environment*, 782, p.146823, <https://doi.org/10.1016/j.scitotenv.2021.146823>, (IF, SJR).
293. Fu, Z., Piumsomboon, A., Punnarak, P., Uttayarnmanee, P., Leaw, C.P., Lim, P.T., Wang, A., Gu, H. 2021. Diversity and distribution of harmful microalgae in the Gulf of Thailand assessed by DNA metabarcoding. *Harmful algae*, 106, p.102063, <https://doi.org/10.1016/j.hal.2021.102063>, (IF, SJR).
294. Hii, K.S., Mohd-Din, M., Luo, Z., Tan, S.N., Lim, Z.F., Lee, L.K., Leong, S.C.Y., Teng, S.T., Gu, H., Cao, X., Lim, P.T., 2021. Diverse harmful microalgal community assemblages in the Johor Strait and the environmental effects on its community dynamics. *Harmful Algae*, 107, p.102077, <https://doi.org/10.1016/j.hal.2021.102077>, (IF, SJR).
295. Huang, H., Xu, Q., Gibson, K., Chen, Y., Chen, N., 2021. Molecular characterization of harmful algal blooms in the Bohai Sea using metabarcoding analysis. *Harmful Algae*, 106, p.102066, <https://doi.org/10.1016/j.hal.2021.102066>, (IF, SJR).

296. Mirasbekov, Y., Abdimanova, A., Sarkytbayev, K., Samarkhanov, K., Abilkas, A., Potashnikova, D., Arbuz, G., Issayev, Z., Vorobjev, I.A., Malashenkov, D.V., Barteneva, N.S. 2021. Combining imaging flow cytometry and molecular biological methods to reveal presence of potentially toxic algae at the Ural river in Kazakhstan. *Frontiers in Marine Science*, 8, p.680482., <https://doi.org/10.3389/fmars.2021.680482>, (IF, SJR).
297. Justić, D., Kourafalou, V., Mariotti, G., He, S., Weisberg, R., Androulidakis, Y., Barker, C., Bracco, A., Dzwonkowski, B., Hu, C., Huang, H. 2021. Transport Processes in the Gulf of Mexico Along the River-Estuary-Shelf-Ocean Continuum: a Review of Research from the Gulf of Mexico Research Initiative. *Estuaries and coasts*, pp.1-37. DOI<https://doi.org/10.1007/s12237-021-01005-1>, (IF, SJR).
298. Boakes, Z., Hall, A.E., Ampou, E.E., Jones, G.C., Suryaputra, I.G.N.A., Mahyuni, L.P., Prasetyo, R., Stafford, R. 2022. Coral reef conservation in Bali in light of international best practice, a literature review. *Journal for Nature Conservation*, p.126190., <https://doi.org/10.1016/j.jnc.2022.126190>, (IF, SJR).
299. Checon, H.H., Miranda, A., Bers, A.V., Quintino, V., Turra, A. 2022. Effects of sieve mesh-size on the identification of benthic assemblages and their relationships with habitats and environmental gradients. *Estuarine, Coastal and Shelf Science*, 278, p.108113, <https://doi.org/10.1016/j.ecss.2022.108113>, (IF, SJR).
300. Fu, H., Zhang, C., Wang, Y., Chen, G., 2022. Advances in multiplex molecular detection technologies for harmful algae. *Environmental Science and Pollution Research*, 29(29), pp.43745-43757, <https://doi.org/10.1007/s11356-022-20269-z>, (IF, SJR).
301. Good, E., Holman, L.E., Pusceddu, A., Russo, T., Rius, M., Iacono, C.L. 2022. Detection of community-wide impacts of bottom trawl fishing on deep-sea assemblages using environmental DNA metabarcoding. *Marine Pollution Bulletin*, 183, p.114062, <https://doi.org/10.1016/j.marpolbul.2022.114062>, (IF, SJR).
302. He, X., Stanley, R.R., Rubidge, E.M., Jeffery, N.W., Hamilton, L.C., Westfall, K.M., Gilmore, S.R., Roux, L.M.D., Gale, K.S., Heaslip, S.G., Steeves, R. 2022. Fish community surveys in eelgrass beds using both eDNA metabarcoding and seining: implications for biodiversity monitoring in the coastal zone. *Canadian Journal of Fisheries and Aquatic Sciences*, 79(8), pp.1335-1346, <https://doi.org/10.1139/cjfas-2021-0215>, (IF, SJR).
303. Ip, Y.C.A., Chang, J.J.M., Oh, R.M., Quek, Z.B.R., Chan, Y.K.S., Bauman, A.G. and Huang, D. 2022. Seq'and ARMS shall find: DNA (meta) barcoding of autonomous Reef monitoring structures across the tree of life uncovers hidden cryptobiome of tropical urban coral reefs. *Molecular Ecology*. <https://doi.org/10.1111/mec.16568>, (IF, SJR).
304. Jayachandran, P.R., Nandan, S.B., Jima, M., Philomina, J. and Vishnudattan, N.K. 2022. Benthic organisms as an ecological tool for monitoring coastal and marine ecosystem

- health. In *Ecology and Biodiversity of Benthos* (pp. 337-362). Elsevier. <https://doi.org/10.1016/B978-0-12-821161-8.00004-0>,
305. Lantéri, N., Ruhl, H.A., Gates, A., Martínez, E., del Rio Fernandez, J., Aguzzi, J., Cannat, M., Delory, E., Embriaco, D., Huber, R., Matabos, M., 2022. The EMSO Generic Instrument Module (EGIM): Standardized and interoperable instrumentation for ocean observation. *Frontiers in Marine Science*, p.205, <https://doi.org/10.3389/fmars.2022.801033>, (IF, SJR).
306. Li, C., Long, H., Yang, S., Zhang, Y., Tang, F., Jin, W., Wang, G., Chang, W., Pi, Y., Gao, L., Ma, L. 2022. eDNA assessment of pelagic fish diversity, distribution, and abundance in the central Pacific Ocean. *Regional Studies in Marine Science*, 56, p.102661, <https://doi.org/10.1016/j.rsma.2022.102661>, (IF, SJR).
307. Maggi, C., Berducci, M.T., Lomiri, S., Di Lorenzo, B., Venti, F. 2022. Integrated chemical status of the Italian marine waters sensu descriptor 8 of the Marine Strategy Framework Directive. *Frontiers in Marine Science*, p.1987, (IF, SJR).
308. McQuatters-Gollop, A., Guerin, L., Arroyo, N.L., Aubert, A., Artigas, L.F., Bedford, J., Corcoran, E., Dierschke, V., Elliott, S.A.M., Geelhoed, S.C.V., Gilles, A. 2022. Assessing the state of marine biodiversity in the Northeast Atlantic. *Ecological Indicators*, 141, p.109148. <https://doi.org/10.1016/j.ecolind.2022.109148>, (IF, SJR).
309. Mizuno, K., Nomaki, H., Chen, C., Seike, K. 2022. Deep-sea infauna with calcified exoskeletons imaged in situ using a new 3D acoustic coring system (A-core-2000). *Scientific Reports*, 12(1), p.12101, <https://doi.org/10.1038/s41598-022-16356-3>, (IF, SJR).
310. Qiao, L., Fan, S., Ren, C., Gui, F., Li, T., Zhao, A., Yan, Z. 2022. Total and active benthic foraminiferal community and their response to heavy metals revealed by high throughput DNA and RNA sequencing in the Zhejiang coastal waters, East China Sea. *Marine Pollution Bulletin*, 184, p.114225, <https://doi.org/10.1016/j.marpolbul.2022.114225>, (IF, SJR).
311. Wilms, T.J., Jacobsen, M.W., Hansen, B.K., Baktoft, H., Bollhorn, J., Scharff-Olsen, C.H., Bertelsen, J.L., García, E.G.A., Støttrup, J.G., Nielsen, E.E., Svendsen, J.C. 2022. Environmental DNA reveals fine-scale habitat associations for sedentary and resident marine species across a coastal mosaic of soft-and hard-bottom habitats. *Environmental Dna*, 4(4), pp.954-971, <https://doi.org/10.1002/edn3.312>, (IF, SJR).
- Karachle, P. K., Corsini Foka, M., Crocetta, F., Dulčić, J., Dzhembekova, N., Galanidi, M., Ivanova, P., Shenkar, N., Skolka, M., Stefanova, E., Stefanova, K., Surugiu, V., Uysal, I., Verlaque, M., Zenetos, A. 2017. Setting-up a billboard of marine invasive species in the ESENIAS area: current situation and future expectancies. *Acta Adriatica*, 58(3): 429 – 458.**
312. Kondylatos, G., Corsini-Foka, M., Perakis, E. 2018. First record of the isopod *Idotea hectica* (Pallas, 1772)(Idoteidae) and of the brachyuran crab *Matuta victor* (Fabricius,

- 1781)(Matutidae) in the Hellenic waters. *Mediterranean Marine Science*, 19(3), pp.656-661, <https://doi.org/10.12681/mms.18106>, (IF, SJR).
313. Galanos, Ch., Kritikos, S. 2019. *Diadema setosum* (Leske, 1778) (Echinodermata, Echinoidea, Diadematidae), first record for Simi island, Hellas, eastern Mediterranean, *Parnassiana Archives* 7: 15-19.
314. Gönülal, O., Türetken, P.S.Ç. 2019. One of the most invasive alien species, *Penaeus aztecus* Ives, 1891 reached the Black Sea coasts. *BioInvasions Records*, 8(4), pp.871-875, (IF, SJR).
315. Balyshева, Н.И., Сюмин Н., Шохин, И., Савикин, А.Л., Коваленко, Е.П., Бирюкова, С.В. 2020. Non-native species of zoobenthos in the ecosystems of the Lower Don and the Sea of Azov at the turn of the 20th - 21st centuries (in Russian), Federal State Budgetary Institution of Science "Federal Research Centre The Southern Scientific Centre of the Russian Academy of The Sciences DOI: 10.23885 /1993-6621 -2020-8-256-273.
316. Falautano, M. Perzia, P., Castriota, L. 2020. First record of the Lessepsian fish *Parexocoetus mento* in Italian waters and GIS-based spatial and temporal distribution in Mediterranean Sea". *Journal of the Marine Biological Association of the United Kingdom* (IF 1.181) DOI: 10.1017/s002531542000096x. (IF, SJR).
317. Reyserhove, L., Desmet, P., Oldoni, D., Adriaens, T., Strubbe, D., Davis, A.J., Vanderhoeven, S., Verloove, F. and Groom, Q. 2020. A checklist recipe: making species data open and FAIR. *Database*, 2020.
318. Theodorou, J.A., Spinos, E., Konstantinidis, E. and Perdikaris, C., 2020. New Records of *Penaeus aztecus* Ives, 1891 from the Eastern Ionian Sea. *Thalassas*, 36, pp.431-435, <https://doi.org/10.1007/s41208-020-00236-6>, (IF, SJR).
319. Yıldız, İ., Feyzioğlu, A.L.İ., 2020. Spatial and seasonal variation of the new invader *Oithona daviseae* (Ferrari FD & Orsi, 1984)(Cyclopoida: Oithonidae) in the Southeast Black Sea. *Acta Zoologica Bulgarica*, 72(4). (IF, SJR).
320. Kampouris, T.E., Asimaki, A., Klaoudatos, D., Exadactylos, A., Karapanagiotidis, I.T., Batjakas, I. E. 2021. Nutritional Quality of the European Spiny Lobster *Palinurus elephas* (J.C. Fabricius, 1787) (Achelata, Palinuridae) and the Non-Indigenous Northern Brown Shrimp *Penaeus aztecus* Ives, 1891 (Dendrobranchiata, Penaeidae). *Foods*, 10, 2480. <https://doi.org/10.3390/foods10102480>, (IF, SJR).
321. Kashta, L., Bego, F., Sacdanaku, E., Guala, I., Holcer, D. Kaska, Y., Marco Zenatello, M. 2021. EO1: Biodiversity. In: UNEP/MAP-PAP/RAC-SPA/RAC, MET and NAPA (2021). Integrated Monitoring Programme – Albania. Eds: PAP/RAC, GEF Adriatic project. pp 9-44. <https://www.adriatic.eco/publications/>.
322. Zhulidov, A.V., Alexander V. Kozhara, A.V., Son, M.O., Morhun, H., Thomas F., Van der Velde, G Leuven, Rob S.E.W., Gurtovaya, T.Y., Zhulidov, D.A., Kalko, E.A.,

- Kuklina, Y.A., Kosmenko, L.S., Santiago-Fandino, VJR., Nalepa, T. F. 2021. Additional records of the bivalves *Mytilopsis leucophaeata* (Conrad, 1831) (Dreissenidae) and *Arcuatula senhousia* (Benson, 1842) (Mytilidae) in the Ponto-Caspian region, *BioInvasions Records* 10(1), <https://doi.org/10.3391/bir.2021.10.1.14>, (IF, SJR).
323. Zviely, D., Zurel, D., Edelist, D., Bitan, M., Spanier, E. 2021. Does Sand Beach Nourishment Enhance the Dispersion of Non-Indigenous Species? The Case of the Common Moon Crab, *Matuta victor* (Fabricius, 1781), in the Southeastern Mediterranean. *J. Mar. Sci. Eng.* 2021, 9, 911. <https://doi.org/10.3390/jmse9080911>, (IF, SJR).
324. Culha, M., Culha, S.T., Somek, H., Aksoy, O., Fatma Rabia Karaduman, F.R. 2022. Contributions to the knowledge of mollusca biodiversity in coastal waters of Foca, marine protected area, Turkiye. *Fresenius Environmental Bulletin*, Volume 31(8) pages 8068-8076. (IF, SJR).
- Ivanova, P., Nikolov, V., Dzhembekova, N. 2017. New data for invasive pilengas mullet species *Liza haematocheila*, (Temminck and Schlegel, 1845) along Bulgarian Black Sea coast. *Animal Science*, 56, 2, *Annals of Warsaw University of Life Science - SGW*, 231-237, ISSN:1898-8830.**
325. Varshanimidze, M., Mgledadze, M., Gvarishvili, T., Mikashavidze, E., Mikeladze, R., & Vadachkoria, P. 2022. The Invasive alien species in the Black Sea coast of Georgia. *Transylvanian Review of Systematical and Ecological Research*, 24(2), 83-92.
- Ivanova, P. P., Trayanova, A., Stefanova, K., Stefanova, E., Raykov, V., Doncheva, V. 2017. Population status of some alien species in Varna Bay, Bulgarian Black Sea coast (2015-2016). *Acta zoologica bulgarica*, 9, 73-83, ISSN:0324-0770.**
326. Trichkova T., Tomov r., Vladimirov V., Kalcheva H., UludağA. 2017. ESENIAS and DIAS Networks and Highlights of the 7th ESENIAS Workshop with Scientific Conference ‘Networking and Regional Cooperation towards Invasive Alien Species Prevention and Management in Europe’. *Acta zool. bulg.*, Suppl. 9, 2017: 5-19. (IF, SJR).
327. Gonulah, O., Turetken, P.S.C. 2019. One of the most invasive alien species, *Penaeus aztecus* Ives, 1891 reached the Black Sea coasts. *Bioinvasions records*, 8 (4), pp.871-875, (IF, SJR).
328. Terbiyik-Kurt, T., Polat, S. and Guy-Haim, T. 2022. New invasive copepod species from the Levantine Sea, north-eastern Mediterranean: *Oithona daviseae* (Ferrari and Orsi, 1984) (Cyclopoida: Oithonidae). *BioInvasions Record* 11(1), 215-226. (IF, SJR).
- Dzhembekova, N., Moncheva, S., Ivanova, P., Slabakova, N., Nagai, S. (2018). Biodiversity of phytoplankton cyst assemblages in surface sediments of the Black Sea based on metabarcoding. *Biotechnology & Biotechnological Equipment*, 32(6), 1507-1513.**

329. Esmyryan, K.D., Castano, C.E., Chaushev, T.A., Mohammadi, R. and Vladkova, T.G., 2019. Silver-doped superhydrophobic carbon soot coatings with enhanced wear resistance and anti-microbial performance. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 582, p.123880, <https://doi.org/10.1016/j.colsurfa.2019.123880>, (IF, SJR).
330. Kang, H.C., Jeong, H.J., Ok, J.H., You, J.H., Jang, S.H., Lee, S.Y., Lee, K.H., Park, J.Y., Rho, J.R., 2019. Spatial and seasonal distributions of the phototrophic dinoflagellate *Biecheleriopsis adriatica* (Suessiaceae) in Korea: quantification using qPCR. *Algae*, 34(2), pp.111-126, <https://doi.org/10.4490/algae.2019.34.5.25>, (IF, SJR).
331. Liu, L., Wang, Z. and Lu, S., 2020. Diversity and geographical distribution of resting stages of eukaryotic algae in the surface sediments from the southern Chinese coastline based on metabarcoding partial 18S rDNA sequences. *Marine Ecology*, 41(3), pp.1-17. <https://doi.org/10.1111/maec.12585>, (IF, SJR).
332. Liu, Y., Hu, Z., Deng, Y. and Tang, Y.Z., 2020. Evidence for resting cyst production in the cosmopolitan toxic dinoflagellate *Karlodinium veneficum* and the cyst distribution in the China seas. *Harmful Algae*, 93, p.101788, <https://doi.org/10.1016/j.hal.2020.101788>, (IF, SJR).
333. Miloshev, N., Trifonova, P., Georgiev, I. 2020. Importance of the national geoinformation center for natural and anthropogenic risks prevention in Bulgaria. *International Multidisciplinary Scientific GeoConference: SGEM* 20.1.2 (2020): 583-590, (SJR).
334. Peteva, Z., Krock, B., Max, T., Stancheva, M., Georgieva, S. 2020. Detection of marine biotoxin in plankton net samples from the Bulgarian coast of Black Sea , *Bulgarian Chemical Communications*, 52 (B), pp. 22-27, doi: 10.34049/bcc.52.B.0014, (SJR).
335. Cui, Z., Xu, Q., Gibson, K., Liu, S., Chen, N. 2021. Metabarcoding analysis of harmful algal bloom species in the Changjiang Estuary, China. *Science of the Total Environment*, 782, p.146823, <https://doi.org/10.1016/j.scitotenv.2021.146823>, (IF, SJR).
336. Fawley, M.W., Fawley, K.P., Cahoon, A.B. 2021. Finding needles in a haystack— Extensive diversity in the eustigmatophyceae revealed by community metabarcode analysis targeting the rbc L gene using lineage-directed primers. *Journal of Phycology*, 57(5), pp.1636-1647, <https://doi.org/10.1111/jpy.13196>, (IF, SJR).
337. Li, H., Chen, Y., Zhou, S., Wang, F., Yang, T., Zhu, Y., Ma, Q. 2021. Change of dominant phytoplankton groups in the eutrophic coastal sea due to atmospheric deposition. *Science of The Total Environment*, 753, p.141961., <https://doi.org/10.1016/j.scitotenv.2020.141961>, (IF, SJR).
338. Mudie, P.J., Yanko-Hombach, V.V., Mudryk, I. 2021. Palynomorphs in surface sediments of the North-Western Black Sea as indicators of environmental conditions.

- Quaternary International*, 590, pp.122-145, <https://doi.org/10.1016/j.quaint.2020.05.014>, (IF, SJR).
339. Sala-Pérez, M., Lockyer, A.E., Anesio, A. , Leroy, S.A. 2021. Effect of temperature and salinity on the growth and cell size of the first cultures of *Gymnodinium aureolum* from the Black Sea. *Botanica Marina*, 64(3), pp.201-210. <https://doi.org/10.1515/bot-2020-0076>, (IF, SJR).
340. Tambaru, R., Burhanuddin, A.I., Massinai, A., Amran, M.A. 2021. Detection of marine microalgae (phytoplankton) quality to support seafood health: A case study on the west coast of South Sulawesi, Indonesia. *Biodiversitas Journal of Biological Diversity*, 22(11). DOI: 10.13057/biodiv/d221156, (IF, SJR).
341. Hu, Zh., Liu, Y. , Deng , Y., Tang, Y. Z. 2022. The notorious HABs-forming dinoflagellate *Prorocentrum donghaiense* produces sexual resting cysts, which widely distribute along the coastal marine sediment of China, *Front. Mar. Sci.*, 28 , <https://doi.org/10.3389/fmars.2022.826736>, (IF, SJR).
342. Wang, Z., Zhang, Y., Lei, M., Ji, S., Chen, J., Zheng, H., Tang, Y., Hu, R. 2022. Distribution of Dinoflagellate Cysts in Surface Sediments From the Qingdao Coast, the Yellow Sea, China: The Potential Risk of Harmful Algal Blooms. *Front. Frontiers in Marine Science*, 9, p.910327, (IF, SJR).
343. Wang, Z., Peng, L., Xie, C., Wang, W., Zhang, Y., Xiao, L., Tang, Y., Yang, Y. 2022. Metabarcoding of harmful algal bloom species in sediments from four coastal areas of the southeast China. *Frontiers in Microbiology*, 13, <https://doi.org/10.3389%2Ffmicb.2022.999886>, (IF, SJR).
344. Wang, Z., Lei, M., Ji, S., Xie, C., Chen, J., Li, W., Jiang, T. 2022. Comparison in diversity of eukaryotic algae in surface sediments from different functional sea areas of Qingdao coast, the Yellow Sea, China: a metabarcoding approach. *Journal of Oceanology and Limnology*, 40(6), pp.2322-2342., <https://doi.org/10.1007/s00343-021-1200-0>, (IF, SJR).
345. Wang, Z., Wang, C., Wang, M., Li, W., Zhong, W., Liu, L., Jiang, T. 2022. Diversity and community structure of eukaryotic microalgae in surface sediments in the central Bohai Sea, China, based on a metabarcoding approach. *Journal of Oceanology and Limnology*, 40(6), pp.2277-2291, <https://doi.org/10.1007/s00343-021-0481-7>, (IF, SJR).
- Turan, C., Ivanova, P., Gürlek, M., Yağlıoğlu, D., Ergüden,D., Karan, S., Doğdu,S., Uyan, A., Öztürk, B., Nikolov, V., Raykov, V., Dobrovolov, I., Khanaychenko, A. 2019. Phylogenetic relationships of turbot species (Scophthalmidae) inferred from the mitochondrial COIII gene and morphological characters. Natural and Engineering Sciences, 4, 1, 28-41, ISSN:2458-8989.**
346. Firidin, S., Ozturk, R.C., Alemdag, M., Eroglu, O., Terzi, Y., Kutlu, I., Duzgunes, Z.D., Cakmak, E. and Aydin, I. 2020. Population genetic structure of turbot (*Scophthalmus*

- maximus* L., 1758) in the Black Sea. *Journal of Fish Biology*, 97(4), pp.1154-1164, <https://doi.org/10.1111/jfb.14487>, (IF, SJR).
347. Cardinale, M., Chanet, B., Martínez Portela, P., Munroe, T.A., Nimmegeers, S., Shlyakhov, V., Turan, C., Vansteenberghe, L. 2021. *Scophthalmus maximus*. The IUCN Red List of Threatened Species 2021: e.T198731A144939322. <https://dx.doi.org/10.2305/IUCN.UK.2021-2.RLTS.T198731A144939322.en>
- Turan, C., Ivanova, P., Raykov, V. St., Gurlek, M., Erguden, D., Yaglioglu, D., Karan, S., Dogdu, S., Uyan, A., Ozturk, B., Nikolov, V., Dobrovolov, I., Khanaychenko, A., Giragosov, V. 2019. Genetics structure analysis of turbot (*Scophthalmus maximus*, Linnaeus, 1758) in the Black and Mediterranean Seas for application of innovative management strategies. *Frontiers in Marine Science*, 6, p. 740.**
348. Firidin, S., Ozturk, R.C., Alemdag, M., Eroglu, O., Terzi, Y., Kutlu, I., Duzgunes, Z.D., Cakmak, E., Aydin, I., 2020. Population genetic structure of turbot (*Scophthalmus maximus* L., 1758) in the Black Sea. *Journal of Fish Biology*, 97(4), pp.1154-1164, <https://doi.org/10.1111/jfb.14487>, (IF, SJR).
349. Pyanov, D. 2021. March. A review of the cultivation potential of turbot (*Scophthalmus maximus* (L.)) in the Baltic Sea region: a promising candidate species for marine aquaculture in Russia. In IOP Conference Series: *Earth and Environmental Science* (vol. 689, No. 1, p. 012040). IOP Publishing, DOI 10.1088/1755-1315/689/1/012040, (IF, SJR).
350. Baiandina, I., Giragosov, V., Khanaychenko, A. 2022. Male reproductive potential in the Black Sea turbot (*Scophthalmus maximus*) spawning populations. *Fisheries Research* 253(2):106367, <https://doi.org/10.1016/j.fishres.2022.106367>, (IF, SJR).
351. Andersen, Ø., Rubiolo, J.A., Pirolli, D., Aramburu, O., Pampín, M., Righino, B., Robledo, D., Bouza, C., De Rosa, M.C. and Martínez, P., 2023. Non-synonymous variation and protein structure of candidate genes associated with selection in farm and wild populations of turbot (*Scophthalmus maximus*). *Scientific Reports*, 13(1), p.3019, <https://doi.org/10.1038>, (IF, SJR).
- Raykov, V. St., Ivanova, P., Dencheva, K., Nicolaev, S., Duzgunes, E., Ozturk, B., Gucu, A.C., Yankova, M., 2019. Chapter 2: State and dynamics of the living and non-living resources and their exploitation in the Black Sea region. State of the Environment of the Black Sea (2009–2014/5), pp.481-684., ISBN:978-605-84837-0-5.**
352. Kapranov, S.V., Karavantseva, N.V., Bobko, N.I., Ryabushko, V.I. and Kapranova, L.L., 2021. Element contents in three commercially important edible mollusks harvested off the southwestern coast of Crimea (Black Sea) and assessment of human health risks from their consumption. *Foods*, 10(10), p.2313. [https://doi.org/10.3390/ foods10102313](https://doi.org/10.3390/foods10102313), (IF, SJR).

**Raykov, V. St., Hubenova, T., Ivanova, P., Kotsev, I., Zaykov, A., Ivanova. A. 2020. Allocated zones for sturgeon mariculture in Bulgarian Black Sea waters. *Journal of Environmental Protection and Ecology*, 21, 6, B.E.N.A, 2110-2120, ISSN 1311-5065.**

353. Yousif, S.T. 2022. Proposing a Conceptual Framework for Mobile Learning System Environment, The 3rd International Scientific Conference of Computer Sciences 3SCCS2021, August 24-25, 2021, Muscat-Oman.

354. Nenciu, M., Niță, V., Lazăr, L., Spînu, A., Vlăsceanu-Mateescu, E. 2023. Fostering the Development of Western Black Sea Aquaculture: A Scientific Case Study for Finfish Cage Farming Allocated Zone Designation. *Fishes*, 8(2), p.104, <https://doi.org/10.3390/fishes8020104> (IF, SJR).

**Raykov, V., Zlateva, I., Ivanova, P., Dimitrov, D., Golumbeanu, M. 2020. Stratified seafloor marine litter assessment. Bulgarian Black Sea waters case. *Journal of Environmental Protection and Ecology*, 2, 21, Scibulcom Ltd., 463-470, ISSN:1311-5065.**

355. Erüz, C., Terzi, Y., Öztürk, R.Ç., Karakoç, F.T., Özseker, K., Şahin, A., Ismail, N.P., 2022. Spatial pattern and characteristics of the benthic marine litter in the southern Black Sea shelf. *Marine Pollution Bulletin*, 175, p.113322, <https://doi.org/10.1016/j.marpolbul.2022.113322>, (IF, SJR).

356. Özseker, K., Erüz, C., Terzi, Y. 2022. Spatial distribution and ecological risk evaluation of toxic metals in the southern Black Sea coastal sediments. *Marine Pollution Bulletin*, 182, 114020, <https://doi.org/10.1016/j.marpolbul.2022.114020>, (IF, SJR).

357. Özseker, K., Terzi, Y., Erüz, C. 2022. Solid waste composition and COVID-19-induced changes in an inland water ecosystem in Turkey Springer, *Environmental Science and Pollution Research*, 29(36), pp.54596-54605, DOI: 10.1007/s11356-022-19750-6, (IF, SJR).

**Dzhembekova, N., Rubino, F., Nagai, S., Zlateva, I., Slabakova, N., Ivanova, P., Slabakova, V., Moncheva, S. 2020. Comparative analysis of morphological and molecular approaches integrated into the study of the dinoflagellate biodiversity within the recently deposited Black Sea sediments – benefits and drawbacks. *Biodiversity Data Journal*, 8.**

358. Badr, A.A., Fouad, W.M. 2021. Uncovering the Competences of Commonly Used Nutrient Media, Multi-primer Approach and Reference Databases in the Identification of Microalgae Diversity from Environmental Samples, <https://doi.org/10.21203/rs.3.rs-855064/v1>.

359. Hargraves, P.E. 2021. Microalgal diversity in the Indian River Lagoon system: how little we know. *Florida Scientist*, 84(2/3), pp.69-80.

360. MacLeod, N., Canty, R.J., Polaszek, A. 2022. Morphology-based identification of *Bemisia tabaci* cryptic species puparia via embedded group-contrast convolution neural

network analysis. *Systematic Biology*, 71(5), pp.1095-1109, <https://doi.org/10.1093/sysbio/syab098>, (IF, SJR).

361. Keck, F., Blackman, R. C., Bossart, R., Brantschen, J., Couton, M., Hürlemann, S., Kirschner, D., Locher, N., Zhang, H. Altermatt, F. 2022. Meta-analysis shows both congruence and complementarity of DNA and eDNA metabarcoding to traditional methods for biological community assessment. *Molecular Ecology*, DOI: 10.1111/mec.16364 (IF, SJR).

362. Liu, X., Liu, Y., Chai, Z., Hu, Z., Tang, Y.Z. 2023. A combined approach detected novel species diversity and distribution of dinoflagellate cysts in the Yellow Sea, China. *Marine Pollution Bulletin*, 187, p.114567. <https://doi.org/10.1016/j.marpolbul.2022.114567>, (IF, SJR).

**Dashinov, D., Czeniejewski, P., Balshine, S., Synyshyn, C., Tasheva-Terzieva, E., Stefanov, T., Ivanova, P., Mandrak, N., Uzunova, E. 2020. Variation in external morphology between the native and invasive populations of the round goby, *Neogobius melanostomus* (Actinopterygii: Gobiidae). *Zoomorphology*, 139(3), 361-371.**

363. Vallejo, D., Rojas, D. A., Martinez, J. A., Marchant, S., Holguin, C. M., Pérez, O. Y. 2020. Occurrence and characterization of cyst nematode species (*Globodera* spp.) associated with potato crops in Colombia. bioRxiv, pp.2020-10, DOI: 10.1101/2020.10.13.337238.

364. Karadurmuş, U., Aydın, M. 2021. Investigation of some morphometric characteristics of *Neogobius melanostomus* from coast of Ordu (eastern Black Sea). *COMU J. Mar. Sci. Fish*, 4(1): 1-10. DOI: 10.46384/jmsf.840460.

365. Rawlings, C.C., Campbell, S.E., Mandrak, N.E. 2021. Body shape variation in round goby *Neogobius melanostomus* in the Laurentian Great Lakes basin. Springer, *Environmental Biology of Fishes*, 104 (9), pp. 1089-102, DOI: 10.1007/s10641-021-01138-z, (IF, SJR).

366. Wang, Q., Yang, S., Shi, R., Zheng, F. and Li, Y. 2022. Analysis of the morphological characteristics and direction of morphology-based selective breeding of *Procambarus clarkia*, <https://doi.org/10.21203/rs.3.rs-2024195/v1>.

367. Wiegleb, J., Hirsch, P.E., Seidel, F. Rauter, G., Burkhardt-Holm, P. 2022. Impact of hydraulic forces on the passage of round goby (*Neogobius melanostomus*), gudgeon (*Gobio gobio*) and bullhead (*Cottus gobio*) in a vertical slot fish pass, *Ecology Freshwater Fish*. DOI: 10.1111/eff.12696, (IF, SJR).

368. Yurtseva, A.O., Uspenskiy, A.A. 2022. Morphological differentiation of the round goby *Neogobius melanostomus* (Pallas, 1814) at the northeastern border of its invasive distribution range. *Contemporary Problems of Ecology*, 15 (1), pp. 51-61. <https://www.scopus.com/inward/record.uri?eid=2-s2.0-DOI:10.1134/S1995425522010103>. (IF, SJR).

Ivanova, P., Dzhembekova, N., Atanassov, I., Rusanov, K., Raykov, V., Zlateva, I., Yankova, M., Raev, Y., Nikolov, G. 2021. Genetic diversity and morphological characterisation of three turbot (*Scophthalmus maximus* L., 1758) populations along the Bulgarian Black Sea coast. *Nature Conservation*, 43, 123-146, ISSN 1314-6947.

369. Malavolti, S., Ruggeri, P., Fioravanti, T., Tičina, V., Costantini, I., De Felice, A., Splendiani, A., Caputo Barucchi, V., Leonori, I. 2021. Temporal and spatial genetic variation of *Engraulis encrasicolus* in the Adriatic Sea. *Mediterranean Marine Science*, 22(4), 843-857. doi:<https://doi.org/10.12681/mms.25990>. (IF, SJR).
370. Dénes, A. L., Vaida, R., Szabó, E., Martynov, A. V., Vánčsa, É., Ujvárosi, B., & Keresztes, L. 2022. Cryptic survival and an unexpected recovery of the long-tailed mayfly *Palingenia longicauda* (Olivier, 1791) (Ephemeroptera: Palingeniidae) in Southeastern Europe. *Journal of Insect Conservation* DOI: 10.1007/s10841-022-00425-z., (IF, SJR).
371. Sulabda, I.N., Wandia, I.N., Puja, I.K. 2022. Allelic Diversity of the Endangered Taro White Cattle Population from Bali using BoLA Microsatellite Loci. *Journal of Animal Health and Production* 10(1), DOI: 10.17582/journal.jahp/2022/10.1.16.20, (IF, SJR).
372. Andersen, Ø., Rubiolo, J.A., Pirolli, D., Aramburu, O., Pampín, M., Righino, B., Robledo, D., Bouza, C., De Rosa, M.C., Martínez, P., 2023. Non-synonymous variation and protein structure of candidate genes associated with selection in farm and wild populations of turbot (*Scophthalmus maximus*), *Scientific Reports*, 13(1), p.3019, <https://doi.org/10.1038>, (IF, SJR).

Băncilă, R. I., Skolka, M., Ivanova, P., Surugiu, V., Stefanova, K., Todorova, V., Zenetos, A. 2022. Alien species of the Romanian and Bulgarian Black Sea coast: state of knowledge, uncertainties, and needs for future research. *Aquatic Invasions*, 17, 3, 353-373.

373. Dağtekin, M., Dalgiç, G., Erbay, M., Akpinar, I. Ö., Aydin, M., Özdemir, S. Cebeci, A., Karayücel, S., 2023. Population abundance and growth parameters of an exotic bivalve species, *Anadara kagoshimensis*, in the Southwestern Black Sea, *Turkish Journal of Zoology* 47(1):20-32. 10.55730/1300-0179.3109, (IF, SJR).

27.03.2023г.

Подпис:

гр.Варна

/доц. д-р П. Иванова/