

## 6.2. СПРАВКА ЗА ЦИТИРАНИЯТА

НА ДОЦ. Д-Р СНЕЖАНА ПЕТРОВА МОНЧЕВА

УЧАСТНИК В КОНКУРС ЗА АКАДЕМИЧНА ДЛЪЖНОСТ „ПРОФЕСОР” НАУЧНА СПЕЦИАЛНОСТ 02.22.01 ЕКОЛОГИЯ И ОПАЗВАНЕ НА ЕКОСИСТЕМИТЕ ПРИ ИО-БАН

ЦИТАТИ ЗА ПЕРИОДА 2000-2001 В НАУЧНИ МЕЖДУНАРОДНИ ИЗДАНИЯ

No	СТАТИЯ No ОТ СПИСЪКА	ЦИТИРАНА В:	No	IF*
1	5Б_15. Aubrey, D., S. Moncheva, E. Demirov, V. Diaconu, A. Dimitrov 1995. Environmental changes in the Western Black Sea related to Anthropogenic and Natural Conditions. <i>Journal of Marine Systems</i> , 7, 411-425, ISSN: 0924-7963 [IF:2.005]	Chami M., Shybanov E.B., Churilova T.Y., Khomenko G.A., Lee M.E.-G., Martynov O.V., Berseneva G.A., Korotaev G.K. Optical properties of the particles in the Crimea coastal waters (Black Sea). 2005. <i>Journal of Geophysical Research C: Oceans</i> , 110, 11, C11020, 1-17	1	3.303
		Zoran M., Anderson E. The use of multi-temporal and multispectral satellite data for change detection analysis of the Romanian Black Sea coastal zone, 2006. <i>Journal of Optoelectronics and Advanced Materials</i> , 8, 1, 252-256	2	0.412
		Morgan J.A., Quinby H.L., Ducklow H.W. Bacterial abundance and production in the western Black Sea. 2006. <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , 53, 17-19, 1945-1960	3	1.67
		McQuatters-Gollop A., Mee L.D., Raitso D.E., Shapiro G.I. Non-linearities, regime shifts and recovery: The recent influence of climate on Black Sea chlorophyll. 2008. <i>Journal of Marine Systems</i> , 74, 1-2, 649-658	4	2.005
		Ducklow H.W., Hansell D.A., Morgan J.A. 2007 Dissolved organic carbon and nitrogen in the Western Black Sea. <i>Marine Chemistry</i> 105, pp 140-150	5	2.751
		Uysal Z. 2000. Pigments, size and distribution of <i>Synechococcus</i> spp in the Black Sea. <i>Journal of Marine Systems</i> , 24, 313-326.	6	2.005

		Ragueneau O., Lancelot C., Egorov V., Vervlimmeren J., Cociasu A., Deliat G., Krastev A., Daoud N., Rousseau V., Popovitchev V., Brion N., Popa L., Cauwet G., 2002. Biogeochemical transformations of inorganic nutrients in the mixing zone between the Danube river and the north-western Black Sea 2002 <i>Estuarine, Coastal and Shelf Science</i> , 54, 3 , 321- 336.	7	2.369
		Wenzhofer F., Riess W., Luth U., 2002. In situ macrofaunal respiration rates and their importance for benthic carbon mineralization on the northwestern Black Sea shelf. <i>Ophelia</i> , 56, 2, 87-100.	8	0.815
		Uysal Z., 2002. On the formation of net phytoplankton patches in the southern Black Sea during the spring. <i>Hydrobiologia</i> , 485, 173-182.	9	1.964
5B_24	Alexandrova V., S. Moncheva, N. Slabakova, K. Stefanova, V. Doncheva, 2007. Application of biotic indices and body size descriptors of phyto- and zooplankton communities in Varna lagoon for ecological status assessment, <i>Journal Transitional Waters Bulletin</i> . 3(2007), 17-21, ISSN 1825-229X, DOI 10.1285/i1825229X, <a href="http://siba2.unile.it/ese/twb">http://siba2.unile.it/ese/twb</a> (on-line journal)	Martínez-Crego B., T. Alcoverro and J. Romero, 2010. Biotic indices for assessing the status of coastal waters: a review of strengths and weaknesses. <i>J. Environ. Monit.</i> , 2010, 12, 1013-1028 DOI: 10.1039/B920937A	10	2.225
		Forchino, A.A., 2011. Development and application of a marine biotic index for the evaluation of the influence of aquaculture activities on the benthic ecosystem in Mediterranean coastal areas. (Doctoral Thesis, Università degli Studi dell'Insubria, 2011).	11	
		Marchini A., S. Caronni, A. Occhipinti-Ambrogi, 2008. Size variations of the amphipod crustacean <i>Melita</i> <i>modelin</i> in two Adriatic lagoons: Goro and Lesina. <i>Transitional Waters Bulletin</i> Volume 2, Issue 1 , 1-12. DOI Code: 10.1285/i1825229Xv2n1p1	12	
		Su Feng Wang, Yin Long Jin, 2011. Pollution Assessment of Luanhe–Beidaihe Estuary by Eutrophication Index and Biodiversity Index. <i>Journal Advanced Materials Research</i> (Volumes 197 – 198), Volume New and Advanced Materials, H. Zhou, T. Gu, D. Yang, Zh. Jiang, J. Zeng (eds). Pp: 962-966. ISSN: 1022-6680, DOI 10.4028/www.scientific.net/AMR.197-198.962	13	

3	<p><b>5B_33.</b> Bodeanu, N., Moncheva, S., Ruta, G., Popa, L., 1998. Long-term evolution of the algal blooms in Romanian and Bulgarian Black sea waters (1998) <i>Cercetari Marine</i>, 31, pp. 37-55.</p>	<p>Shiganova T. Changes in appendicularian <i>Oikopleura dioica</i> abundance caused by invasion of alien ctenophores in the Black Sea. 2005. <i>Journal of the Marine Biological Association of the United Kingdom</i>, 85, 3, 477-494, ISSN: 0025-3154</p>	14	0.933
		<p>Mikaelyan A.S., V. A. Silkin, L. A. Pautova Razvitie Kokkolitoforid v Chernom More: Mezhdogovoye I mnogoletnie izmeneniya. <i>Okeanologiya</i>, tom 51, № 1, 2011, 45-53, ISSN PRINT: 0001-4370</p>	15	0.307
4	<p><b>5B_7.</b> Doncheva, V.G., Moncheva, S.P., Malej, A., Fonda-Umani, S., Kamburska, L.T., Slabakov, H., Christova, O.D., 2002. An Assessment of Trophic State of Marine Coastal Environment: Case studies – Varna Bay (Western Black Sea) and Gulf of Trieste (Northern Adriatic). In: A. Yilmaz (ed). Proceedings of Second International Conference "Oceanography of the Eastern Mediterranean and the Black Sea: similarities and differences between two interconnected basins" 14-18 October, 2002, Ankara, Turkey, 500-507. ISBN: 975-288-451-2.</p>	<p>Dencheva K., 2006. Macrophytobenthic coenoses as indicators of the eutrophication level in Varna bay (Bulgarian Black Sea Coast). <i>Phytologia Balcanica</i> 12 (3): 339–343.</p>	16	
		<p>Dencheva K., 2010. State of macrophytobenthic communities and ecological status of the Varna Bay, Varna lakes and Burgas Bay. <i>Phytologia Balcanica</i>, 16 (1): 43 – 50.</p>	17	
5	<p>Gorinstein, S., Jung, S.T., Moncheva, S., Arancibia-Avila, P., Park, Y.S., Kang, S.G., Goshev, I., Namiesnik, J., Partial characterization of proteins from mussel <i>Mytilus galloprovincialis</i> as a biomarker of contamination (2005) <i>Arch. Environ. Contam. Toxicol.</i>, 49, pp. 504-510 [IF-1.93]</p>	<p>Pytharopoulou S., Kouvela E.C., Sazakli E., Leotsinidis M., Kalpaxis D.L. Evaluation of the global protein synthesis in <i>Mytilus galloprovincialis</i> in marine pollution monitoring: Seasonal variability and correlations with other biomarkers. 2006. <i>Aquatic Toxicology</i>, 80, 1, 33-41</p>	18	3.333

		Pytharopoulou S., Sazakli E., Grintzalis K., Georgiou C.D., Leotsinidis M., Kalpaxis D.L. Translational responses of <i>Mytilus galloprovincialis</i> to environmental pollution: Integrating the responses to oxidative stress and other biomarker responses into a general stress index. 2008. <i>Aquatic Toxicology</i> , 89, 1, 18-27	19	3.333
5	5B_11.Gorinstein Sh., S. Moncheva, E. Katrich, F. Toledo, P. Arancibia, I. Goshev and S. Trakhtenberg, 2003. Antioxidants in the black mussel ( <i>Mytilus galloprovincialis</i> ) as an indicator of Black Sea coastal pollution. <i>Marine Pollution Bulletin</i> , Volume 46, Issue 10, October 2003, pp. 1317-1325. ISSN: 0025-326X [IF:2.562]	Box A., Sureda A., Galgani F., Pons A., Deudero S. Assessment of environmental pollution at Balearic Islands applying oxidative stress biomarkers in the mussel <i>Mytilus galloprovincialis</i> .2007. <i>Comparative biochemistry and Physiology – part C Toxicology and Pharmacology</i> ,146, 4, 531-539	20	2.325
		Etcheverry S.B., Ferrer E.G., Naso L., Rivadeneira J., Salinas V., Williams P.A.M. Antioxidant effects of the VO(IV) hesperidin complex and its role in cancer chemoprevention. 2008. <i>Journal of Biological Inorganic Chemistry</i> , 13, 3, 435-447	21	3.287
6	Gorinstein, S., Moncheva, S., Toledo, F., Arancibia-Avila, P., Trakhtenberg, S., Gorinstein, A., Goshev, I., Namiesnik, J. 2006. Relationship between seawater pollution and qualitative changes in the extracted proteins from mussels <i>Mytilus galloprovincialis</i> . <i>Science of the Total Environment</i> 364: 251– 259. IF=3.190]	Slaveykova V. I., I. B. Karadjova, M. Karadjov and D. L. Tsalev, 2009. Trace Metal Speciation and Bioavailability in Surface Waters of the Black Sea Coastal Area Evaluated by HF-PLM and DGT. <i>Environ. Sci. Technol.</i> , 2009, 43 (6), pp 1798–1803 DOI: 10.1021/es802544n	22	4.825
		Mearns A.J., Reish D.J., Oshida P.S., Buchman M., Ginn T., Donnelly R. Effects of pollution on marine organisms.2007. <i>Water Environment Research</i> , 79, 10, 2102-2160	23	1.12
		Valavanidis A., Vlahogianni T., Dassenakis M., Scoullou M. Molecular biomarkers of oxidative stress in aquatic organisms in relation to toxic environmental pollutants. 2006. <i>Ecotoxicology and Environmental Safety</i> , 64, 2, 178-189.	24	2.34
		Venier P., De Pitta C., Pallavicini A., Marsano F., Varotto L., Romualdi C., Dondero F., Viarengo A., Lanfranchi G. Development of mussel mRNA profiling: Can gene expression trends reveal coastal water pollution? <i>Mutation Res.</i> 2006 Dec 1;602(1-2):121-134.	25	3.204

7	Gorinstein, S., Jung, S.-T., Moncheva, S., Arancibia-Avila, P., Park, Y.-S., Kang, S.-G., Goshev, I., Namiesnik, J., Partial characterization of proteins from mussel <i>Mytilus galloprovincialis</i> as a biomarker of contamination (2005) <i>Arch. Environ. Contam. Toxicol.</i> , 49, pp. 504-510 [IF=1.93]	Pytharopoulou S., Sazakli E., Grintzalis K., Georgiou C.D., Leotsinidis M., Kalpaxis D.L. Translational responses of <i>Mytilus galloprovincialis</i> to environmental pollution: Integrating the responses to oxidative stress and other biomarker responses into a general stress index. 2008. <i>Aquatic Toxicology</i> , 89, 1, 18-27	26	3.333
8	5B_10.Kamburska L., S. Moncheva, A. Konsulov, A. Krastev, K. Prodanov, 2003. The Invasion of <i>Beroe ovata</i> in the Black Sea a warning signal for ecosystem concern. Трудове на Института по океанология , Т о м 4 . В а р н а , 2 0 0 3, 11-23.	Yeřim Břyřkateę, Őzgřr Emek Ýnanmaz, 2010. The Annual Mesozooplankton Dynamics and Influence of Environmental Parameters in an Urbanized Harbor (Kepez Harbor-Dardanelles Strait, Turkey), <i>Ekoloji</i> 19, 74, 60-68 (2010)	27	
		Oguz T., Dippner J.W., Kaymaz Z. Climatic regulation of the Black Sea hydro-meteorological and ecological properties at interannual-to-decadal time scales. 2006. <i>Journal of Marine Systems</i> , 60, 3-4, 235-254	28	2.005
		Gidman E.A., Jones M.L.M., Bussell J.A., Malham S.K., Reynolds B., Seed R., Causton D.R., Johnson H.E., Gwynn-Jones D. A methodology for screening haemolymph of intertidal mussels, <i>Mytilus edulis</i> , using FT-IR spectroscopy as a tool for environmental ssesment. 2007. <i>Metabolomics</i> , 3, 4 ,465-473	29	3.608
9	Moncheva S. 2005. Phytoplankton Shifts in the Black Sea- Driving Forces and Possible Implication for Reference Conditions Joint Workshop on Streamlining the Process of Producing Regional Assessments on Eutrophication for Pan-European Purposes. EC JRC-BSCOM-HELCOM 26– 28.10.05 Istanbul, Turkey ( <a href="http://bsc.ath.cx/documents/">http://bsc.ath.cx/documents/</a> )	Oguz, T., V. Velikova, A. Kideys. Chapter 12.Overall assessment of the present state of the Black Sea ecosystem. State of the Environment of the Black Sea (2001-2006/7), T.Oguz [ed], Black Sea Commission Publications 2008-3, Istanbul, Turkey, pp., 417-448, ISBN 978-9944-245-33-3	30	
		Oguz T., V. Velikova, A. Cociasu, A. Korchenko. Chapter 2 .The State of Eutrophication. State of the Environment of the Black Sea (2001-2006/7), T.Oguz [ed], Black Sea Commission Publications 2008-3, Istanbul, Turkey, pp. 83-112, ISBN 978-9944-245-33-3	31	
10	5B_9.Moncheva, S. 1992. Cysts of blooming dinoflagellates from Black Sea. Rapp. Comm. Int Mer Medit, 33, 261. ISSN: 0373-434X	Heil C.A. Influence of humic, fulvic and hydrophilic acids on the growth, photosynthesis and respiration of the dinoflagellate <i>Prorocentrum minimum</i> (Pavillard) Schiller. 2005. <i>Harmful Algae</i> , 4, 3, 603-618	32	4.28

		Uysal Z. Vertical distribution of marine cyanobacteria <i>Synechococcus</i> spp. In the Black, Marmara, Aegean, and eastern Mediterranean seas. 2006. <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , 53, 17-19, 1976-1987	<b>33</b>	<b>1.67</b>
		Uysal Z. 2000. Pigments, size and distribution of <i>Synechococcus</i> spp in the Black Sea <i>Journal of Marine Systems</i> , 24, 313-326.	<b>34</b>	<b>2.005</b>
<b>11</b>	<b>5B_2</b> . Moncheva S., V. Doncheva, and L. Kamburska, 2001. On the long-term response of harmful algal blooms to the evolution of eutrophication off the Bulgarian Black Sea coast: are the recent changes a sign of recovery of the ecosystem the uncertainties. In: Proceedings of IX International conference on "Harmful Algal Blooms", Hobart, Tasmania; G.M. Hallegraff et al., Eds. (UNESCO-IOC, Paris, 2001), pp. 177-182.	McCarthy J.J., Yilmaz A., Coban-Yildiz Y., Nevins J.L. Nitrogen cycling in the offshore waters of the Black Sea. 2007. <i>Estuarine, Coastal and Shelf Science</i> , 74, 3, 493-514	<b>35</b>	<b>2.369</b>
		Langmead O., Abigail McQuatters-Gollop, Laurence D. Mee, Jana Friedrich, Alison J. Gilberte, Marian-Traian Gomoiu, Emma L. Jacksona, Ståle Knudseng, Galina Minicheva and Valentina Todorova. Recovery or decline of the northwestern Black Sea: A societal choice revealed by socio-ecological modeling. <i>Ecological Modelling</i> Volume 220, Issue 21, 10 November 2009, Pages 2927-2939. doi:10.1016/j.ecolmodel.2008.09.011	<b>36</b>	<b>1.769</b>
		Chapter 3 .Revkov N., V. Abaza, C. Dimitrache, V. Tododrova, T. Konsulova, et al., 2008. The State of Zoobenthos. State of the Environment of the Black Sea (2001-2006/7), T.Oguz [ed], Black Sea Commission Publications 2008-3, Istanbul, Turkey, pp. 273- 320., ISBN 978-9944-245-33-3	<b>37</b>	
		Mikaelyan A.S., V. A. Silkin, L. A. Pautova Razvitie Kokkolitoforid v Chernom More: Mezhdodovye I mnogoletnie izmeneniya. <i>Okeanologiya</i> , tom 51, № 1, 2011, 45-53	<b>38</b>	<b>0.307</b>

	Exotic Species in the Aegean, Marmara, Black, Azov and Caspian Seas. 2001. Zaitsev, Yuvenaly – Bayram Ozturk (eds.) Turkish Marine Research Foundation, Istanbul Publication No: 8, 265 pp	<b>39</b>	
	Kideys A. E. 2002., Fall and Rise of the Black Sea Ecosystem. <i>Science</i> , 30 August 2002: Vol. 297. no. 5586, pp. 1482 – 1484	<b>40</b>	<b>31.364</b>
	Eker-Develi E., A. Kideys. 2003. Distribution of phytoplankton in the southern Black Sea in summer 1996, spring and autumn 1998. <i>Journal of Marine Systems</i> , Volume 39, Issues 3-4, March 2003, Pages 203-211	<b>41</b>	<b>2.005</b>
	Gómez F and L. Boicenco An annotated checklist of dinoflagellates in the Black Sea <i>Hydrobiologia</i> . 2004. Volume 517, Numbers 1-3 / April, 2004 43-59	<b>42</b>	<b>1.964</b>
	Terenko L. 2005. New Dinoflagellate (Dinoflagellata) Species From The Odessa Bay Of The Black Sea. <i>Oceanological and Hydrobiological Studies</i> , Vol. XXXIV, Supplement 3, Institute of Oceanography University of Gdańsk (205-216)	<b>43</b>	<b>0.306</b>
	Turner J. T., E. Granéli. 2006. Top-Down” Predation Control on Marine Harmful Algae Ecology of Harmful Algae. <i>Ecological Studies. Analysis and Synthesis</i> . Springer Berlin Heidelberg, 355-366.	<b>44</b>	
	Climate Change: Implications For Food Safety Food And Agriculture. Organization of the United Nations (FAO), Rome, 2008, pp.49	<b>45</b>	
	Langmead O., A. McQuatters-Gollop, L. D. Mee, J. Friedrich, A. J. Gilbert, M. Gomoiu, E L. Jackson, S Knudsen, G Minicheva, V. Todorova. 2009. Recovery or decline of the northwestern Black Sea: A societal choice revealed by socio-ecological modeling. <i>Ecological Modelling</i> , Volume 220, Issue 21, 10 November 2009, Pages 2927-2939	<b>46</b>	<b>1.769</b>
	Nutrients in the Varna Bay and the Romanian Black Sea costal area. United Nations Environment Programme /GRID Arendal. Maps and Graphics. <a href="http://maps.grida.no/go/graphic/nutrients_in_the_varna_bay_and_the_romanian_black_sea_costal_area">http://maps.grida.no/go/graphic/nutrients_in_the_varna_bay_and_the_romanian_black_sea_costal_area</a>	<b>47</b>	

12	<p>5B_4. Moncheva, S., Doncheva, V., Shtereva, G., Kamburska, L., Malej, A., &amp; Gorinstein, S., 2002. Application of eutrophication indices for assessment of the Bulgarian Black Sea coastal ecosystem ecological quality. <i>Water Science and Technology</i>, 46, 8, 19–28, ISSN:0273-1223 [IF: 1.09]</p>	<p>Smayda T.J. 2008 Complexity in the eutrophication-harmful algal bloom relationship, with comment on the importance of grazing. <i>Harmful Algae</i>, 8, 1, pp 140-151</p>	48	4.28
		<p>BSC, 2009. Implementation of the Strategic Action Plan for the Rehabilitation and Protection of the Black Sea (2002-2007). Publications of the Commission on the Protection of the Black Sea Against Pollution (BSC), 2009-1, Istanbul, Turkey, 247 pp. ISBN 978-XXX</p>	49	
		<p>Pettine M., Casentini B., Fazi S., Giovanardi F., Pagnotta R. A revisit of TRIX for trophic status assessment in the light of the European Water Framework Directive: Application to Italian coastal waters. 2007. <i>Marine Pollution Bulletin</i>, 54, 9, 1413-1426</p>	50	2.562
		<p>Kowalewski Z. , 2009. Metody oceny stanu troficzego wód powierzchniowych IV Krakowska Konferencja Młodych Uczonych, Crakow, 17-19 September 2009 , pp. 343-351</p>	51	
		<p>Trayanova A. 2003. Ecological status of macrozoobenthic communities in Beloslav and Varna Lakes during the autumn of 1999, <i>Трудове на Института по океанология</i> ,Том 4. Варна, 2003.Българска академия на науките, 140-148</p>	52	
		<p>Kannen A., W. Windhorst and F. Colijn. 2004. Scenario based impact assessments for coastal waters. Deliverable 2.2, European Catchments Catchment Changes and Their Impact on the Coast. European Commission, DG Research 5<sup>th</sup> Framework Programme ,(Contr. No. EVK1-CT-2000-00044) 354 pp</p>	53	
		<p>Dencheva K. H., 2006. Macrophytobenthic coenoses as indicators of the eutrophication level in Varna bay (Bulgarian Black Sea Coast), <i>Phytologia Balcanica</i>, 12 (3): 339–343, Sofia, 2006</p>	54	

		Approaches to the Assessment of Eutrophication in Mediterranean Coastal Waters UNEP(DEPI)/MED WG.321/Inf.6, Athens 2007, 84pp.	<b>55</b>	
		Abid A. Ansari, Sarvajeet S. Gill and Fareed A. Khan. Eutrophication threat to aquatic ecosystems. In: Eutrophication: causes, consequences and control, [A. Ansari et al. eds] 2011, 143-170, Springer, DOI: 10.1007/978-90-481-9625-8_7	<b>56</b>	
<b>13</b>	<b>5B_8.</b> Moncheva S., Sh. Gorinstein, G. Shtereva, E. Katrich, F. Toledo, P. Arancibia, I. Goshev and S. Trakhtenberg, 2003. Biomass, protein and carbohydrate composition of phytoplankton in Varna Bay, Black Sea. <i>Hydrobiologia</i> , 501:23-28. ISSN: 0018-8158 [IF:1.964]	Boechat I.G., Giani A., 2008. Seasonality affects diel cycles of seston biochemical composition in a tropical reservoir. <i>Journal of Plankton Research</i> , 30, 12, 1417-1430	<b>57</b>	<b>1.749</b>
		BSC, 2009. Trophic Relationships and Food Supply of Heterotrophic Animals in the Pelagic Ecosystem of the Black Sea. Black Sea Commission Publications 2009-2, Istanbul, Turkey, 308 pp.	<b>58</b>	
<b>14</b>	<b>5B_1.</b> Moncheva S., O. Gotsis-Skretas, K. Pagou and A. Krastev, 2001. Phytoplankton blooms in Black Sea and Mediterranean coastal ecosystems subjected to anthropogenic eutrophication: similarities and differences. <i>Estuarine Coastal and Shelf Science</i> , 53:281-295. ISSN: 0272-7714 [IF:2.369]	Eker-Develi E. and Violeta Velikova, 2009. New record of a dinoflagellate species, <i>Lessardia</i> sp. in the Black Sea <i>JMBA2 – Biodiversity Records</i> Published on-line <a href="http://www.mba.ac.uk/jmba/pdf/6545.pdf">http://www.mba.ac.uk/jmba/pdf/6545.pdf</a>	<b>59</b>	<b>0.933</b>
		JM Mercado, D Cortés, A García, T Ramírez Seasonal and inter-annual changes in the planktonic communities of the northwest Alboran Sea (Mediterranean Sea). 2007. <i>Progress in Oceanography</i> , 74, 2-3, 273-293.	<b>60</b>	<b>3.269</b>
		Rao T.P., Metilda P., Gladis J.M. Analytical methodologies for the determination of organics in sea water: A review of methods during the last decade and future scenario. 2006. <i>Reviews in Analytical Chemistry</i> , 25, 1, 11-47	<b>61</b>	<b>0.692</b>
		Simboura N., Reizopoulou S. A comparative approach of assessing ecological status in two coastal areas of Eastern Mediterranean. 2007. <i>Ecological Indicators</i> , 7, 2, 455-468	<b>62</b>	<b>2.967</b>

	Gomez F. Phytoplankton invasions: Comments on the validity of categorizing the non-indigenous dinoflagellates and diatoms in European Seas. 2008. <i>Marine Pollution Bulletin</i> , 56, 4, 620-628	<b>63</b>	<b>2.562</b>
	Heisler J., Glibert P.M., Burkholder J.M., Anderson D.M., Cochlan W., Dennison W.C., Dortch Q., Gobler C.J., Heil C.A., Humphries E., Lewitus A., Magnien R., Marshall H.G., Sellner K., Stockwell D.A., Stoecker D.K., Suddleson M. Eutrophication and harmful algal blooms: A scientific consensus 2008 <i>Harmful Algae</i> , 8, 1 pp 3-13	<b>64</b>	<b>4.28</b>
	Mercado J.M., Ramirez T., Cortes D., Sebastian M., Vargas-Yanez M. Seasonal and inter-annual variability of the phytoplankton communities in an upwelling area of the Alboran Sea (SW Mediterranean Sea). 2005. <i>Scientia Marina</i> , 69, 4, 451-465	<b>65</b>	<b>1.079</b>
	Morand P., Merceron M. Macroalgal population and sustainability. 2005 <i>Journal of Coastal Research</i> 21, 5, 1009-1020.	<b>66</b>	<b>0.679</b>
	Leao B.M., Passavante J.Z.D.O., Da Silva-Cunha M.D.G.G., Santiago M.F. Microphytoplankton ecology of the Igarassu River Estuary, Pernambuco State, Brazil [Ecologia do microfitoplâncton do estuário do rio Igarassu, PE, Brasil. 2008 <i>Acta Botanica Brasilica</i> , 22, 3, 711-7225, ISSN 0102-3306	<b>67</b>	
	Vanina Leoni M., Vanina Pasqualini, Christine Pergent-Martini, Alexandre Vela, Gérard Pergent, 2006 Morphological responses of <i>Posidonia oceanica</i> to experimental nutrient enrichment of the canopy water. <i>Journal of Experimental Marine Biology and Ecology</i> , vol., 339, 1, 1-14.	<b>68</b>	<b>1.91</b>
	Saravi H.N., Din Z.B., Makhloogh A. Variations in nutrient concentration and phytoplankton composition at the euphotic and aphotic layers in the Iranian coastal waters of the Southern Caspian Sea. 2008. <i>Pakistan Journal of Biological Sciences</i> , 11, 9, 1179-1193	<b>69</b>	
	Dolapsakis N.P., Tzovenis I., Kantourou P., Bitis I., Economou-Amilli A. Potentially harmful microalgae from lagoons of the NW Ionian Sea, Greece, 2008, <i>Journal of Biological Research</i> , 9, 89-95	<b>70</b>	<b>0.682</b>

	Karageorgis A.P., Kapsimalis V., Kontogianni A., Skourtos M., Turner K.R., Salomons W. Impact of 100-year human interventions on the deltaic coastal zone of the Inner Thermaikos Gulf (Greece): A DPSIR framework analysis. 2006. <i>Environmental Management</i> , 38, 2, 304-315.	71	2.596
	Aranda Cirerol N., Herrera-Silveira J.A., Comin F.A. Nutrient water quality in a tropical coastal zone with groundwater discharge, northwest Yucatán, Mexico. 2006. <i>Estuarine, Coastal and Shelf Science</i> , 68, 3-4, 445-454	72	2.369
	Chai C., Yu Z., Song X., Cao X. The status and characteristics of eutrophication in the Yangtze River (Changjiang) estuary and the adjacent East China Sea, China. 2006. <i>Hydrobiologia</i> , 563, 1, 313-328	73	1.964
	Quiroga I. Pseudo-nitzschia blooms in the Bay of Banyuls-sur-Mer, northwestern Mediterranean Sea. 2006. <i>Diatom Research</i> , 21, 1, 91-104.	74	1.03
	Nasrollahzadeh H.S., Din Z.B., Foong S.Y., Makhloogh A. Trophic status of the Iranian Caspian Sea based on water quality parameters and phytoplankton diversity. 2008. <i>Continental Shelf Research</i> , 28, 9, 1153-1165	75	1.928
	Gregoire M., Raick C., Soetaert K. Numerical modeling of the central Black Sea ecosystem functioning during the eutrophication phase. 2008. <i>Progress in Oceanography</i> , 76,3, 286-333	76	3.269
	Ediger D., Soydemir N., Kideys A.E. Estimation of phytoplankton biomass using HPLC pigment analysis in the southwestern Black Sea 2006 <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , 53, 17-19	77	1.67
	Vila M., Maso M. Phytoplankton functional groups and harmful algal species in anthropogenically impacted waters of the NW Mediterranean Sea. 2005. <i>Scientia Marina</i> , 69, 1, 31-45	78	1.079
	Brogueira M.J., Oliveira M.d.R., Cabecadas G. Phytoplankton community structure defined by key environmental variables in Tagus estuary, Portugal. 2007. <i>Marine Environmental Research</i> , 64, 5, 616-628	79	1.953

		Lasternas S., S. Agustí, C. M. Duarte, 2010. Phyto- and bacterioplankton abundance and viability and their relationship with phosphorus across the Mediterranean Sea. <i>Aquat. Microb. Ecol.</i> Vol. 60: 175–191, 2010 doi: 10.3354/ame01421	<b>80</b>	<b>2.089</b>
		Langmead O., Abigail McQuatters-Gollop, Laurence D. Mee, Jana Friedrich, Alison J. Gilberte, Marian-Traian Gomoiu, Emma L. Jacksona, Ståle Knudsen, Galina Minicheva and Valentina Todorova. Recovery or decline of the northwestern Black Sea: A societal choice revealed by socio-ecological modeling. <i>Ecological Modelling</i> Volume 220, Issue 21, 10 November 2009, Pages 2927-2939. doi:10.1016/j.ecolmodel.2008.09.011	<b>81</b>	<b>1.769</b>
		Zhaohui WANG, Jiangang ZHAO, Yujuan ZHANG And Yu CAO 2009. Phytoplankton community structure and environmental parameters in aquaculture areas of Daya Bay, South China Sea <i>Journal of Environmental Sciences</i> , Volume 21, Issue 9, 2009, Pages 1268-1275	<b>82</b>	<b>1.513</b>
		Johnson, Pieter T. J., Alan R. Townsend, Cory C. Cleveland, Patricia M. Glibert, Robert W. Howarth, Valerie J. McKenzie, Eliska Rejmankova, and Mary H. Ward. 2010. Linking environmental nutrient enrichment and disease emergence in humans and wildlife. <i>Ecological Applications</i> . 20:16—29. [doi:10.1890/08-0633.1]	<b>83</b>	<b>3.67</b>
		Skliris N., A. Mantziafoua, S. Sofianos and A. Gkanasos, 2010. Satellite-derived variability of the Aegean Sea ecohydrodynamics <i>Continental Shelf Research</i> Volume 30, Issue 5, 30 March 2010, Pages 403-418 doi:10.1016/j.csr.2009.12.012	<b>84</b>	<b>1.928</b>
		Kiage L. and Nan D. Walker, 2009. Using NDVI from MODIS to Monitor Duckweed Bloom in Lake Maracaibo, Venezuela <i>Journal Water Resources Management</i> , Volume 23, Number 6 / April, 2009 Pages 1125-1135. Publisher Springer Netherlands ISSN 0920-4741 (Print) 1573-1650 (Online) DOI 10.1007/s11269-008-9318-9	<b>85</b>	<b>2.201</b>
		Daniela Bănar, Mireille Harmelin-Vivien and Charles F. Boudouresque . Man induced change in community control in the north-western Black Sea: The top-down bottom-up balance . <i>Marine Environmental Research</i> , Volume 69, Issue 4, May 2010, Pages 262-275	<b>86</b>	<b>1.953</b>

		Austoni M., A.K. Cardoso, G. Deviller, L. Kamburska, D. Marinov, F. Somma, J-M. Zaldivar, 2006. Indicators for the assessment of thresholds and the points of non-return. 53pp. EUR 22130 EC, JRC publications	<b>87</b>	
		Krivokapić S., B. Pestorić, D. Drakulović, 2010. Temporal Variability of Nutrients and Chlorophyll a in Boka Kotorska Bay, Eastern Adriatic Sea. BALWOIS 2010, 1-6.	<b>88</b>	
		Buyukates Y., Inanmaz O.E. Temporal variations in vertical distribution and occurrence of marine cladocerans in an urbanized harbour, Dardanelles, Turkey. 2007. <i>Crustaceana</i> , 80, 11, 1293-1302	<b>89</b>	<b>0.63</b>
		Zaitsev Yu.P., B.G. Alexandrov, N.A. Berlinsky, A. Zenetos, 2002. Europe's biodiversity – biogeographical regions and seas Seas around Europe The Black Sea – an oxygen-poor sea <a href="http://www.eea.europa.eu/publications/report_2002_0524_154909/regional-seas-around-europe/BlackSea.pdf">http://www.eea.europa.eu/publications/report_2002_0524_154909/regional-seas-around-europe/BlackSea.pdf</a>	<b>90</b>	
		Burdon, D., Elliot, M., Möller, I., Roast, S. and Spencer, T., 2009. Science Report – Hydromorphological Literature Reviews for Transitional and Coastal Waters. Environment Agency, Rio House, ISBN: 978-1-84911-033-4, 76pp	<b>91</b>	
		Mikaelyan A.S., V. A. Silkin, L. A. Pautova Razvitie Kokkolitoforid v Chernom More: Mezhdogovye I mnogoletnie izmeneniya. <i>Okeanologiya</i> , tom 51, № 1, 2011, 45-53	<b>92</b>	<b>0.307</b>
		Approaches to the Assessment of Eutrophication in Mediterranean Coastal Waters UNEP(DEPI)/MED WG.321/Inf.6, Athens 2007, 84pp.	<b>93</b>	
		BSC, 2009. Trophic Relationships and Food Supply of Heterotrophic Animals in the Pelagic Ecosystem of the Black Sea. Black Sea Commission Publications 2009-2, Istanbul, Turkey, 308 pp	<b>94</b>	

15	<p><b>5B_6.</b> Moncheva, S., Kamburska, L., 2002. Black Sea plankton stowaways- why a crucial issue to safeguard Black Sea biodiversity, In: Alien marine organisms introduced by ships in the Mediterranean and Black Seas CIESM Workshop Monographs no 20, Monaco, .pp 47-53. ISSN 1726-5886</p>	<p>Besiktepe S., Ryabushko L., Ediger D., Yilmaz D., Zenginer A., Ryabushko V., Lee R. Domoic acid production by Pseudo-nitzschia calliantha Lundholm, Moestrup et Hasle (bacillariophyta) isolated from the Black Sea. 2008. <i>Harmful Algae</i>, 7, 4, 438-442</p>	95	4.28
		<p>Mudie P.J., S.A.G. Leroy, F. Marret, N. Gerasimenko, S.E.A. Kholeif, T. Sapelko, M. Filipova-Marinova, 2011. <i>The Geological Society of America Special Paper</i> 473, 27pp.</p>	96	
		<p>Gomez F. Phytoplankton invasions: Comments on the validity of categorizing the non-indigenous dinoflagellates and diatoms in European Seas. 2008. <i>Marine Pollution Bulletin</i>, 56, 4, 620-628</p>	97	2.562
16	<p><b>5B_11.</b> Gorinstein Sh., S. Moncheva, E. Katrich, F. Toledo, P. Arancibia, I. Goshev and S. Trakhtenberg, 2003. Antioxidants in the black mussel (<i>Mytilus galloprovincialis</i>) as an indicator of Black Sea coastal pollution. <i>Marine Pollution Bulletin</i>, Volume 46, Issue 10, October 2003, pp. 1317-1325. ISSN: 0025-326X [IF:2.562</p>	<p>Naso LG, Ferrer EG, Butenko N, Cavaco I, Lezama L, Rojo T, Etcheverry SB, Williams PA., 2011. Antioxidant, DNA cleavage, and cellular effects of silibinin and a new oxovanadium(IV)/silibinin complex. <i>J Biol Inorg Chem.</i>, 16(4):653-68.</p>	98	3.287
		<p>Font R., Velez D., del Rio-Celestino M., de Haro-Bailon A., Montoro R. Fast, clean, low-cost screening of cadmium and lead in the mussel <i>Mytilus galloprovincialis</i> Lmk. By visible spectroscopy and partial least squares regression. 2007. <i>Food Chemistry</i>, 105, 2, 667-674</p>	99	3.458
17	<p><b>5B_21.</b> Moncheva S., A. Krastev. 1997. Some aspect of phytoplankton long-term alterations off Bulgarian Black Sea shelf. In: E. Oszoy, A. Mikhaelian [ed.] Sensitivity to Change: Black Sea, Baltic Sea and North Sea. NATO ASI Series, 2.Environment – vol.27, Kluwer Academic Publ., 79 – 94, ISBN- 0-7923-4535-5</p>	<p>Mikaelyan A.S., Pautova L.A., Pogosyan S.I., Sukhanova I.N. Summer bloom of coccolithophorids in the northeastern Black Sea. 2005. <i>Oceanology</i>, Vol. 45, Suppl. 1, 2005, pp. S127-S138</p>	100	0.324

	Bat L., Sahin F., Ustun F., Kideys A.E., Satilmis H.H. The qualitative and quantitative distribution in phytoplankton and zooplankton of southern Black Sea of cape Sinop, Turkey in 1999-2000, 2007. OCEANS 2007 – Europe, 18-21 June 2007 Page(s):1 – 6.	101	
	McCarthy J.J., Yilmaz A., Coban-Yildiz Y., Nevins J.L. Nitrogen cycling in the offshore waters of the Black Sea. 2007. <i>Estuarine, Coastal and Shelf Science</i> , 74, 3, 493-514	102	2.369
	Turkoglu M. Synchronous blooms of the coccolithophore <i>Emiliana huxleyi</i> and three dinoflagellates in the Dardanelles (Turkish Straits System). 2008. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 88, 3, 433-441.	103	0.933
	Oguz T., Merico A. Factors controlling the summer <i>Emiliana huxleyi</i> bloom in the Black Sea: A modeling study. 2006. <i>Journal of Marine Systems</i> , 59, 3-4, 173-188	104	2.005
	Terenko L., G. Terenko. 2009. Dynamics of <i>Scrippsiella trochoidea</i> (Stein) Balech 1988 (Dinophyceae) blooms in Odessa Bay of the Black Sea (Ukraine). Oceanological and Hydrobiological Studies . <i>International Journal of Oceanography and Hydro biology</i> Vol. XXXVIII, Supplement 2, (107-112) ISSN 1730-413X eISSN 1897-3191.	105	
	Austoni M., A.K. Cardoso, G. Deviller, L. Kamburska, D. Marinov, F. Somma, J-M. Zaldivar, 2006. Indicators for the assessment of thresholds and the points of non-return. 53pp. EUR 22130 EC, JRC publications	106	
	Mikaelyan A.S., V. A. Silkin, L. A. Pautova Razvitie Kokkolitoforid v Chernom More: Mezhdodovye I mnogoletnie izmeneniya. <i>Okeanologiya</i> , tom 51, № 1, 2011, 45-53	107	0.307
	Petrova D., V. Velikova, 2004. Phytoplankton Blooms – A Key Ecological Problem of the Bulgarian Black Sea Coast. Proceedings Int. Conf. BALWOIS 2004 Ohrid, FY Republic of Macedonia, 25-29 May 2004, pp. 1-6.	108	
	BSC, 2009. Trophic Relationships and Food Supply of Heterotrophic Animals in the Pelagic Ecosystem of the Black Sea. Black Sea Commission Publications 2009-2, Istanbul, Turkey, 308 pp	109	

18	Moncheva, S., On the recent state of the Black Sea ecosystem biological response to eutrophication-are there signs of recovery uncertainties (2003) Preliminary Assessment of the Previous Biogeochemical, Hydrophysical, and Hydrobiological Cruise Data Within the Black Sea, 53p. , <a href="http://www.blacksea-environment.org/text/ISG/Hydrobiological%20research.Pdf">http://www.blacksea-environment.org/text/ISG/Hydrobiological%20research.Pdf</a>	Oguz T., Merico A. Factors controlling the summer <i>Emiliana huxleyi</i> bloom in the Black Sea: A modeling study. 2006. <i>Journal of Marine Systems</i> , 59, 3-4, 173-188	110	2.005
		Chu P.C., Ivanov L.M., Margolina T.M. Seasonal variability of the Black Sea chlorophyll-a concentration. 2005. <i>Journal of Marine Systems</i> , 56, 3-4, 243-261	111	2.005
19	5B_16. Moncheva S., V.Petrova-Karadjova, A.Palaso. 1995. Harmful Algal Blooms along the Bugarian Black Sea Coast and Possible patterns of Fish and Zoobenthic Mortalities. In: Harmful Marine Algal Blooms, P Lassus, G.Arzul, E.Denn, P. Gentien [eds], Lavoisier Publ. Inc.,193-198.	Shiganova T. Introduced species. 2008. Handbook of Environmental Chemistry, Volume 5: Water Pollution. 5 Q., 375-406	112	
		Gomez F. Phytoplankton invasions: Comments on the validity of categorizing the non-indigenous dinoflagellates and diatoms in European Seas. 2008. <i>Marine Pollution Bulletin</i> , 56, 4, 620-628	113	2.562
		Springer J.J., Burkholder J.M., Glibert P.M., Reed R.E. Use of a real-time remote monitoring network (RTRM) and shipborne sampling to characterize a dinoflagellate bloom in the Neuse Estuary, North Carolina, USA. 2005. <i>Harmful Algae</i> , 4, 3, 533-551	114	4.28
		Nikolaidis G., Moschandreou K., Patoucheas D.P. 2008 Application of a trophic index (TRIX) for water quality assessment at Kalamitsi coasts (Ionian Sea) after the operation of the wastewater treatment plant <i>Fresenius Environmental Bulletin</i> 17, 11 B pp 1938-1944	115	0.43
		Heil C.A., Glibert P.M., Fan C. <i>Prorocentrum minimum</i> (Pavillard) Schiller: A review of a harmful algal bloom species of growing worldwide importance, 2005, <i>Harmful Algae</i> , 4, 3, 449-470	116	4.28
		Petrova D., V. Velikova, 2004. Phytoplankton Blooms – A Key Ecological Problem of the Bulgarian Black Sea Coast. Proceedings Int. Conf. BALWOIS 2004 Ohrid, FY Republic of Macedonia, 25-29 May 2004, pp. 1-6.	117	

20	<p><b>5B_23.</b> Moncheva S., G. Stereva, A.Krastev, N.Bodeanu, A.Kideys, Bayrakdar S., 1998. Vertical distribution of summer phytoplankton in the Western Black Sea during 1991-1995 with respect to some environmental factors. In: Ecosystem Modeling as a Management Tool for the Black Sea, Scientific Results, NATO ASI Series -2, Environmental security, 47, Kluwer Academic Publ., L. Ivanov &amp; T. Oguz [eds.], vol.2, 327-349, ISBN 0-7923-5243-2</p>	<p>Uysal Z. Vertical distribution of marine cyanobacteria <i>Synechococcus</i> spp. In the Black, Marmara, Aegean, and eastern Mediterranean seas. 2006. <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i>, 53, 17-19, 1976-1987</p>	118	1.67
		<p>BSC, 2009. Trophic Relationships and Food Supply of Heterotrophic Animals in the Pelagic Ecosystem of the Black Sea. Black Sea Commission Publications 2009-2, Istanbul, Turkey, 308 pp.</p>	119	
21	<p><b>5B_12.</b> Moncheva S., S. Trakhtenberg, E. Katrich, M. Zemser, I. Goshev, F. Toledo, P. Arancibia-Avila, V. Doncheva, S. Gorinstein, 2004. Total antioxidant capacity in the black mussel (<i>Mytilus galloprovincialis</i>) from Black Sea coast. <i>Estuarine, Coastal and Shelf Science</i>, 59, 475-484. [IF:2.369]</p>	<p>Cavas L., Yurdakoc K. A comparative study: Assessment of the antioxidant system in the invasive green alga <i>Caulerpa racemosa</i> and some macrophytes from the Mediterranean. 2005. <i>Journal of Experimental Marine Biology and Ecology</i>, 321, 1, 35-41</p>	120	1.91
		<p>Fathima, N. N. T. Ansari, J. R. Rao, B. U. Nair, 2007. Role of green tea polyphenol crosslinking in alleviating ultraviolet-radiation effects on collagen. <i>Journal of Applied Polymer Science</i>, 2007, Vol 106; No 5, 3382-3386</p>	121	1.24
		<p>Mamelona J., É. Pelletier, K. Girard-Lalancette, J. Legault, S. Karboune and S. Kermasha, 2011. Antioxidants in digestive tracts and gonads of green urchin (<i>Strongylocentrotus droebachiensis</i>). <i>Journal of Food Composition and Analysis</i> Volume 24, Issue 2, March 2011, Pages 179-183, doi:10.1016/j.jfca.2010.09.010</p>	122	1.948
		<p>Althunibat, O.Y., R. B. Hashim, M. Taher, J. Mohd. Daud, M.-A. Ikeda, Z. B., 2009. In Vitro Antioxidant and Antiproliferative Activities of Three Malaysian Sea Cucumber Species. <i>European Journal of Scientific Research</i>, ISSN 1450-216X Vol.37 No.3 (2009), pp.376-387, © EuroJournals Publishing, Inc. 2009 <a href="http://www.eurojournals.com/ejsr.htm">http://www.eurojournals.com/ejsr.htm</a></p>	123	

		Grant MacDonald , 2010. Identification of Health and Nutritional Benefits of New Zealand Aquaculture Seafoods, MacDonald and Associates Ltd, April 6, 2010. Report 41pp. <a href="http://aquaculture.lucidtest.co.nz/wp-content/uploads/2011/06/AquaNZ-report-April-2010-2.pdf">http://aquaculture.lucidtest.co.nz/wp-content/uploads/2011/06/AquaNZ-report-April-2010-2.pdf</a>	124	
22	5B_32a. Moore, M.N., Lowe, D.M., Wedderburn, R.J., Wade, T.L., Balashov, G., Buyukgugnor, H., Daurova, Y., Depledge, M.H., Y.Denga, E.Kostylev, P.Mihnea, A. Cociasu, S.Moncheva, S.Tabagar, 1999. Environmental Degradation of the Black Sea, Challenges and Remedies, pp. 273-289. , Besiktepe et al., Eds.; Kluwer Academic Publishers: Dordrecht, The Netherlands	Further development of guidance on integrated monitoring and assessment of chemicals and biological effects. <i>ICES Advice 2010</i> , Book 1, 98pp.	125	
		Report of the ICES/OSPAR Workshop on Integrated Monitoring of Contaminants and their Effects in Coastal and Opensea Areas (WKIMON III) 16–18 January 2007, ICES Headquarters.	126	
		Cavas L., Yurdakoc K. A comparative study: Assessment of the antioxidant system in the invasive green alga <i>Caulerpa racemosa</i> and some macrophytes from the Mediterranean. 2005. <i>Journal of Experimental Marine Biology and Ecology</i> , 321, 1, 35-41	127	1.91
		Fang J.K.H., Wu R.S.S., Chan A.K.Y., Yip C.K.M., Shin P.K.S. Influences of ammonia-nitrogen and dissolved oxygen on lysosomal integrity in green-lipped mussel <i>Perna viridis</i> : Laboratory evaluation and field validation in Victoria Harbour, Hong Kong 2008 <i>Marine Pollution Bulletin</i> , 56, 12, pp 2052-2058	128	2.562
		Steven Brooks; Brett Lyons; Freya Goodsir; John Bignell; John Thain. Biomarker Responses in Mussels, an Integrated Approach to Biological Effects Measurements <i>Journal of Toxicology and Environmental Health, Part A</i> , Volume 72, Issue 3 & 4 2009 ,pages 196 – 208 DOI: 10.1080/15287390802539038	129	1.637
		Galloway T.S., Sanger R.C., Smith K.L., Fillmann G., Readman J.W., Ford T.E., Depledge M.H., 2002. Rapid assessment of marine pollution using multiple biomarkers and chemical immunoassays . <i>Environmental Science and Technology</i> , 36, 10, 2219-2226.	130	4.825

23	<p><b>5B_32.</b> Moore, M.N., Lowe D.M., T.Wade, R.J.Wedderburn., M.H. Depledge, G. Balashov, Y.Daurova, Y.Denga, E.Kostylev, P.Mihnea, A. Cociasu, S.Moncheva, S.Tabagari 1998. UNESCO/IOC Black Sea Mussel Watch Pilot Study: Biological Effects and contaminant residues. In: Black Sea pollution assessment {L.Mee &amp;G.Topping eds), Black Sea Environmental Series, vol.10, UNDP, NY,pp 179-292.ISBN: 92-1-129506-8.</p>	<p>Mee L.D., Bloxham M., 2002. Assessing the impact of pollution on aquatic systems at a global and regional level. <i>Marine Environmental Research</i>, 54, 223-228.</p>	131	1.953
24	<p><b>5B_26.</b>Nesterova D. S. Moncheva, A. Mikaelyan, A. Vershinin and V. Akatov, L. Boicenco, Y. Aktan, F. Sahin, T. Gvarishvili, 2008. Chapter 5 .The State of Phytoplankton. BSC, 2008. In:State of the Environment of the Black Sea (2001-2006/7), T.Oguz [ed], Black Sea Commission Publications 2008-3, Istanbul, Turkey, pp. 133-167, ISBN 978-9944-245-33-3.</p>	<p>Oguz T., V. Velikova, 2010. Abrupt transition of the northwestern Black Sea shelf ecosystem from a eutrophic to an alternative pristine state. <i>Mar Ecol Prog Ser.</i>, Vol. 405: 231–242, 2010, doi: 10.3354/meps08538</p>	132	2.483
		<p>Staneva J., Villy Kourafalou, and Kostas Tsiaras, 2010. Seasonal and Interannual Variability of the North-Western Black Sea Ecosystem. <i>Terr. Atmos. Ocean. Sci.</i>, Vol. 21, No. 1, 163-180, February 2010,</p>	133	0.59
25	<p><b>5B_17.</b>Nunneri C., K. Turner, A. Cieslak, A. Kannen, R. Klein, L. Lebourg, J. Marquenie, L. Mee, S. Moncheva, R. Nicholls, W. Salomons, R. Sarda, M. Stive, T. Vellinga, 2005. Integrated assessments and future scenarios for the coast. In: Managing European Coasts-Past, present and future, J. Vermaat, L. Bouwer, K. Turner and W. Salomons [eds], Springer, Berlin, Germany, pp. 271-289. Springer series: Environmental sciences and engineering, ISBN: 978-3-540-23454-8 <a href="http://www.springer.com/978-3-540-23454-8">http://www.springer.com/978-3-540-23454-8</a></p>	<p>Marques J.C. , A. Basset , T. Brey , M. Elliott . The ecological sustainability trigon – A proposed conceptual framework for creating and testing management scenarios. <i>Marine Pollution Bulletin</i>, 58 (2009) 1773–1779.</p>	134	2.562

	<b>5B_27.</b> Ponti M., M. Pinna, A. Basset, S. Moncheva, A. Trayanova, L. P. Georgescu, S. Beqiraj, S. Orfanidis, M. Abbiati. 2008. Quality assessment of Mediterranean and Black Sea transitional waters: comparing responses of benthic biotic indices. <i>Aquatic Conserv: Mar. Freshw. Ecosyst.</i> 18, pp.62–75, ISSN: 1052-7613 [IF: 1.968]	Munari C., U. Tessari, R. Rossi and M. Mistri , 2010. The ecological status of Karavasta Lagoon (Albania): Closing the stable door before the horse has bolted? <i>Marine Environmental Research</i> , Volume 69, Issue 1, February 2010, pp. 10-17 doi:10.1016/j.marenvres.2009.07.003			<b>135</b>	<b>1.953</b>
		Borja A., D. M. Dauer and A. Grémare, 2011. The importance of setting targets and reference conditions in assessing marine ecosystem quality. <i>Ecological Indicators</i> , Article in Press, Corrected Proof. Doi:10.1016/j.ecolind.2011.06.018			<b>136</b>	<b>2.967</b>
<b>26</b>	<b>5B_29.</b> Sangiorgio F., A. Basset, M. Pinna, L. Sabetta, M. Abbiati, M. Ponti, M. Minocci, S. Orfanidis, A. Nicolaidou, S. Moncheva, A. Trayanova, L. Georgescu, S. Dragan, S. Beqiraj, D. Koutsoubas, A. Evagelopoulos, S. Reizopoulou, 2008. Environmental factors affecting Phragmites australis litter decomposition in Mediterranean and Black Sea transitional waters. <i>Aquatic Conserv: Mar. Freshw. Ecosyst.</i> 18: 16–26, ISSN: 1052-7613, [IF: 1.968]	Lopes M-L., P. Martins, F. Ricardo, A. Maria Rodrigues and Victor Quintino, 2011. In situ experimental decomposition studies in estuaries: A comparison of Phragmites australis and Fucus vesiculosus <i>Estuarine, Coastal and Shelf Science</i> Volume 92, Issue 4, 20 May 2011, Pages 573-580 doi:10.1016/j.ecss.2011.02.014			<b>137</b>	<b>2.369</b>
<b>27</b>	<b>5B_31.</b> Stereva, G., Moncheva S., Doncheva V, Christova O. and I. Shterev, 1999. Changes of the chemical parameters in the close coastal Black Sea area (Bulgarian part) as indication of the ecological characteristic of the environment. <i>Water Science and Technology</i> , vol. 39, 8, 37-45, ISSN:0273-1223 [IF: 1.09]	Fang J.K.H., Wu R.S.S., Chan A.K.Y., Yip C.K.M., Shin P.K.S. Influences of ammonia-nitrogen and dissolved oxygen on lysosomal integrity in green-lipped mussel Perna viridis: Laboratory evaluation and field validation in Victoria Harbour, Hong Kong 2008 <i>Marine Pollution Bulletin</i> , 56, 12, pp 2052-2058			<b>138</b>	<b>2.562</b>
		Wang Y.-S., Lou Z.-P., Sun C.-C., Wu M.-L., Han S.-H. Multivariate statistical analysis of water quality and phytoplankton characteristics in Daya Bay, China, from 1999 to 2002 2006, <i>Oceanologia</i> , 48, 2, 193-211			<b>139</b>	<b>0.983</b>
		Martinez-Lopez A., Escobedo-Urias D.C., Ulloa-Perez A.E., Aguirre R. Dynamics of a Prorocentrum minimum bloom along the northern coast of Sinaloa, Mexico. 2008. <i>Continental Shelf Research</i> , 28, 14, 1693-1701			<b>140</b>	<b>1.928</b>

		Bat L., Sahin F., Ustun F., Kideys A.E., Satilmis H.H. The qualitative and quantitative distribution in phytoplankton and zooplankton of southern Black Sea of cape Sinop, Turkey in 1999-2000, 2007. <i>OCEANS 2007 – Europe</i> , 18-21 June 2007 Page(s):1 – 6.	<b>141</b>	
		Todorova V., T. Konsulova. 2000. Long term changes and recent state of Macrozoobenthic communities along the Bulgarian Black Sea coast. <i>Mediterranean Marine Science</i> , Vol. 1/1, 2000, 123-131	<b>142</b>	<b>0.568</b>
		You-Shao Wang, Zhi-Ping Lou, Cui-Ci Sun, Mei-Lin Wu, Shu-Hua Han. 2006. Multivariate statistical analysis of water quality and phytoplankton characteristics in Daya Bay, China, from 1999 to 2002 <i>Oceanologia</i> , Sopot, Poland, 48 (2), 2006. pp. 193–211.	<b>143</b>	<b>0.983</b>
		Indicators and methods for the ecological status assessment under the Water Framework Directive. 2006. Ed . A. Solimini, A. Cardoso, A. Heiskanen. European Commission. Institute for Environment and Sustainability. Joint Research Centre. , pp. 248	<b>144</b>	
<b>5Б_30</b>	Velikova V., Moncheva S., D. Petrova ,1999. Phytoplankton dynamics and red tides (1987-1997) in the Bulgarian Black Sea. <i>Water Science and Technology</i> , vol. 39, 8, 27-36. ISSN:0273-1223 [IF: <b>1.09</b> ]	Terenko L., G. Terenko, 2009. Dynamics of Scrippsiella trochoidea (Stein) Balech 1988 (Dinophyceae) blooms in Odessa Bay of the Black Sea (Ukraine). Oceanological and Hydrobiological Studies. <i>International journal of Oceanography and Hydrology</i> , Vol. XXXVIII, Supplement 2, (107-112) ISSN 1730-413X, eISSN 1897-3191	<b>145</b>	
<b>28</b>		Bat L., Sahin F., Ustun F., Kideys A.E., Satilmis H.H. The qualitative and quantitative distribution in phytoplankton and zooplankton of southern Black Sea of cape Sinop, Turkey in 1999-2000. 2007. <i>OCEANS 2007 – Europe</i> , 17-18 June, pp. 1-6.	<b>146</b>	
		Vila M., Maso M. Phytoplankton functional groups and harmful algal species in anthropogenically impacted waters of the NW Mediterranean Sea. 2005. <i>Scientia Marina</i> , 69, 1, 31-45	<b>147</b>	<b>1.079</b>
		Ajani P., Hallegraeff G., Pritchard T., 2001. Historic Overview of Algal Blooms in Marine and Estuarine Waters of New South Wales, Australia 2001 Proceedings of the Linnean Society of New South Wales, 123, 1-22.	<b>148</b>	

29	<p><b>5B_25.</b> Yilmaz A., O. Yunev, V. Vedernikov, S. Moncheva, A. Bologa, A. Cociasu, D. Ediger 1998. Unusual Temporal Variations in the Spatial Distribution of Chlorophyll a in the Black Sea during 1990 – 1996. In: Ecosystem Modeling as a Management Tool for the Black Sea, Scientific Results, NATO ASI Series , Kluwer Academic Publ., L. Ivanov &amp; T. Oguz [eds.] vol.1, 105-120, ISBN 0-7923-5243-2</p>	<p>Vila M., Maso M. Phytoplankton functional groups and harmful algal species in anthropogenically impacted waters of the NW Mediterranean Sea. 2005. <i>Scientia Marina</i>, 69, 1, 31-45</p>	149	1.079
		<p>Demidov A.B. Seasonal dynamics and estimation of the annual primary production of phytoplankton in the Black Sea, 2008. <i>Oceanology</i>, 48, 5 pp. 664-678</p>	150	0.324
		<p>Oguz T., Ducklow H.W., Malanotte-Rizzoli P., 2000. Modeling distinct vertical biogeochemical structure of the black sea: Dynamical coupling of the oxic, suboxic, and anoxic layers. <i>Global Biogeochemical Cycles</i>, 14, 4, 1331 -1352.</p>	151	5.263
		<p>Nezlin N.P., Afanasyev Ya.D., Ginzburg A.I., Kostianoy A.G., 2002. Remotely sensed studies of phytoplankton dynamics under physical forcing in different ocean regions. <i>Advances in Space Research</i>, 29, 1, 99-106.</p>	152	1.076
30	<p><b>5B_23.</b>Yunev O., J. Carstensen , S. Moncheva, A. Khaliulin, G. Aertebjerg, S. Nixon, 2007. Nutrient and phytoplankton trends on the western Black Sea shelf in response to cultural eutrophication and climate changes. <i>Estuarine, Coastal and Shelf Science</i> 74 (2007) 63-76. ISSN: 0272-7714 doi:10.1016/j.ecss.2007.03.030, www.elsevier.com/locate/ecss [IF:2.369]</p>	<p>Shapiro G. I., D. L. Aleynik, and L. D. Mee, 2010. Long term trends in the sea surface temperature of the Black Sea. <i>Ocean Sci. Discuss.</i>, 7, 91–119, 2010</p>	153	1.433
		<p>Guangjie Zhou , Xuemin Zhao, Yonghong Bi, Yubin Liang, Jianlin Hu, Min Yang, Yu Meil, Kongxian Zhu, Lin Zhangl and Zhengyu Hu, 2010. Phytoplankton variation and its relationship with the environment in Xiangxi Bay in spring after damming of the Three-Gorges, China. <i>Journal Environmental Monitoring and Assessment</i> , Publisher Springer Netherlands , ISSN 0167-6369 (Print) 1573-2959 (Online) ,DOI 10.1007/s10661-010-1571-8</p>	154	1.436

	Gladan Z.N., I. Marasović, B. Grbec, S. Skejić, M. Bužančić, G. Kušpilić, S. Matijević, F. Matić, 2009. Inter-decadal Variability in Phytoplankton Community in the Middle Adriatic (Kaštela Bay) in Relation to the North Atlantic Oscillation. <i>Estuaries and Coasts</i> , DOI 10.1007/s12237-009-9223-3	155	1.921
	Oguz T., V. Velikova, 2010. Abrupt transition of the northwestern Black Sea shelf ecosystem from a eutrophic to an alternative pristine state. <i>Marine Ecology Progress Series</i> , Vol. 405: 231–242, 2010, doi: 10.3354/meps08538	156	2.483
	Grégoire M, and K. Soetaert 2010. Carbon, nitrogen, oxygen and sulfide budgets in the Black Sea: A biogeochemical model of the whole water column coupling the oxic and anoxic parts <i>Ecological Modelling</i> 221 (2010) 2287–2301 , doi:10.1016/j.ecolmodel.2010.06.007	157	1.769
	Vantrepotte V., and F. Mélin, 2010. Temporal variability in SeaWiFS derived apparent optical properties in European seas. <i>Continental Shelf Research</i> Volume 30, Issues 3-4, 27 February 2010, Pages 319-334	158	1.928
	Yoshida K., Ishimaru T. Long term change of the phytoplankton community in Tokyo Bay. 2008. <i>Bulletin of the Plankton Society of Japan</i> , 55, 1, 45-47	159	
	McQuatters-Gollop A., Mee L.D., Raitso D.E., Shapiro G.I. Non-linearities, regime shifts and recovery: The recent influence of climate on Black Sea chlorophyll. 2008. <i>Journal of Marine Systems</i> , 74, 1-2, 649-658	160	2.005
	Ninčević N. G, I. Marasović, B. Grbec, S. Skejić, M. Bužančić, G. Kušpilić, S. Matijević & F. Matić, 2009. Inter-decadal Variability in Phytoplankton Community in the Middle Adriatic (Kaštela Bay) in Relation to the North Atlantic Oscillations , <i>Estuaries and Coasts</i> , DOI 10.1007/s12237-009-9223-3	161	1.921
	Gilbert D., N. N. Rabalais, R. J. Diaz, and J. Zhang, 2009. Evidence for greater oxygen decline rates in the coastal ocean than in the open ocean. <i>Biogeosciences Discuss.</i> , 6, 9127–9160, 2009.	162	3.587
	Oguz T., V. Velikova, 2010. Abrupt transition of the northwestern Black Sea shelf ecosystem from a eutrophic to an alternative pristine state. <i>Mar Ecol Prog Ser.</i> , Vol. 405: 231–242, 2010, doi: 10.3354/meps08538	163	2.483

31	<p><b>5B_15.</b>Yunev O., S. Moncheva, J. Carstensen, 2005. Long-term variability of vertical chlorophyll a and nitrate profiles in the open Black Sea: eutrophication and climate change. <i>Marine Ecology Progress Series</i>, vol. 294: 95–107. ISSN:0171-8630 [IF: 2.483]</p>	<p>Mutlu E. 2009. Recent distribution and size structure of gelatinous organisms in the southern Black Sea and their interactions with fish catches. <i>Journal Marine Biology</i>. Volume 156, Number 5 / April, 2009, Pages 935-957 ISSN 0025-3162 (Print) 1432-1793</p>	164	2.011
		<p>Davenport J., Gavin M. Burnell, Tom Cross, Mark Emmerson, Rob McAllen, Ruth Ramsay and Emer Rogan, 2008. Long-term changes in the status of Sevastopol Bay and the Crimean coast: anthropogenic and climatic influences, <i>Developments in Hydrobiology</i>, Volume 202 Pages 153-160, Publisher Springer Netherlands, DOI 10.1007/978-1-4020-8808-7, ISBN 978-1-4020-8807-0 (Print) 978-1-4020-8808-7 (Online)</p>	165	
		<p>Demidov A.B. Seasonal dynamics and estimation of the annual primary production of phytoplankton in the Black Sea, 2008. <i>Oceanology</i>, 48, 5 pp. 664-678</p>	166	0.324
		<p>Gregoire M., Raick C., Soetaert K. Numerical modeling of the central Black Sea ecosystem functioning during the eutrophication phase. 2008. <i>Progress in Oceanography</i>, 76, 3, 286-333</p>	167	3.269
32	<p><b>5B_13.</b>Yunev, O.A. Suetin, V. Suslin, V. Moncheva, S., 2003. Long-term changes in the Black Sea surface chlorophyll a according to in situ and modern satellite data, in: Dahlin, H. et al. (Ed.), Building the European capacity in operational oceanography: proceedings of the 3<sup>rd</sup> International Conference on EuroGOOS 3-6 December, 2002, Athens, Greece. Elsevier Oceanography Series, 69: pp. 168-173 ISBN 10: 0-444-51550-X, doi:10.1016/S0422-9894(03)80028-4</p>	<p>Yoshida K., Ishimaru T. Long term change of the phytoplankton community in Tokyo Bay. 2008. <i>Bulletin of the Plankton Society of Japan</i>, 55, 1, 45-47</p>	168	
		<p>Svetlichny L.S., Kideys A.E., Hubareva E.S., Besiktepe S., Isinibilir M. Development and lipid storage in <i>Calanus euxinus</i> from the Black and Marmara seas: Variabilities due to habitat conditions. 2006. <i>Journal of Marine Systems</i>, 59, 1-2, 52-62</p>	169	2.005

33	<p><b>5B_5.</b>Yunev OA, Vedernikov VI, Basturk O, Yilmaz A, Kideys AE, Moncheva S, Konovalov SK, 2002. Long-term variations in surface chlorophyll-a and primary production in the open Black Sea: changes in the pelagic ecosystem over the last decades. <i>Mar. Ecol. Prog. Series</i> , vol. 230, .11-28. ISSN:0171-8630 [IF: 2.483]</p>	<p>Chu P.C., Ivanov L.M., Margolina T.M. Seasonal variability of the Black Sea chlorophyll-a concentration. 2005. <i>Journal of Marine Systems</i>, 56, 3-4, 243-261</p>	170	2.005
		<p>Wilson J.G., Osadchaya T.S., Alyomov S.V. Long-term changes in the status of Sevastopol Bay and the Crimean coast: Anthropogenic and climatic influences. 2008. <i>Hydrobiologia</i>, 606, 1, 153-160</p>	171	1.964
		<p>Oguz T., Gilbert D. Abrupt transitions of the top-down controlled Black Sea pelagic ecosystem during 1960-2000: Evidence for regime-shifts under strong fishery exploitation and nutrient enrichment modulated by climate-induced variations. 2007. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i>, 54, 2, 220-242</p>	172	2.372
		<p>McQuatters-Gollop A., Mee L.D., Raitsos D.E., Shapiro G.I. Non-linearities, regime shifts and recovery: The recent influence of climate on Black Sea chlorophyll. 2008. <i>Journal of Marine Systems</i>, 74, 1-2, 649-658</p>	173	2.005
		<p>Konovalov S.K., Murray J.W., Luther G.W., Tebo B.M. Processes controlling the redox budget for the oxic/anoxic water column of the Black Sea 2006, <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i>, 53 17-19, 1817-1841</p>	174	1.67
		<p>Oguz T., Dippner J.W., Kaymaz Z. Climatic regulation of the Black Sea hydro-meteorological and ecological properties at interannual-to-decadal time scales. 2006. <i>Journal of Marine Systems</i>, 60, 3-4, 235-254</p>	175	2.005
		<p>Oguz T., V. Velikova, A. Cociasu, A. Korchenko. Chapter 2 .The State of Eutrophication. State of the Environment of the Black Sea (2001-2006/7), T.Oguz [ed], Black Sea Commission Publications 2008-3, Istanbul, Turkey, pp. 83-112, ISBN 978-9944-245-33-3</p>	176	

		Gregoire M., Raick C., Soetaert K. Numerical modeling of the central Black Sea ecosystem functioning during the eutrophication phase. 2008. <i>Progress in Oceanography</i> , 76, 3, 286-333	177	3.269
		BSC, 2009. Implementation of the Strategic Action Plan for the Rehabilitation and Protection of the Black Sea (2002-2007). Publications of the Commission on the Protection of the Black Sea Against Pollution (BSC), 2009-1, Istanbul, Turkey, 247 pp. ISBN 978-XXX	178	
34	5B_33a.Yunev, O., G. Shulman, T. Yuneva, S. Moncheva, 2008. Long –term changes of ecological quality rating (Q –value) of the Black Sea pelagic ecosystem. 2 <sup>nd</sup> Biannual and Black Sea Scene International Conference “Climate Change in the Black Sea – Hypothesis, Observations, Trends, Scenarios and Mitigation Strategy for the ecosystem” – BS-HOT’2008, 06-09.10.2008, Sofia	Oguz, T., V. Velikova, A. Kideys. Chapter 12.Overall assessment of the present state of the Black Sea ecosystem. State of the Environment of the Black Sea (2001-2006/7), T.Oguz [ed], Black Sea Commission Publications 2008-3, Istanbul, Turkey, pp., 417-448, ISBN 978-9944-245-33-3	179	

- **ИФ е към 2010**

**МЕЖДУНАРОДНИ СПИСАНИЯ С ИМПКТ ФАКТОР С ЦИТАТИ ЗА ПЕРИОДА 2000-2001**

<i>No</i>	<b>СПИСАНИЕ</b>	<i>IF</i>
<i>1</i>	SCIENCE	<i>31.364</i>
<i>2</i>	GLOBAL BIOGEOCHEMICAL CYCLES	<i>5.263</i>
<i>3</i>	ENVIRONMENTAL SCIENCE & TECHNOLOGY	<i>4.825</i>
<i>4</i>	HARMFUL ALGAE	<i>4.28</i>
<i>5</i>	ECOLOGICAL APPLICATIONS	<i>3.67</i>
<i>6</i>	METABOLOMICS	<i>3.608</i>
<i>7</i>	BIOGEOSCIENCES DISCUSSIONS	<i>3.587</i>
<i>8</i>	FOOD CHEMISTRY	<i>3.458</i>
<i>9</i>	AQUATIC TOXICOLOGY	<i>3.333</i>
<i>10</i>	JOURNAL OF GEOPHYSICAL RESEARCH	<i>3.303</i>
<i>11</i>	JOURNAL OF BIOLOGICAL INORGANIC CHEMISTRY	<i>3.287</i>
<i>12</i>	PROGRESS IN OCEANOGRAPHY	<i>3.269</i>
<i>13</i>	MUTATION RESEARCH	<i>3.204</i>
<i>14</i>	ECOLOGICAL INDICATORS	<i>2.967</i>
<i>15</i>	MARINE CHEMISTRY	<i>2.751</i>
<i>16</i>	ENVIRONMENTAL MANAGEMENT	<i>2.596</i>
<i>17</i>	MARINE POLLUTION BULLETIN	<i>2.562</i>
<i>18</i>	MARINE ECOLOGY PROGRESS SERIES	<i>2.483</i>
<i>19</i>	DEEP-SEA RESEARCH PART I: OCEANOGRAPHIC RESEARCH PAPERS	<i>2.372</i>

<b>20</b>	<b>ESTUARINE, COASTAL AND SHELF SCIENCE</b>	<b>2.369</b>
<b>21</b>	<b>ECOTOXICOLOGY AND ENVIRONMENTAL SAFETY</b>	<b>2.34</b>
<b>22</b>	<b>COMPARATIVE BIOCHEMISTRY AND PHYSIOLOGY - PART C TOXICOLOGY AND PHARMACOLOGY</b>	<b>2.325</b>
<b>23</b>	<b>WATER RESOURCES MANAGEMENT</b>	<b>2.201</b>
<b>24</b>	<b>AQUATIC MICROBIAL ECOLOGY</b>	<b>2.089</b>
<b>25</b>	<b>MARINE BIOLOGY</b>	<b>2.011</b>
<b>26</b>	<b>JOURNAL OF MARINE SYSTEMS</b>	<b>2.005</b>
<b>27</b>	<b>AQUATIC CONSERVATION: MARINE AND FRESHWATER ECOSYSTEMS</b>	<b>1.968</b>
<b>28</b>	<b>HYDROBIOLOGIA</b>	<b>1.964</b>
<b>29</b>	<b>MARINE ENVIRONMENTAL RESEARCH</b>	<b>1.953</b>
<b>30</b>	<b>JOURNAL OF FOOD COMPOSITION AND ANALYSIS</b>	<b>1.948</b>
<b>31</b>	<b>CONTINENTAL SHELF RESEARCH</b>	<b>1.928</b>
<b>32</b>	<b>ESTUARIES AND COASTS</b>	<b>1.921</b>
<b>33</b>	<b>JOURNAL OF EXPERIMENTAL MARINE BIOLOGY AND ECOLOGY</b>	<b>1.91</b>
<b>34</b>	<b>ECOLOGICAL MODELLING</b>	<b>1.769</b>
<b>35</b>	<b>JOURNAL OF PLANKTON RESEARCH</b>	<b>1.749</b>
<b>36</b>	<b>DEEP-SEA RESEARCH PART II : TOPICAL STUDIES IN OCEANOGRAPHY</b>	<b>1.67</b>
<b>37</b>	<b>JOURNAL OF TOXICOLOGY AND ENVIRONMENTAL HEALTH, PART A</b>	<b>1.637</b>

<b>38</b>	<b>JOURNAL OF ENVIRONMENTAL SCIENCES</b>	<b>1.513</b>
<b>39</b>	<b>OCEAN SCIENCE DISCUSSIONS</b>	<b>1.443</b>
<b>40</b>	<b>JOURNAL ENVIRONMENTAL MONITORING AND ASSESSMENT</b>	<b>1.436</b>
<b>41</b>	<b>JOURNAL OF APPLIED POLYMER SCIENCE</b>	<b>1.24</b>
<b>42</b>	<b>WATER ENVIRONMENT RESEARCH</b>	<b>1.12</b>
<b>43</b>	<b>WATER SCIENCE AND TECHNOLOGY</b>	<b>1.09</b>
<b>44</b>	<b>SCIENTIA MARINA</b>	<b>1.079</b>
<b>45</b>	<b>ADVANCES IN SPACE RESEARCH</b>	<b>1.076</b>
<b>46</b>	<b>DIATOM RESEARCH</b>	<b>1.03</b>
<b>47</b>	<b>OCEANOLOGIA</b>	<b>0.983</b>
<b>48</b>	<b>JMBA2 - BIODIVERSITY RECORDS</b>	<b>0.933</b>
<b>49</b>	<b>JOURNAL OF THE MARINE BIOLOGICAL ASSOCIATION OF THE UNITED KINGDOM</b>	<b>0.933</b>
<b>50</b>	<b>OPHELIA</b>	<b>0.815</b>
<b>51</b>	<b>REVIEWS IN ANALYTICAL CHEMISTRY</b>	<b>0.692</b>
<b>52</b>	<b>JOURNAL OF BIOLOGICAL RESEARCH</b>	<b>0.682</b>
<b>53</b>	<b>JOURNAL OF COASTAL RESEARCH</b>	<b>0.679</b>
<b>54</b>	<b>CRUSTACEANA</b>	<b>0.63</b>
<b>55</b>	<b>TERRESTRIAL ATMOSPHERIC AND OCEANIC SCIENCES</b>	<b>0.59</b>

<b>56</b>	<b>MEDITERRANEAN MARINE SCIENCE</b>	<b>0.568</b>
<b>57</b>	<b>FRESENIUS ENVIRONMENTAL BULLETIN</b>	<b>0.43</b>
<b>58</b>	<b>JOURNAL OF OPTOELECTRONICS AND ADVANCED MATERIALS</b>	<b>0.412</b>
<b>59</b>	<b>OCEANOLOGY</b>	<b>0.324</b>
<b>60</b>	<b>OKEANOLOGIYA</b>	<b>0.307</b>
<b>61</b>	<b>OCEANOLOGICAL AND HYDROBIOLOGICAL STUDIES</b>	<b>0.306</b>
	<b>ОБЩ ИМПАКТ ФАКТОР</b>	<b>292.22</b>
	<b>ИНДИВИДУАЛЕН ИМПАКТ ФАКТОР</b>	<b>8.596</b>

**09.08.2011**  
гр. Варна

**ПОДПИС:**  
**/ доц., д-р, С. Мончева/**